

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.11.2021 Version number 5 Revision: 16.11.2021

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name Centrament Air LP 20

· Relevant identified uses of the substance or mixture and

No further relevant information available. uses advised against

· Application of the substance

Concrete/Mortar admixtures / the mixture

· Details of the supplier of the safety data sheet

MC-Bauchemie Müller GmbH & Co. KG · Manufacturer/Supplier:

> Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

Emergency telephone

number:

msds@mc-bauchemie.de

Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565

2 Hazards identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms



· Signal word Warning

Hazard-determining

components of labelling: Resin acids and Rosin acids, maleated, sodium salts

2-octyl-2H-isothiazol-3-one

· Hazard statements Causes skin irritation.

(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.11.2021 Version number 5 Revision: 16.11.2021

Trade name Centrament Air LP 20

(Contd. of page 1)

Causes serious eye irritation.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

Avoid breathing dust/fume/gas/mist/vapours/spray.

· **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid release to the environment.

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:					
68201-60-5	Resin acids and Rosin acids, maleated, sodium salts	≥1-<2.5%			
	Skin Corr. 1A, H314; Aquatic Chronic 2, H411; Skin Sens. 1, H317; Aquatic Acute 2, H401				
26530-20-1	2-octyl-2H-isothiazol-3-one	<i>≥</i> 0.00025-<0.0015%			
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317				

• Additional information For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

• General information No special measures required.

• After inhalation Supply fresh air; consult doctor in case of symptoms.

· After skin contact The product is not skin irritating.

· After eye contact Rinse opened eye for several minutes under running water.

· After swallowing In case of persistent symptoms consult doctor.

 Information for doctor
 Most important symptoms and effects, both acute and

delayed No further relevant information available.

(Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.11.2021 Version number 5 Revision: 16.11.2021

Trade name Centrament Air LP 20

(Contd. of page 2)

· Indication of any immediate medical attention and special

treatment needed No further relevant information available.

5 Firefighting measures

Extinguishing media

· Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with

water jet or alcohol-resistant foam.

· Special hazards arising from

the substance or mixture No further relevant information available.

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and

emergency procedures Not required.

· Environmental precautions: Dilute with much water.

Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· Reference to other sections No dangerous materials are released.

7 Handling and storage

· Handling

· Precautions for safe handling No special measures required.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: None.

· Specific end use(s) No further relevant information available.

AE -



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.11.2021 Version number 5 Revision: 16.11.2021

Trade name Centrament Air LP 20

(Contd. of page 3)

8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· Control parameters

Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

· Personal protective equipment

· General protective and

hygienic measures The usual precautionary measures should be adhered to in

handling the chemicals.

· Breathing equipment: Not required.

• Protection of hands: The glove material has to be impermeable and resistant to the

product/ the substance/ the preparation.

· Material of gloves

Penetration time of glove

material

• Eye protection: Safety glasses

Tightly sealed safety glasses.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Dark brown
Smell: Characteristic

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 100 °C

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Steam pressure at 20 °C: 23 hPa

Density at 20 °C 1.01 g/cm³

· Solubility in / Miscibility with

Water: Fully miscible

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 16.11.2021 Printing date 29.11.2021 Version number 5

Trade name Centrament Air LP 20

(Contd. of page 4)

· Other information

No further relevant information available.

10 Stability and reactivity

Reactivity

No further relevant information available.

· Chemical stability

Thermal decomposition /

conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous

reactions

No dangerous reactions known

· Conditions to avoid · Incompatible materials: No further relevant information available. No further relevant information available.

· Hazardous decomposition

products:

No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values that are	relevant for	classification:
---------------------------	--------------	-----------------

20000 20 1 2 00ty1 211 100tina201 0 0110				
Oral	LD50	125 mg/kg (ATE)		
		279 mg/kg (rat)		
Dermal	LD50	311 mg/kg (ATE)		
		> 0000 // (4)		

26530-20-1 2-octyl-2H-isothiazol-3-one

>2000 mg/kg (rat) Inhalative LC50/4 h 0.27 mg/l (ATE)

0.6 mg/l (rat)

- · Primary irritant effect:
- · Serious eye damage/irritation Irritant effect.
- · Respiratory or skin sensitisation

Sensitization possible by skin contact.

· Additional toxicological

information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and

the information provided to us.



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.11.2021 Version number 5 Revision: 16.11.2021

Trade name Centrament Air LP 20

(Contd. of page 5)

12 Ecological information

· Toxicity

· Aquatic toxicity:

26530-20-1 2-octyl-2H-isothiazol-3-one

EC50/48h 0.42 mg/l (Daphnien)

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning

agent: Water, if necessary with cleaning agent.

14 Transport information

UN-Number ADR, ADN, IMDG, IATA	Void	
UN proper shipping name ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	

(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.11.2021 Version number 5 Revision: 16.11.2021

Trade name Centrament Air LP 20

(Contd. of page 6)

	\ 10/
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard -

Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard -

Category 2

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard -

Category 3

(Contd. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.11.2021 Version number 5 Revision: 16.11.2021

Trade name Centrament Air LP 20

(Contd. of page 7)

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 3

* * Data compared to the previous version altered.