

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 23

Revision: 24.02.2024

Product identifier	
 Trade name Relevant identified uses of the substance or mixture an 	<u>Centrament Air 201</u> d
uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
• Details of the supplier of the • Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Hazards identification	
Chazards identification Classification of the substar	nce or mixture
· Classification of the substar	n ce or mixture – Category 2A H319 Causes serious eye irritation.
 Classification of the substan Serious eye damage/irritation - Skin Sens. 1 	– Category 2A H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.
· Classification of the substar Serious eye damage/irritation -	– Category 2A H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.
 Classification of the substan Serious eye damage/irritation - Skin Sens. 1 	– Category 2A H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
 Classification of the substar Serious eye damage/irritation - Skin Sens. 1 Aquatic Chronic 3 Label elements 	– Category 2A H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. The product is classified and labelled according to the Globa
Classification of the substar Serious eye damage/irritation - Skin Sens. 1 Aquatic Chronic 3 Label elements GHS label elements	 Category 2A H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. The product is classified and labelled according to the Globa Harmonised System (GHS).
 Classification of the substar Serious eye damage/irritation - Skin Sens. 1 Aquatic Chronic 3 Label elements GHS label elements Hazard pictograms 	 Category 2A H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. The product is classified and labelled according to the Global Harmonised System (GHS). GHS07
 Classification of the substar Serious eye damage/irritation - Skin Sens. 1 Aquatic Chronic 3 Label elements GHS label elements Hazard pictograms 	 Category 2A H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. The product is classified and labelled according to the Global Harmonised System (GHS). GHS07
 Classification of the substar Serious eye damage/irritation - Skin Sens. 1 Aquatic Chronic 3 Label elements GHS label elements Hazard pictograms Signal word Hazard-determining 	 Category 2A H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. The product is classified and labelled according to the Global Harmonised System (GHS). GHS07 Warning Kolophonium, maleiniert, Kaliumsalze
 Classification of the substar Serious eye damage/irritation - Skin Sens. 1 Aquatic Chronic 3 Label elements GHS label elements Hazard pictograms Signal word Hazard-determining components of labelling: 	 Category 2A H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. The product is classified and labelled according to the Global Harmonised System (GHS). GHS07 Warning Kolophonium, maleiniert, Kaliumsalze 2-octyl-2H-isothiazol-3-one Causes serious eye irritation. May cause an allergic skin reaction.



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 23

Revision: 24.02.2024

Trade name Centrament Air 201

(Contd. of page 1)

Wear protective gloves / eye protection / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

· Other hazards

· Results of PBT and vPvB assessment

· PBT: · vPvB: Not applicable. Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

 Dangerous comp 	oonents:	
CAS: 85409-27-4	Kolophonium, maleiniert, Kaliumsalze	≥1-<1.5%
	Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Sens. 1, H317	
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	<i>≥</i> 0.0015-<0.0025%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	

4 First aid measures

· Description of first aid measures

· General information	No special measures required.
· After inhalation	Supply fresh air; consult doctor in case of symptoms.
 After skin contact 	The product is not skin irritating.
 After eye contact 	Rinse opened eye for several minutes under running water.
· After swallowing	Rinse out mouth and then drink plenty of water.
-	In case of persistent symptoms consult doctor.

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- Special hazards arising from
- the substance or mixture No further relevant information available.
- Advice for firefighters
 Protective equipment:

No special measures required.

(Contd. on page 3)

AF



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 23

Revision: 24.02.2024

Trade name Centrament Air 201

(Contd. of page 2)

Page 3/8

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Environmental precautions: Dilute with much water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Not required.

· Reference to other sections No dangerous materials are released.

7 Handling and storage

- · Handling
- Precautions for safe handling No special measures required.
 Information about protection
- against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
 Information about storage in one common storage facility: Not required.
 Further information about
- storage conditions:None.Storage class12

		ation about al systems:	No further data; see section 7.
Control p Compone values the monitorin	nts with at requir	critical	The product does not contain any relevant quantities of materia with critical values that have to be monitored at the workplace.
DNELs			
CAS: 854	09-27-4 H	Kolophoniun	n, maleiniert, Kaliumsalze
Dermal	DNEL ().995 mg/kg k	ow/day (ArL)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 23

Revision: 24.02.2024

Trade name Centrament Air 201

	(Contd. of page 3)
Exposure controls	
Personal protective equipm	ent
General protective and	
hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals.
Breathing equipment:	Not required.
Protection of hands:	Not required.
Material of gloves	- '
Penetration time of glove	
material	-
Eye protection:	Not required.
	-

9 Physical and chemical	
g Physical and chemical	
or mysical and chemical	

Appearance:	Fluid	
Form: Colour:	Fluid	
Smell:	Light brown	
Smen:	Recognisable	
pH-value at 20 °C:	10	
Change in condition		
Melting point/freezing point:	<0 °C	
Initial boiling point and boiling	range: 100 °C	
Flash point:	Not applicable	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Steam pressure at 20 °C:	23 hPa	
Density at 20 °C	1 g/cm³	
Solubility in / Miscibility with		
Water:	Fully miscible	
Viscosity:		
dynamic at 20 °C:	0.952 mPas	
kinematic:	Not determined.	
Other information		
	o further relevant information available.	

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 23

Revision: 24.02.2024

Trade name Centrament Air 201

(Contd. of page 4)

Page 5/8

Reactivity	No further relevant information available.
Chemical stability	
Thermal decomposition /	
conditions to be avoided:	No decomposition if used according to specifications.
Possibility of hazardous	
reactions	No dangerous reactions known
Conditions to avoid	No further relevant information available.
Incompatible materials:	No further relevant information available.
Hazardous decomposition	
products:	No dangerous decomposition products known

11 Toxicological information

· Information on toxicological effects

· LD/LC50	values tha	at are relevant for classification:	
		olophonium, maleiniert, Kaliumsalze	
Oral	LD50	>2000 mg/kg (rat)	
CAS: 265	30-20-1 2-	octyl-2H-isothiazol-3-one	
Oral	LD50	125 mg/kg (ATE)	
		500 mg/kg (rat)	
Dermal	LD50	311 mg/kg (ATE)	
		>2000 mg/kg (rat)	
Inhalative	LC50/4 h	0.27 mg/l (ATE)	
		0.6 mg/l (rat)	
 Primary in Serious e Respirato sensitisa 	eye damag ory or skin	e/irritation No irritant effect.	
· Additiona informati	al toxicolo	•	

(Contd. on page 6)

AF



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 23

Revision: 24.02.2024

Trade name Centrament Air 201

(Contd. of page 5)

· Toxicity	
· Aquatic toxicity:	
•	ium, maleiniert, Kaliumsalze
LC50/96h 10-100 mg/l (alga	e)
>10 mg/l (fish)	
EC50/96h 10-100 mg/l (Dapl	hnien)
CAS: 26530-20-1 2-octyl-2H	l-isothiazol-3-one
EC50/48h 0.42 mg/l (Daphni	en)
	lity No further relevant information available.
Behaviour in environmenta	
	No further relevant information available.
Mobility in soil	No further relevant information available.
Additional ecological infor	
· General notes:	Do not allow product to reach ground water, water bodies
	sewage system. Denger te drinking water if even emell gwentities leek inte seil
Results of PBT and vPvB a	Danger to drinking water if even small quantities leak into soil.
	Not applicable.
· vPvB:	Not applicable.
· Other adverse effects	No further relevant information available.
13 Disposal consideration	กร
-	
 Waste treatment methods Recommendation 	Can be reused without processing.
Recommendation	Must not be disposed of together with household garbage. Do n
	allow product to reach sewage system.
Indoned rectaning	,
 Uncleaned packagings: Recommendation: 	Dispasal must be made apparding to official regulations
· Recommendation:	Disposal must be made according to official regulations.
Necommended cleaning	

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, ĬATA	Void	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 23

Revision: 24.02.2024

Page 7/8

Trade name Centrament Air 201

	(Contd. of page
· Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
Packing group ADR, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
<i>Transport in bulk according to Annex</i> <i>Marpol and the IBC Code</i>	II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications
UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing data specification sheet: Contact: 	Environment protection department.
Abbreviations and acronyms:	 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Abstracts Service (division of the Americal Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
	(Contd. on page 8)

— A



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 23

Revision: 24.02.2024

Page 8/8

AE

Trade name Centrament Air 201

(Contd. of page
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eve Dam. 1: Serious eve damage/eve irritation – Category 1
Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquat hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquat hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquat
hazard – Category 3