

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022 Version number 10 Revision: 15.02.2022

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

• Trade name EXZELLENT STP 610

· Relevant identified uses of the substance or mixture and

uses advised against No further relevant information available.

· Application of the substance

/ the mixture Ready-mixed mortar

dry mortar

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

msds@mc-bauchemie.de

Emergency telephone

number: Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

2 Hazards identification

· Classification of the substance or mixture

Acute Tox. 5 H303 May be harmful if swallowed.

Acute Tox. 5 H313 May be harmful in contact with skin.

Acute Tox. 5 H333 May be harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms

GHS05

· Signal word Danger

· Hazard-determining

components of labelling: Cement, portland, chemicals

Cr(VI)<2ppm calcium dihydroxide

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022 Version number 10 Revision: 15.02.2022

Trade name EXZELLENT STP 610

(Contd. of page 1)

· **Hazard statements** May be harmful if swallowed.

May be harmful in contact with skin.

May be harmful if inhaled. Causes skin irritation.

Causes serious eye damage.

• Precautionary statements Wear protective gloves / eye protection / face protection.

IF INHALED: Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

· Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· CAS No. Designation: Void · Identification number(s): Void · Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous	components:	
1317-65-3	Calciumcarbonat	70-100%
	Acute Tox. 5, H303; Acute Tox. 5, H313	
65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm	≥10-<20%
	Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	
1305-62-0	calcium dihydroxide	≥3-<10%
	Eye Dam. 1, H318; Skin Irrit. 2, H315	
471-34-1	calcium carbonate	<5%
	Acute Tox. 5, H303	

4 First aid measures

· Description of first aid measures

General information No special measures required.

· After inhalation Void

· After skin contact The product is not skin irritating.

· After eye contact Rinse opened eye for several minutes under running water.

• After swallowing Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022 Version number 10 Revision: 15.02.2022

No further relevant information available.

Trade name EXZELLENT STP 610

(Contd. of page 2)

· Information for doctor

 Most important symptoms and effects, both acute and

delayed Indication of any immediate medical attention and special

treatment needed . No further relevant information available.

5 Firefighting measures

· Extinguishing media

· Suitable extinguishing agents Void

· Special hazards arising from

the substance or mixture No further relevant information available.

· Advice for firefighters

• **Protective equipment:** No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and

emergency procedures Not required.

· Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Collect mechanically.

· Reference to other sections No dangerous materials are released.

7 Handling and storage

· Handling

· Precautions for safe handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: None.

· **Specific end use(s)** No further relevant information available.

AE ·



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022 Version number 10 Revision: 15.02.2022

Trade name EXZELLENT STP 610

(Contd. of page 3)

8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

	al values that require monitoring at the workplace:
65997-15-1 Cement, port Cr(VI)<2ppm	
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction, A4
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust
1305-62-0 calcium dihyo	roxide
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
REL (USA)	Long-term value: 5 mg/m³
TLV (USA)	Long-term value: 5 mg/m³
IOELV (European Union)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction
WEL (Great Britain)	Short-term value: 4* mg/m³ Long-term value: 5 1* mg/m³ *resprable fraction
471-34-1 calcium carbor	pate
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV (USA)	TLV withdrawn
DNELs	
1317-65-3 Calciumcarbo	nat
Oral DNEL 6.1 mg/	kg bw/Tag (ArL)
Inhalative DNEL 10 mg/r	n³ (ArL)
65997-15-1 Cement, por Cr(VI)<2ppm	·
Inhalative DNEL 1 mg/m	³ (ArL)
1305-62-0 calcium dihyo	Iroxide

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022 Version number 10 Revision: 15.02.2022

Trade name EXZELLENT STP 610

(Contd. of page 4)

471-34-1 calcium carbonate

Inhalative DNEL 4.26 mg/m³ (ArL)

PNECs

1317-65-3 Calciumcarbonat

PNEC 100 mg/l (Sewage Treatment Plant)

1305-62-0 calcium dihydroxide

PNEC 3 mg/l (BEL)

0.32 mg/l (Mew)

0.49 mg/l (Suw)

PNEC 1080 mg/kg dwt (Bod)

The lists that were valid during the compilation were used as basis.

Exposure controls

· Personal protective equipment

General protective and

· Additional information:

hygienic measures The usual precautionary measures should be adhered to in

handling the chemicals.

• Breathing equipment: In case of brief exposure or low pollution use breathing filter

apparatus. In case of intensive or longer exposure use breathing

apparatus that is independent of circulating air.

Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

• Material of gloves The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Tightly sealed safety glasses.

· Body protection: Protective work clothing.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder Colour: Grey

(Contd. on page 6)





Safety data sheet according to 1907/2006/EC, Article 31

Version number 10 Revision: 15.02.2022 Printing date 15.02.2022

Trade name EXZELLENT STP 610

	(Contd. of page
Smell:	neutral
pH-value:	10-12
Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Not determined Not applicable Not determined
Flash point:	Not applicable
Inflammability (solid, gaseous)	Product is not inflammable.
Explosive properties:	Product is not explosive.
Density	Not determined
Solubility in / Miscibility with Water:	Soluble
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition /

No decomposition if used according to specifications. conditions to be avoided:

· Possibility of hazardous

reactions

No dangerous reactions known

· Conditions to avoid No further relevant information available. · Incompatible materials: No further relevant information available.

· Hazardous decomposition

products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50	values tha	t are relevant for classification:
1317-65-3	Calciumo	carbonat
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
65997-15-	1 Cement Cr(VI)<2	, portland, chemicals Pppm
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/4 h	5 mg/l (rat)

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022 Version number 10 Revision: 15.02.2022

Trade name EXZELLENT STP 610

(Contd. of page 6)

1305-62	2-0 calcium	dihydroxide	
Oral	LD50	7340 mg/kg (rat)	
471-34-	·1 calcium	carbonate	
Oral	LD50	>2000 mg/kg (rat)	

· Primary irritant effect:

· **Skin corrosion/irritation** Irritant for skin and mucous membranes.

· Serious eye damage/irritation Strong irritant with the danger of severe eye injury.

· Respiratory or skin

sensitisation No sensitizing effect known.

· Additional toxicological

information: When used and handled according to specifications, the product

does not have any harmful effects according to our experience and

the information provided to us.

The material is not subject to classification according to EC lists in

the last version.

12 Ecological information

· Toxicity

1317-65-3 Calciumcarbonat

EC50/72h >14 mg/l (Desmodesmus subspicatus)

LC50/96h >10000 mg/l (Oncorhynchus mykiss)

LC50/48h >1000 mg/l (Daphnia magna)

EC50/48h >1000 mg/l (Daphnia magna)

471-34-1 calcium carbonate

IC50/72h >1000 mg/l (algae)

LC50/24h >10 mg/l (fish)

LC50/96h >1000 mg/l (fish)

EC50/48h >1000 mg/l (Daphnia magna)

Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Additional ecological information:

• **General notes:** Not known to be hazardous to water.

Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022 Version number 10 Revision: 15.02.2022

Trade name EXZELLENT STP 610

(Contd. of page 7)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Packaging can be reused or recycled after cleaning.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

AF -



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022 Version number 10 Revision: 15.02.2022

Trade name EXZELLENT STP 610

(Contd. of page 8)

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity - Category 5 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* * Data compared to the previous version altered.