

Page 1/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 27 Revision: 24.02.2024

#### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

• Trade name EXZELLENT STP 510

Relevant identified uses of the substance or mixture and

uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Ready-mixed mortar

dry mortar

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

#### 2 Hazards identification

· Classification of the substance or mixture

Acute Tox. 5 H303 May be harmful if swallowed.

Acute Tox. 5 H313 May be harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms

GHS05

· Signal word Danger

· Hazard-determining

components of labelling: Portland cement calcium dihydroxide

· **Hazard statements** May be harmful if swallowed.

May be harmful in contact with skin.

Causes skin irritation.

Causes serious eye damage.

(Contd. on page 2)



Page 2/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 27 Revision: 24.02.2024

#### **Trade name EXZELLENT STP 510**

(Contd. of page 1)

• Precautionary statements Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

· Other hazards

Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

#### 3 Composition/information on ingredients

· CAS No. Designation: Void · Identification number(s): Void · Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous com	oonents:	
CAS: 1317-65-3	Calcium carbonate	60-80%
	Acute Tox. 5, H303; Acute Tox. 5, H313	
CAS: 65997-15-1	Portland cement	≥10-<20%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1305-62-0	calcium dihydroxide	≥3-<10%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 471-34-1	Calcium carbonate	<10%
	Acute Tox. 5, H303	

#### 4 First aid measures

· Description of first aid measures

• General information No special measures required.

· After inhalation Void

· After skin contact The product is not skin irritating.

• After eye contact Rinse opened eye for several minutes under running water.

After swallowing Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

### 5 Firefighting measures

Extinguishing media

· Suitable extinguishing agents Void

Special hazards arising from

the substance or mixture No further relevant information available.

(Contd. on page 3)



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 27 Revision: 24.02.2024

#### **Trade name EXZELLENT STP 510**

(Contd. of page 2)

· Advice for firefighters

· Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and

**emergency procedures** Not required.

· Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Collect mechanically.

· Reference to other sections No dangerous materials are released.

### 7 Handling and storage

· Handling

· Precautions for safe handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: None.
Storage class 13

### 8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see section 7.

· Control parameters

· Components with crit	· Components with critical values that require monitoring at the workplace:	
CAS: 1317-65-3 Calciu	ım carbonate	
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust; **respirable	
CAS: 65997-15-1 Portl	and cement	

PEL (USA) Long-term value: 50 mppcf or 15\* 5\*\* mg/m³

\*total dust \*\*respirable fraction

(Contd. on page 4)





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 27 Revision: 24.02.2024

#### **Trade name EXZELLENT STP 510**

*total dust **respirable fraction Long-term value: 1* mg/m³ E; *as respirable fraction, A4  WEL (Great Britain) Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust  CAS: 1305-62-0 calcium dihydroxide  PEL (USA) Long-term value: 15* 5** mg/m³ *total dust **respirable fraction  REL (USA) Long-term value: 5 mg/m³ TLV (USA) Long-term value: 5 mg/m³ Long-term value: 5 mg/m³ IOELV (European Union) Short-term value: 4 mg/m³ Respirable fraction  WEL (Great Britain) Short-term value: 4 * mg/m³ Long-term value: 5 1* mg/m³ *resprable fraction  CAS: 471-34-1 Calcium carbonate  PEL (USA) Long-term value: 10* 5** mg/m³ *total dust **respirable fraction  REL (USA) Long-term value: 10* 5** mg/m³ *total dust **respirable fraction  TLV (USA) TLV withdrawn  DNELs  CAS: 1317-65-3 Calcium carbonate  Oral DNEL 6.1 mg/kg bw/Tag (ArL) Inhalative DNEL 1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate  Inhalative DNEL 1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate  Inhalative DNEL 1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate  Inhalative DNEL 1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate  Inhalative DNEL 1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate  Inhalative DNEL 1 mg/m³ (ArL)				(Contd. of pa
TLV (USA)	REL (USA)		Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust **respirable dust **respirable dust **respirable fraction **Long-term value: 15* 5** mg/m³ **total dust **respirable fraction **Long-term value: 5 mg/m³ **Long-term value: 5 mg/m³ **Long-term value: 5 mg/m³ **Long-term value: 1 mg/m³ **Respirable fraction **REL (USA) **Long-term value: 1 mg/m³ **Respirable fraction **Tespirable	TLV (USA)		Long-term value: 1* mg/m³	
CAS: 1305-62-0 calcium   dihydroxide	WEL (Grea	t Britain)	Long-term value: 10* 4** mg/m³	
PEL (USA)	CAS: 1305	-62-0 calciu		
*total dust **respirable fraction REL (USA)		-02-0 Caiciu	•	
TLV (USA)   Long-term value: 5 mg/m³	T LL (OOA)		*total dust **respirable fraction	
IOELV (European Union)  Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction  Short-term value: 4* mg/m³ Long-term value: 5 1* mg/m³ *resprable fraction  CAS: 471-34-1 Calcium carbonate  PEL (USA)  Long-term value: 15* 5** mg/m³ *total dust **respirable fraction  TLV (USA)  DNELs  CAS: 1317-65-3 Calcium carbonate  Oral DNEL   10 mg/m³ (ArL)  CAS: 65997-15-1 Portland cement Inhalative DNEL   1 mg/m³ (ArL)  CAS: 1305-62-0 calcium dihydroxide Inhalative DNEL   4.26 mg/m³ (ArL)  CAS: 1317-65-3 Calcium carbonate  Oral SNEL   1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate  Oral DNEL   1 mg/m³ (ArL)  CAS: 1305-62-0 calcium dihydroxide Inhalative DNEL   4.26 mg/m³ (ArL)  CAS: 1317-65-3 Calcium carbonate  PNEC   100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC   3 mg/l (Mew) 0.32 mg/l (Mew) 0.49 mg/l (Freshwater)	REL (USA)		Long-term value: 5 mg/m³	
Long-term value: 1 mg/m³   Respirable fraction   Short-term value: 4 mg/m³   Long-term value: 5 1* mg/m³   Long-term value: 5 1* mg/m³   *resprable fraction   CAS: 471-34-1 Calcium carbonate	TLV (USA)		Long-term value: 5 mg/m³	
Long-term value: 5 1* mg/m³ *resprable fraction	IOELV (Eur	opean Union	Long-term value: 1 mg/m³	
PEL (USA)	WEL (Grea	t Britain)	Long-term value: 5 1* mg/m³	
*total dust **respirable fraction  REL (USA)  Long-term value: 10* 5** mg/m³ *total dust **respirable fraction  TLV (USA)  TLV withdrawn  DNELs  CAS: 1317-65-3 Calcium carbonate  Oral DNEL 6.1 mg/kg bw/Tag (ArL) Inhalative DNEL 10 mg/m³ (ArL)  CAS: 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL)  CAS: 1305-62-0 calcium dihydroxide  Inhalative DNEL 1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate Inhalative DNEL 4.26 mg/m³ (ArL)  PNECs  CAS: 1317-65-3 Calcium carbonate  PNEC 100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC 3 mg/l (BEL) 0.32 mg/l (Mew) 0.49 mg/l (Freshwater)	CAS: 471-3	34-1 Calciun	n carbonate	
*total dust **respirable fraction TLV (USA)  **Total dust **respirable fraction TLV withdrawn  **DNELs  CAS: 1317-65-3 Calcium carbonate  Oral   DNEL   6.1 mg/kg bw/Tag (ArL)   Inhalative   DNEL   10 mg/m³ (ArL)  CAS: 65997-15-1 Portland cement  Inhalative   DNEL   1 mg/m³ (ArL)  CAS: 1305-62-0 calcium dihydroxide  Inhalative   DNEL   1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate  Inhalative   DNEL   4.26 mg/m³ (ArL)  **PNECs** CAS: 1317-65-3 Calcium carbonate  PNEC   100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC   3 mg/l (BEL)   0.32 mg/l (Mew)   0.49 mg/l (Freshwater)	PEL (USA)			
DNELs  CAS: 1317-65-3 Calcium carbonate  Oral DNEL 6.1 mg/kg bw/Tag (ArL) Inhalative DNEL 10 mg/m³ (ArL)  CAS: 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL)  CAS: 1305-62-0 calcium dihydroxide Inhalative DNEL 1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate Inhalative DNEL 4.26 mg/m³ (ArL)  PNECs  CAS: 1317-65-3 Calcium carbonate  PNEC 100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC 3 mg/l (BEL)  0.32 mg/l (Mew)  0.49 mg/l (Freshwater)	REL (USA)			
CAS: 1317-65-3 Calcium carbonate           Oral         DNEL         6.1 mg/kg bw/Tag (ArL)           Inhalative         DNEL         10 mg/m³ (ArL)           CAS: 65997-15-1 Portland cement         Inhalative         DNEL         1 mg/m³ (ArL)           CAS: 1305-62-0 calcium dihydroxide         Inhalative         DNEL         1 mg/m³ (ArL)           CAS: 471-34-1 Calcium carbonate         Inhalative         DNEL         4.26 mg/m³ (ArL)           PNECs           CAS: 1317-65-3 Calcium carbonate           PNEC         100 mg/l (Sewage Treatment Plant)           CAS: 1305-62-0 calcium dihydroxide           PNEC         3 mg/l (BEL)           0.32 mg/l (Mew)         0.49 mg/l (Freshwater)	TLV (USA)		TLV withdrawn	
Oral DNEL 6.1 mg/kg bw/Tag (ArL) Inhalative DNEL 10 mg/m³ (ArL)  CAS: 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL)  CAS: 1305-62-0 calcium dihydroxide Inhalative DNEL 1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate Inhalative DNEL 4.26 mg/m³ (ArL)  PNECs  CAS: 1317-65-3 Calcium carbonate  PNEC 100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC 3 mg/l (BEL)  0.32 mg/l (Mew)  0.49 mg/l (Freshwater)	DNELs			
Inhalative DNEL 10 mg/m³ (ArL)  CAS: 65997-15-1 Portland cement  Inhalative DNEL 1 mg/m³ (ArL)  CAS: 1305-62-0 calcium dihydroxide  Inhalative DNEL 1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate  Inhalative DNEL 4.26 mg/m³ (ArL)  PNECs  CAS: 1317-65-3 Calcium carbonate  PNEC 100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC 3 mg/l (BEL)  0.32 mg/l (Mew) 0.49 mg/l (Freshwater)				
CAS: 65997-15-1 Portland cement  Inhalative   DNEL   1 mg/m³ (ArL)  CAS: 1305-62-0 calcium dihydroxide  Inhalative   DNEL   1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate  Inhalative   DNEL   4.26 mg/m³ (ArL)  PNECs  CAS: 1317-65-3 Calcium carbonate  PNEC   100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC   3 mg/l (BEL)  0.32 mg/l (Mew)  0.49 mg/l (Freshwater)	Oral I	DNEL 6.1 m	g/kg bw/Tag (ArL)	
Inhalative   DNEL   1 mg/m³ (ArL)  CAS: 1305-62-0 calcium dihydroxide  Inhalative   DNEL   1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate  Inhalative   DNEL   4.26 mg/m³ (ArL)  PNECs  CAS: 1317-65-3 Calcium carbonate  PNEC   100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC   3 mg/l (BEL)  0.32 mg/l (Mew)  0.49 mg/l (Freshwater)	Inhalative I	DNEL 10 mg	g/m³ (ArL)	
CAS: 1305-62-0 calcium dihydroxide  Inhalative   DNEL   1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate  Inhalative   DNEL   4.26 mg/m³ (ArL)  PNECs  CAS: 1317-65-3 Calcium carbonate  PNEC   100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC   3 mg/l (BEL)  0.32 mg/l (Mew)  0.49 mg/l (Freshwater)	CAS: 6599	7-15-1 Portl	and cement	
Inhalative DNEL 1 mg/m³ (ArL)  CAS: 471-34-1 Calcium carbonate  Inhalative DNEL 4.26 mg/m³ (ArL)  PNECs  CAS: 1317-65-3 Calcium carbonate  PNEC 100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC 3 mg/l (BEL)  0.32 mg/l (Mew)  0.49 mg/l (Freshwater)	Inhalative I	DNEL 1 mg/	′m³ (ArL)	
CAS: 471-34-1 Calcium carbonate  Inhalative DNEL 4.26 mg/m³ (ArL)  PNECs  CAS: 1317-65-3 Calcium carbonate  PNEC 100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC 3 mg/l (BEL)  0.32 mg/l (Mew)  0.49 mg/l (Freshwater)	CAS: 1305	-62-0 calciu	m dihydroxide	
Inhalative DNEL 4.26 mg/m³ (ArL)  PNECs  CAS: 1317-65-3 Calcium carbonate  PNEC 100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC 3 mg/l (BEL)  0.32 mg/l (Mew)  0.49 mg/l (Freshwater)	Inhalative I	DNEL 1 mg/	′m³ (ArL)	
PNECs  CAS: 1317-65-3 Calcium carbonate  PNEC   100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC   3 mg/l (BEL)  0.32 mg/l (Mew)  0.49 mg/l (Freshwater)	CAS: 471-3	34-1 Calciun	n carbonate	
CAS: 1317-65-3 Calcium carbonate  PNEC   100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC   3 mg/l (BEL)   0.32 mg/l (Mew)   0.49 mg/l (Freshwater)	Inhalative DNEL 4.26 mg/m³ (ArL)			
PNEC 100 mg/l (Sewage Treatment Plant)  CAS: 1305-62-0 calcium dihydroxide  PNEC 3 mg/l (BEL)  0.32 mg/l (Mew)  0.49 mg/l (Freshwater)	PNECs			
CAS: 1305-62-0 calcium dihydroxide  PNEC 3 mg/l (BEL) 0.32 mg/l (Mew) 0.49 mg/l (Freshwater)	CAS: 1317-65-3 Calcium carbonate			
PNEC 3 mg/l (BEL) 0.32 mg/l (Mew) 0.49 mg/l (Freshwater)	PNEC   100 mg/l (Sewage Treatment Plant)			
0.32 mg/l (Mew) 0.49 mg/l (Freshwater)	CAS: 1305-62-0 calcium dihydroxide			
0.32 mg/l (Mew) 0.49 mg/l (Freshwater)				
	0.32	2 mg/l (Mew)		
PNEC 1080 mg/kg dwt (Bod)	0.49	mg/l (Fresh	water)	
	PNEC 108	0 mg/kg dwt	(Bod)	



Page 5/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 27 Revision: 24.02.2024

#### **Trade name EXZELLENT STP 510**

(Contd. of page 4)

• Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

· Personal protective equipment

· General protective and

hygienic measures The usual precautionary measures should be adhered to in

handling the chemicals.

• Breathing equipment: Wear respiratory protection in case of insufficient ventilation.

The selection of respirators (EN 14387) must be based on the known or anticipated exposure concentrations, the hazards of the product and the occupational exposure limits (section 8.1) of the

respirator in question.

Particle filter PP1: Inert substance; P2, P3: Hazardous substances Provide adequate ventilation. This can be achieved by local

exhaust ventilation or general exhaust ventilation. (EN 689 - Methods for determining inhalation exposure) This applies especially at the mixing or stirring place.

If this is not sufficient to keep the concentration below the

occupational exposure limit, provide respiratory protection.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye protection: Not required.

Body protection: Protective work clothing.

#### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder

Colour: According to product specification

· Smell: Odourless

· **pH-value:** Not applicable.

· Change in condition

Melting point/freezing point: Not determined

(Contd. on page 6)





### Safety data sheet according to 1907/2006/EC, Article 31

Version number 27 Revision: 24.02.2024 Printing date 24.02.2024

#### **Trade name EXZELLENT STP 510**

(Contd. of page 5)

Initial boiling point and boiling range.	Not applicable Not determined
Flash point:	Not applicable
Inflammability (solid, gaseous)	Product is not inflammable.
Explosive properties:	Product is not explosive.
Steam pressure:	Not applicable.
Density	Not determined
Solubility in / Miscibility with Water:	Unsoluble
Viscosity: dynamic: kinematic:	Not applicable. Not applicable.

### 10 Stability and reactivity

Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition /

conditions to be avoided:

· Possibility of hazardous

reactions

· Conditions to avoid

· Incompatible materials: · Hazardous decomposition

products:

No further relevant information available.

No decomposition if used according to specifications.

No dangerous reactions known

No further relevant information available.

No further relevant information available.

No dangerous decomposition products known

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values that are relevant for classification:	
CAS: 1317-65-3 Calcium carbonate	

>2000 mg/kg (rat) Oral LD50 Dermal LD50 >2000 mg/kg (rat)

CAS: 65997-15-1 Portland cement

Dermal LD50 2000 mg/kg (rabbit)

(Contd. on page 7)



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 27 Revision: 24.02.2024

#### **Trade name EXZELLENT STP 510**

(Contd. of page 6)

Inhalative	LC50/4 h	5 mg/l (rat)
CAS: 130	5-62-0 cal	cium dihydroxide
Oral	LD50	7340 mg/kg (rat)
CAS: 471	-34-1 Calc	cium carbonate
Oral	LD50	>2000 mg/kg (rat)

· Primary irritant effect:

• **Skin corrosion/irritation** Irritant for skin and mucous membranes.

· Serious eye damage/irritation Strong irritant with the danger of severe eye injury.

· Respiratory or skin

sensitisation

· Additional toxicological

information:

When used and handled according to specifications, the product

does not have any harmful effects according to our experience and

the information provided to us.

No sensitizing effect known.

The material is not subject to classification according to EC lists in

the last version.

#### 12 Ecological information

· Toxicity

	_	
•	Aquatic	toxicity:

CAS: 1317-65-3 Calcium carbonate

EC50/72h >14 mg/l (Desmodesmus subspicatus) LC50/96h >10000 mg/l (Oncorhynchus mykiss)

LC50/48h >1000 mg/l (Daphnia magna) EC50/48h >1000 mg/l (Daphnia magna)

CAS: 471-34-1 Calcium carbonate

IC50/72h >1000 mg/l (algae)

LC50/24h >10 mg/l (fish) LC50/96h >1000 mg/l (fish)

EC50/48h >1000 mg/l (Daphnia magna)

· Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

Additional ecological information:

• **General notes:** Not known to be hazardous to water.

Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

(Contd. on page 8)



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 27 Revision: 24.02.2024

#### Trade name EXZELLENT STP 510

(Contd. of page 7)

• Other adverse effects No further relevant information available.

#### 13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Packaging can be reused or recycled after cleaning.

LINI Niverbox		
UN-Number ADR, ADN, IMDG, IATA	Void	
· · ·	v Ord	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

AF -



Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 27 Revision: 24.02.2024

**Trade name EXZELLENT STP 510** 

(Contd. of page 8)

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity – Category 5 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.

ΑE