

Page 1/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 26 Revision: 14.04.2025

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name Emcekrete DBS 5-F

· Relevant identified uses of the substance or mixture and

uses advised against No further relevant information available.

· Application of the substance

/ the mixture Sealing mortar

Details of the supplier of the safety data sheet

MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

2 Hazards identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms

GHS05 GHS07

· Signal word Danger

Hazard-determining

components of labelling: Portland cement (low chromate)

Calcium hydroxide

Flue dust, portland cement

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

(Contd. on page 2)



Page 2/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 26 Revision: 14.04.2025

Trade name Emcekrete DBS 5-F

· Precautionary statements

(Contd. of page 1)

P261 Avoid breathing dust/fume/gas/mist/vapours/

spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.

P310 Immediately call a POISON CENTER/doi P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it

efore reuse

P403+P233 Store in a well-ventilated place. Keep container

tightly closed.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous comp	oonents:	
CAS: 14808-60-7		30-60%
CAS: 65997-15-1	Portland cement (low chromate)	≥20-≤30%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 65997-16-2	Cement, alumina, chemicals	10-30%
	Acute Tox. 5, H303	
CAS: 1305-62-0	Calcium hydroxide	≥1-<2.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 68475-76-3	Flue dust, portland cement	≥1-<1.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	

Additional information For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

• General information For all first aid measures: observe self-protection and consult a

doctor!

· After inhalation Remove people from the dusty area.

After skin contact Remove heavily soiled clothing. Clean with plenty of soap and

water.

· After eye contact Rinse for 10 minutes under running water with the eyelids open.

Always consult an ophthalmologist!

(Contd. on page 3)



Page 3/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 26 Revision: 14.04.2025

Trade name Emcekrete DBS 5-F

(Contd. of page 2)

· After swallowing Do NOT induce vomiting. Rinse mouth with water. Medical

attention required.

5 Firefighting measures

· Extinguishing media

· Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with

water jet or alcohol-resistant foam.

· Special hazards arising from

the substance or mixture Advice for firefighters

No further relevant information available.

• Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and

emergency procedures Not required.

Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Collect mechanically.

· Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

· Handling

· Precautions for safe handling Avoid dust formation! Avoid spraying the ready-to-use cementitious

product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and offer each break. Observe work restrictional.

after each break. Observe work restrictions!

Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: Store bags tightly closed; protect from moisture and water!

Store containers tightly closed in a well-ventilated and well-lit room.

Access only for specialised personnel.

Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages,

passageways and confined spaces.

· Information about storage in

one common storage facility: Combined storage bans apply from a total storage quantity of 200

kg.

Do not store together with substances of the following LGK: 1; 6.2; (Contd. on page 4)

___Δ



Page 4/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 26 Revision: 14.04.2025

Trade name Emcekrete DBS 5-F

(Contd. of page 3)

7

Storage with substances of the following LGK is only possible

under the conditions specified in TRGS 510: 4.1A; 5.1C

Further information about

storage conditions:

Store in a dry and frost-free place.

· Storage class

8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see section 7.

· Control parameters

· Components with critical	l values that require monitoring at the workpla	ce:
CAS: 14808-60-7 Quartz	sand	
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2	
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.025* mg/m³ *respirable particulate matter, A2	
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction	
CAS: 65997-15-1 Portlan	d cement (low chromate)	
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction, A4	
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust	
CAS: 1305-62-0 Calcium	hydroxide	
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 5 mg/m³	
TLV (USA)	Long-term value: 5 mg/m³	
IOELV (European Union)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction	
WEL (Great Britain)	Short-term value: 4* mg/m³ Long-term value: 5 1* mg/m³ *resprable fraction	(Contd. on page 5

(Contd. on page 5)



Page 5/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 14.04.2025 Printing date 14.04.2025 Version number 26

Trade name Emcekrete DBS 5-F

(Contd. of page 4)

· DNELs

CAS: 65997-15-1 Portland cement (low chromate)

Inhalative DNEL 1 mg/m³ (ArL)

CAS: 1305-62-0 Calcium hydroxide

Inhalative DNEL 1 mg/m³ (ArL)

PNECs

CAS: 1305-62-0 Calcium hydroxide

PNEC 3 mg/l (BEL)

0.32 mg/l (Mew)

0.49 mg/l (Freshwater)

PNEC 1080 mg/kg dwt (Bod)

The lists that were valid during the compilation were used as basis.

· Exposure controls

· Personal protective equipment

General protective and

Additional information:

hygienic measures Do not store food, eat, drink, sniff or smoke in the work area!

Avoid contact with eyes and skin!

Clean hands thoroughly at the end of work and before breaks!

Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing!

Change clothes at the end of work!

Apply greasy skin protection ointment before starting work and

after every break.

For work with higher dust loads particle filter class P2 · Breathing equipment:

Check protective gloves prior to each use for their proper condition. · Protection of hands: Nitrile impregnated cotton gloves.

· Material of gloves

Penetration time of glove

material The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye protection: Safety glasses

· Body protection: Protective work clothing.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid. Colour: Grey

· Smell: Characteristic

· pH-value: Not applicable.

· Change in condition

Melting point/freezing point: Not determined

(Contd. on page 6)



Page 6/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 26 Revision: 14.04.2025

Trade name Emcekrete DBS 5-F

(Contd. of page 5)

	(00
Initial boiling point and boiling	range: 2230 °C
Flash point:	Not applicable
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Steam pressure at 1732 °C:	13.5 hPa
Density at 20 °C	2.82 g/cm³
Solubility in / Miscibility with Water:	Unsoluble
Viscosity: dynamic: kinematic:	Not applicable. Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition /

conditions to be avoided:

· Possibility of hazardous

rossibility of Hazardous

reactions

· Conditions to avoid

· Incompatible materials:

· Hazardous decomposition

products:

The farther followant innormation available.

No decomposition if used according to specifications.

No dangerous reactions known

No further relevant information available.

No further relevant information available.

No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

ſ	· LD/LC50 values that are relevant for classification:			
ſ	CAS: 659	97-15-1 Pc	ortland cement (low chromate)	
ľ	Dermal	LD50	2000 mg/kg (rabbit)	
	Inhalative	LC50/4 h	5 mg/l (rat)	
Ī	CAS: 659	97-16-2 Ce	ement, alumina, chemicals	
ľ	Oral	LD50	>2000 mg/kg (rat)	
ľ	CAS: 130	5-62-0 Cal	cium hydroxide	
ſ	Oral	LD50	7340 mg/kg (rat)	

Primary irritant effect:

· Skin corrosion/irritation Irritant for skin and mucous membranes.

(Contd. on page 7)



Page 7/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 26 Revision: 14.04.2025

Trade name Emcekrete DBS 5-F

(Contd. of page 6)

· Serious eye damage/irritation Strong irritant with the danger of severe eye injury.

· Respiratory or skin

sensitisation

No sensitizing effect known.

· Additional toxicological

information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

Irritant

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 65997-16-2 Cement, alumina, chemicals

LC50/96h >100 mg/l (Oncorhynchus mykiss)

EC50/48h 6.6 mg/l (Daphnia magna)

NOEC >100 mg/l (Oncorhynchus mykiss)

3.2 mg/l (Pseudokirchneriella subcapitata)

1.8 mg/l (Daphnia magna)

ErC50/72h 5.6 mg/l (Pseudokirchneriella subcapitata)

Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Additional ecological information:

General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

٩E



Page 8/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 26 Revision: 14.04.2025

Trade name Emcekrete DBS 5-F

(Contd. of page 7)

UN-Number		
· UN-Number · ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
· ADR, IMDG, IATA	Void	
Environmental hazards:		
· Marine pollutant:	No	
Special precautions for user	Not applicable.	
· Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)



Page 9/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 26 Revision: 14.04.2025

Trade name Emcekrete DBS 5-F

(Contd. of page 8)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity - Category 5 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* * Data compared to the previous version altered.