

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 20 Revision: 24.02.2024

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name **Emcekrete UFM 3**

· Relevant identified uses of the substance or mixture and

No further relevant information available. uses advised against

· Application of the substance

Filling mortar / the mixture

· Details of the supplier of the safety data sheet

MC-Bauchemie Müller GmbH & Co. KG · Manufacturer/Supplier:

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

2 Hazards identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

Hazard pictograms

GHS05 GHS07

· Signal word Danger

Hazard-determining

Portland cement components of labelling:

Fly ash Portland cement Causes skin irritation.

· Hazard statements Causes serious eye damage.

May cause respiratory irritation.

Avoid breathing dust/fume/gas/mist/vapours/spray. · Precautionary statements

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 20 Revision: 24.02.2024

Trade name Emcekrete UFM 3

(Contd. of page 1)

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed.

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture consisting of the following components.

Dangerous components:		
CAS: 14808-60-7	Quartz (SiO2)	50-70%
CAS: 65997-15-1		30-60%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
	· · y	≥1-<2.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	

• Additional information For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

• After inhalation Supply fresh air.

After skin contact Instantly wash with water and soap and rinse thoroughly.
After eye contact Rinse opened eye for several minutes under running water.

Seek medical treatment.

· After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

5 Firefighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· Special hazards arising from

the substance or mixture No further relevant information available.

· Advice for firefighters

• Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and

emergency procedures Not required.

(Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 20 Revision: 24.02.2024

Trade name Emcekrete UFM 3

(Contd. of page 2)

• Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Collect mechanically.

· Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

· Handling

· Precautions for safe handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· Storage class 13

8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see section 7.

· Control parameters

Control parameters		
Components with critica	I values that require monitoring at the workplace:	
CAS: 14808-60-7 Quartz	(SiO2)	
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2	
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.025* mg/m³ *respirable particulate matter, A2	
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction	
CAS: 65997-15-1 Portlan	d cement	
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m ³	

PEL (USA) Long-term value: 50 mppcf or 15° 5° mg/m³

*total dust **respirable fraction

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 20 Revision: 24.02.2024

Trade name Emcekrete UFM 3

(Contd. of page 3)

REL (USA) Long-term value: 10* 5** mg/m³

*total dust **respirable fraction

TLV (USA) Long-term value: 1* mg/m³

E; *as respirable fraction, A4

WEL (Great Britain) Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

· DNELs

CAS: 65997-15-1 Portland cement

Inhalative DNEL 1 mg/m³ (ArL)

• Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

· Personal protective equipment

General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment: In case of brief exposure or low pollution or when application is

performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filter apparatus. In case of intensive or longer exposure use breathing

apparatus that is independent of circulating air.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves Strong gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye protection: Not required.

Body protection: Protective work clothing.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- Appearance:

Form: Powder

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 24.02.2024 Printing date 24.02.2024 Version number 20

Trade name Emcekrete UFM 3

(Contd. of page 4) Colour: Grev · Smell: Odourless · pH-value: Not applicable. · Change in condition Melting point/freezing point: Not determined Initial boiling point and boiling range: Not determined Not applicable · Flash point: Not applicable · Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive. · Steam pressure: Not applicable. · Density Not determined · Solubility in / Miscibility with Water: Unsoluble · Viscosity: dynamic: Not applicable. kinematic: Not applicable. · Other information No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

· Thermal decomposition /

conditions to be avoided:

· Possibility of hazardous

reactions

· Conditions to avoid · Incompatible materials:

· Hazardous decomposition

products:

No decomposition if used according to specifications.

No dangerous reactions known

No further relevant information available. No further relevant information available.

No dangerous decomposition products known

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 20 Revision: 24.02.2024

Trade name Emcekrete UFM 3

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values that are relevant for classification:

CAS: 65997-15-1 Portland cement

Dermal LD50 2000 mg/kg (rabbit)

Inhalative LC50/4 h 5 mg/l (rat)

· Primary irritant effect:

· **Skin corrosion/irritation** Irritant for skin and mucous membranes.

· Serious eye damage/irritation Strong irritant with the danger of severe eye injury.

· Respiratory or skin

sensitisation No sensitizing effect known.

· Additional toxicological

information: The product shows the following dangers according to the

calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

Irritant

12 Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available. • Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
Mobility in soil
No further relevant information available.
No further relevant information available.

Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 20 Revision: 24.02.2024

Trade name Emcekrete UFM 3

(Contd. of page 6)

· Uncleaned packagings:

Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

UN-Number ADR, ADN, IMDG, IATA	Void
	VOIG
UN proper shipping name	
ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
Packing group	
ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Ann	nex II of
Marpol and the IBC Code	Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

(Contd. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 20 Revision: 24.02.2024

Trade name Emcekrete UFM 3

(Contd. of page 7)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

ΑE