

Page 1/11

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2021 Version number 7 Revision: 17.11.2021

#### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name Konudur 170 TR - Komponente B

· Relevant identified uses of the substance or mixture and

No further relevant information available. uses advised against

· Application of the substance

/ the mixture Epoxy resin

Hardening agent/ Curing agent

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

> Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

msds@mc-bauchemie.de

Emergency telephone

number: Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

### 2 Hazards identification

· Classification of the substance or mixture

Flam. Lig. 3 H226 Flammable liquid and vapour.

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Label elements

· GHS label elements

The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms







GHS05

(Contd. on page 2)



Page 2/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2021 Version number 7 Revision: 17.11.2021

#### Trade name Konudur 170 TR - Komponente B

(Contd. of page 1)

· Signal word

Danger

· Hazard-determining

components of labelling:

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Polyoxypropylentriamin polymer amine terminated Polyoxypropylenediamine 3-(trimethoxysilyl)propylamine Flammable liquid and vapour.

· Hazard statements

Harmful if swallowed.
Harmful in contact with skin.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Do not breathe dusts or mists.

IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· **Description:** Mixture consisting of the following components.

· Dangerous	components:	
7631-86-9	silicon dioxide, chemically prepared	25-50%
	Acute Tox. 5, H313	
2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine	≥5-<25%
	Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
39423-51-3	Polyoxypropylentriamin	≥5-<25%
	Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312	
9046-10-0	Polyoxypropylenediamine	≥5-<25%
	Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 5, H303; Acute Tox. 5, H313; Aquatic Chronic 3, H412	

(Contd. on page 3)



Page 3/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2021 Version number 7 Revision: 17.11.2021

#### Trade name Konudur 170 TR - Komponente B

		Contd. of page 2
	polymer amine terminated	≥3-<10%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
38640-62-9	Diisopropylnaphthalin-Isomere	≥2.5-<5%
	Aquatic Chronic 2, H411; Acute Tox. 5, H303; Acute Tox. 5, H313; Aquatic Acute 2, H401	
61788-44-1	2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid	≥0.25-<1%
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Acute 2, H401	-
13822-56-5	3-(trimethoxysilyl)propylamine	≥0.1-<1%
	Skin Corr. 1C, H314; Acute Tox. 4, H302; Skin Sens. 1A, H317; Flam. Liq. 4, H227	
· Additional	information For the wording of the listed hazard phrases refer to s	ection 16.

### 4 First aid measures

· Description of first aid measures

General information Instantly remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

· After inhalation Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position

for transport.

• After skin contact Instantly wash with water and soap and rinse thoroughly.

Instantly rinse with water.

· After eye contact Rinse opened eye for several minutes under running water.

Seek medical treatment.

· After swallowing Rinse out mouth and then drink plenty of water.

Instantly call for doctor.

Drink copious amounts of water and provide fresh air. Instantly call

for doctor.

· Information for doctor

· Most important symptoms and effects, both acute and

delayed

No further relevant information available.

Indication of any immediate medical attention and special

treatment needed No further relevant information available.

## 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from

the substance or mixture No further relevant information available.

(Contd. on page 4)



Page 4/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2021 Version number 7 Revision: 17.11.2021

Trade name Konudur 170 TR - Komponente B

(Contd. of page 3)

· Advice for firefighters

Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and

**emergency procedures** Wear protective equipment. Keep unprotected persons away.

· Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### 7 Handling and storage

· Handling

• Precautions for safe handling Store in cool, dry place in tightly closed containers.

Open and handle container with care.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

**storerooms and containers:** No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

**storage conditions:** Keep container tightly sealed.

· **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· Control parameters

· Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

(Contd. on page 5)





# Safety data sheet according to 1907/2006/EC, Article 31

Version number 7 Revision: 17.11.2021 Printing date 17.11.2021

#### Trade name Konudur 170 TR - Komponente B

D1/=:			(Contd. of p
DNELS			
		dioxide, chemically prepared	
		mg/m³ (ArL)	
		methyl-3,5,5-trimethylcyclohexylamine	
Oral		.526 mg/kg bw/Tag (ArL)	
		0.1 mg/m³ (ArL)	
	_	ypropylentriamin	
	halative DNEL 14 mg/m³ (ArL)		
9046-1	• •	propylenediamine	
Oral		.04 mg/kg bw/Tag (ArL)	
Derma	I DNEL 2	.5 mg/kg bw/day (ArL)	
PNEC	5		
2855-1	3-2 3-amino	methyl-3,5,5-trimethylcyclohexylamine	
PNEC	PNEC   0.006 mg/l (Mew)		
	0.06 mg/l (S	iuw)	
PNEC	0.578 mg/kg	g dwt (Sediment)	
	5.784 mg/kg	g dwt (Fresh water sediment)	
39423-	51-3 Polyox	ypropylentriamin	
PNEC	10 mg/l (Se	wage Treatment Plant)	
	0.00044 mg/l (Mew)		
	0.0044 mg/l	(Suw)	
PNEC	0.002 mg/kg	j dwt (Bod)	
	0.002 mg/kg dwt (Sediment)		
	0.02 mg/kg	dwt (Fresh water sediment)	
9046-1	0-0 Polyoxy	propylenediamine	
PNEC	7.5 mg/l (Se	wage Treatment Plant)	
	0.015 mg/l (	Fresh water)	
PNEC	0.0176 mg/l	(g dwt (Bod)	
	0.125 mg/kg	g dwt (Sediment)	
	0 132 ma/ka	g dwt (Fresh water sediment)	

· Additional information:

The lists that were valid during the compilation were used as basis.

- · Exposure controls
- Personal protective equipment
- · General protective and

Keep away from foodstuffs, beverages and food. hygienic measures

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics. (Contd. on page 6)



Page 6/11

## Safety data sheet according to 1907/2006/EC, Article 31

Revision: 17.11.2021 Printing date 17.11.2021 Version number 7

#### Trade name Konudur 170 TR - Komponente B

(Contd. of page 5)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Tightly sealed safety glasses.

· Body protection: Protective work clothing.

### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid Colour: Whitish · Smell: Characteristic

· Change in condition

Melting point/freezing point: Not determined Initial boiling point and boiling range: Not determined

· Flash point: > 150 °C

· Self-inflammability: Product is not selfigniting.

· Explosive properties: Product is not explosive.

· Density at 20 °C 1.2 g/cm3

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

· Other information No further relevant information available.

#### 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

· Thermal decomposition /

conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous

reactions

No dangerous reactions known

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

(Contd. on page 7)



Page 7/11

## Safety data sheet according to 1907/2006/EC, Article 31

Revision: 17.11.2021 Printing date 17.11.2021 Version number 7

Trade name Konudur 170 TR - Komponente B

(Contd. of page 6)

· Hazardous decomposition

products: No dangerous decomposition products known

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

Acute to	licity	
· LD/LC50	values that are re	levant for classification:
7631-86-9	silicon dioxide,	chemically prepared
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
2855-13-2	3-aminomethyl-	3,5,5-trimethylcyclohexylamine
Oral	LD50	1030 mg/kg (rat)
	NOAEL	250 mg/kg (rat)
Dermal	LD50	1840 mg/kg (rabbit)
		>2000 mg/kg (rat)
39423-51	3 Polyoxypropyl	entriamin
Oral	LD50	550 mg/kg (rat)
Dermal	LD50	>1000 mg/kg (rat)
9046-10-0	Polyoxypropyle	nediamine
Oral	LD50	2855 mg/kg (Rat)
Dermal	LD50	2980 mg/kg (Kan)
38640-62	9 Diisopropylnap	hthalin-Isomere
Oral	LD50	>4000 mg/kg (rat)
Dermal	LD50	>4000 mg/kg (rat)
Inhalative	LC50 OECD 403	>5.6 mg/l (rat)
		I .

Primary irritant effect:

Skin corrosion/irritation Caustic effect on skin and mucous membranes.

· Serious eye damage/irritation Strong caustic effect.

· Respiratory or skin

sensitisation

Sensitization possible by skin contact.

· Additional toxicological

information:

The product shows the following dangers according to the

calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

Harmful Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat

and to the danger of perforation of esophagus and stomach.



Page 8/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2021 Version number 7 Revision: 17.11.2021

Trade name Konudur 170 TR - Komponente B

(Contd. of page 7)

### 12 Ecological information

· Toxicity

· Toxicity	
· Aquatic to	xicity:
7631-86-9	silicon dioxide, chemically prepared
IC50/72h	440 mg/l (Selenastrum capricornutum)
EC50/24h	>10000 mg/l (Daphnia magna)
LC50/96h	>5000 mg/l (Danio rerio)
	5000 mg/l (Brachydanio rerio)
EC50/48h	7600 mg/l (Ceriodaphnia dubia)
	120 mg/l (Selenastrum capricornutum)
NOEC	60 mg/l (Selenastrum capricornutum)
2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine
LC50/96h	110 mg/l (Leucidus idus)
EC50	1120 mg/l (Pseudomonas putida)
EC50/48h	23 mg/l (Daphnia magna)
NOEC	1.5 mg/l (Desmodesmus subspicatus)
	3 mg/l (Daphnia magna)
ErC50/72h	>50 mg/l (Desmodesmus subspicatus)
39423-51-3	B Polyoxypropylentriamin
LC50/96h	>100 mg/l (Oncorhynchus mykiss)
EC50/48h	13 mg/l (Daphnia magna)
ErC50/72h	4.4 mg/l (algae)
38640-62-9	Diisopropylnaphthalin-Isomere
EC50/72h	0.15 mg/l (algae)
LC50/48h	1.7 mg/l (Daphnia magna)
EC50/48h	0.16 mg/l (Daphnia magna)
Dawaiatawa	and dogradability. No further relevant information available

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Additional ecological information:

· General notes: Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Danger to drinking water if even extremely small quantities leak

into soil.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

• Other adverse effects No further relevant information available.

ΑF



Page 9/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2021 Version number 7 Revision: 17.11.2021

Trade name Konudur 170 TR - Komponente B

(Contd. of page 8)

## 13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

Waste disposal key number: 55352

Bez.: aliphatische Amine Entsorgungshinweise: Sonderabfallverbrennung

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number ADR, IMDG, IATA	UN2735
UN proper shipping name ADR, IMDG, IATA	AMINES, LIQUID, CORROSIVE, N.O (Polyoxypropylentriamin, Polyoxypropylenediamine
Transport hazard class(es)	
ADR Class Label	8 (C7) Corrosive substances. 8
· IMDG, IATA · Class · Label	8 Corrosive substances. 8
Packing group ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	no No
Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Corrosive substances. 80 F-A,S-B Alkalis A SG35 Stow "separated from" SGG1-acids

(Contd. on page 10)



Page 10/11

## Safety data sheet according to 1907/2006/EC, Article 31

Revision: 17.11.2021 Printing date 17.11.2021 Version number 7

#### Trade name Konudur 170 TR - Komponente B

(Contd. of page 9)

· Transport/Additional information:

Limited quantities (LQ) 5L · Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· Transport category · Tunnel restriction code Ε

· IMDG

· Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S.

(POLYOXYPROPYLENTRIAMIN.

POLYOXYPROPYLENEDIAMINE), 8, III

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

(Contd. on page 11)



Page 11/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2021 Version number 7 Revision: 17.11.2021

#### Trade name Konudur 170 TR - Komponente B

(Contd. of page 10)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids – Category 4 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 5: Acute toxicity – Category 5

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* \* Data compared to the previous version altered.

– AF