

Page 1/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 10

Revision: 13.10.2021

1 Identification of the subs	tance/mixture and of the company/undertaking
· Product identifier	
<ul> <li>Trade name</li> <li>Relevant identified uses of the substance or mixture and uses advised against</li> <li>Application of the substance</li> </ul>	Konudur 250 OM-PL Winterharz - Komponente B No further relevant information available.
/ the mixture	Reaction resin
• Details of the supplier of the s • Manufacturer/Supplier:	afety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
<ul> <li>Informing department:</li> <li>Emergency telephone number:</li> </ul>	msds@mc-bauchemie.de Tel.: +49 /  (0)700 24112112 (MCR) Tel.: +48612864565
2 Hazards identification	
· Classification of the substanc	o or mixturo
Acute Tox. 5 H333 May be ha	
Skin Irrit. 2 H315 Causes sk	
Eye Irrit. 2A H319 Causes se	
-	allergy or asthma symptoms or breathing difficulties if inhaled.
· ·	an allergic skin reaction.
•	of causing cancer.
	e respiratory irritation.
STOT RE 2 H373 May cause	e damage to organs through prolonged or repeated exposure.
· Label elements · GHS label elements	The product is classified and labelled according to the Globally Harmonised System (GHS).
· Hazard pictograms	
	GHS07 GHS08
· Signal word	Danger (Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 10

Revision: 13.10.2021

Page 2/9

Trade name Konudur 250 OM-PL Winterharz - Komponente B

	(Contd. of page 1)
· Hazard-determining	
components of labelling:	diphenylmethanediisocyanate,isomeres and homologues
· Hazard statements	May be harmful if inhaled.
	Causes skin irritation.
	Causes serious eye irritation.
	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	May cause an allergic skin reaction.
	Suspected of causing cancer.
	May cause respiratory irritation.
	May cause damage to organs through prolonged or repeated exposure.
• Precautionary statements	Do not breathe dust/fume/gas/mist/vapours/spray.
,	Wear protective gloves/protective clothing/eye protection/face protection.
	[In case of inadequate ventilation] wear respiratory protection.
	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	If experiencing respiratory symptoms: Call a POISON CENTER/
	doctor.
	Store in a well-ventilated place. Keep container tightly closed.
· Other hazards	
· Results of PBT and vPvB as	ssessment
· PBT:	Not applicable.
· vPvB:	Not applicable.

#### 3 Composition/information on ingredients

#### · Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

9016-87-9	diphenylmethanediisocyanate,isomeres and homologues	50-70%
	diphenylmethanediisocyanate,isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
28553-12-0	diisononyl phthalate	<25%
	tris(2-butoxyethyl) phosphate Acute Tox. 5, H303	<5%
· Additional i	<b>information</b> For the wording of the listed hazard phrases refer to section	on 16.

## 4 First aid measures

· Description of first aid measures

· General information

Take affected persons into the open air.

(Contd. on page 3)

<sup>–</sup> AE



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 10

Revision: 13.10.2021

#### Trade name Konudur 250 OM-PL Winterharz - Komponente B

	(Contd. of page 2)
	Seek medical treatment.
	Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
· After inhalation	Supply fresh air and call for doctor for safety reasons. In case of unconsciousness bring patient into stable side position for transport.
<ul> <li>After skin contact</li> </ul>	Instantly wash with water and soap and rinse thoroughly.
<ul> <li>After eye contact</li> </ul>	Call a doctor immediately.
	Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
· After swallowing	Call a doctor immediately.
<ul> <li>Information for doctor</li> </ul>	
· Most important symptoms	
and effects, both acute and delayed · Indication of any immediate medical attention and special	No further relevant information available.
treatment needed	No further relevant information available.

## 5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- Special hazards arising from

the substance or mixture	Can be released in case of fire Carbon monoxide (CO)
	Under certain fire conditions, traces of other toxic gases cannot be excluded.
<ul> <li>Advice for firefighters</li> <li>Protective equipment:</li> </ul>	Put on breathing apparatus.

## 6 Accidental release measures

<ul> <li>Personal precautions, protective equipment and</li> </ul>	
emergency procedures	Not required.
Environmental precautions:	No special measures required.
Methods and material for	
containment and cleaning up	: Absorb with liquid-binding material (sand, diatomite, acid binders,
	universal binders, sawdust).
	Dispose of contaminated material as waste according to item 13.
	Ensure adequate ventilation.
<ul> <li>Reference to other sections</li> </ul>	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment. (Contd. on page 4)

- AE



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 10

Revision: 13.10.2021

(Contd. of page 3)

#### Trade name Konudur 250 OM-PL Winterharz - Komponente B

See Section 13 for information on disposal.

#### 7 Handling and storage

- · Handling
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about
- storage conditions: Keep conta • Specific end use(s) No further

Keep container tightly sealed. No further relevant information available.

# 8 Exposure controls/personal protection • Additional information about design of technical systems: No further data; see item 7. • Control parameters • Components with critical values that require monitoring at the workplace: 9016-87-9 diphenylmethanediisocyanate,isomeres and homologues WEL (Great Britain) Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO 28553-12-0 diisononyl phthalate WEL (Great Britain) Long-term value: 5 mg/m³

#### · DNELs

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Inhalative DNEL 0.05 mg/m<sup>3</sup> (ArL)

· PNECs

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

PNEC 1 mg/l (Sewage Treatment Plant)

0.1 mg/l (Mew)

1 mg/l (Suw)

PNEC 1 mg/kg dwt (Bod)

• Additional information:

The lists that were valid during the compilation were used as basis. (Contd. on page 5)

AE



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 10

Revision: 13.10.2021

Page 5/9

Trade name Konudur 250 OM-PL Winterharz - Komponente B

	(Contd. of page 4)
· Exposure controls	
· Personal protective equipm	ent
· General protective and	
hygienic measures	Keep away from foodstuffs, beverages and food.
	Instantly remove any soiled and impregnated garments.
	Wash hands during breaks and at the end of the work.
	Do not inhale gases / fumes / aerosols.
	Avoid contact with the eyes and skin.
Breathing equipment:	Respiratory protection is required at inadequately ventilated
	workplaces and during spray processing. Fresh air masks or
Protoction of boundar	combination filters A2-P2 are recommended for short-term work.
Protection of hands:	Conditionally suitable materials for protective gloves; EN 374-3:
	Nitrile rubber - NBR: Thickness $\geq 0.35mm$ . Only suitable for splash protection. Only suitable for short-term
	exposure. In case of contamination, the protective gloves must be
	changed immediately.
Material of gloves	Nitrile rubber, NBR
Penetration time of glove	
material	The exact break trough time has to be found out by the
material	manufacturer of the protective gloves and has to be observed.
Eye protection:	Safety glasses
Lye protection.	Tightly sealed safety glasses.
Body protection:	Protective work clothing.
	· · · · · · · · · · · · · · · · · · ·

# 9 Physical and chemical properties

General Information		
Appearance:		
Form:	Fluid	
Colour:	Dark brown	
Smell:	Characteristic	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling range:	190 °C	
Flash point:	141 °C	
Ignition temperature:	400 °C	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Density at 20 °C	1.13 g/cm³	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	



# **Safety data sheet** according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 10

Revision: 13.10.2021

#### Trade name Konudur 250 OM-PL Winterharz - Komponente B

(Contd. of page 5)

 Viscosity: dynamic at 20 °C:

375 mPas

· Other information

No further relevant information available.

Reactivity		No further relevant information available.
Chemical Thermal of	stability	ition /
condition	is to be av	<b>roided:</b> No decomposition if used according to specifications.
Possibilit		
reactions		Reacts with amines
Conditior		
Incompat		
Hazardou		
products		No dangerous decomposition products known
Toxicol	ogical in	formation
		cological effects
Acute tox	•	
		t are relevant for classification:
9016-87-9	) diphenyl	methanediisocyanate,isomeres and homologues
Oral	LD50	>10000 mg/kg (Rat)
Dermal	LD50	>5000 mg/kg (Rab)
Inhalative	LC50/4 h	~450 mg/l (Rat)
	0 diisono	nyl phthalate
28553-12-		
<b>28553-12</b> - Oral	LD50	10000 mg/kg (rat)
Oral		10000 mg/kg (rat) (vethyl) phosphate
Oral <b>78-51-3 tr</b>	is(2-buto)	yethyl) phosphate
Oral <b>78-51-3 tr</b> Oral	<b>is(2-buto</b> ) LD50	y <b>ethyl) phosphate</b> 3000 mg/kg (rat)
Oral <b>78-51-3 tr</b>	i <b>s(2-buto</b> ) LD50 rritant effe	yethyl) phosphate 3000 mg/kg (rat) ect:
Oral 78-51-3 tr Oral Primary in Skin corr	is(2-buto) LD50 rritant effe osion/irrit	yethyl) phosphate 3000 mg/kg (rat) ect:
Oral 78-51-3 tr Oral Primary in Skin corr Serious e Respirato	is(2-buto) LD50 rritant effe osion/irrit ye damag ory or skin	yethyl) phosphate 3000 mg/kg (rat) ect: ation Irritant for skin and mucous membranes. e/irritation Irritant effect.
Oral 78-51-3 tr Oral Primary in Skin corr Serious e	is(2-buto) LD50 rritant effe osion/irrit ye damag ory or skin	yethyl) phosphate 3000 mg/kg (rat) ect: ation Irritant for skin and mucous membranes. e/irritation Irritant effect. Sensitization possible by inhalation.
Oral 78-51-3 tr Oral Primary in Skin corr Serious e Respirato sensitisat	is(2-buto) LD50 rritant effe osion/irrit eye damag ory or skin tion	yethyl) phosphate 3000 mg/kg (rat) ect: ation Irritant for skin and mucous membranes. e/irritation Irritant effect. Sensitization possible by inhalation. Sensitization possible by skin contact.
Oral 78-51-3 tr Oral Primary in Skin corr Serious e Respirato sensitisat	is(2-buto) LD50 rritant effe osion/irrit eye damag ory or skin tion al toxicolo	yethyl) phosphate 3000 mg/kg (rat) act: ation Irritant for skin and mucous membranes. e/irritation Irritant effect. Sensitization possible by inhalation. Sensitization possible by skin contact. gical
Oral 78-51-3 tr Oral Primary in Skin corr Serious e Respirato sensitisat	is(2-buto) LD50 rritant effe osion/irrit eye damag ory or skin tion al toxicolo	yethyl) phosphate 3000 mg/kg (rat) act: ation Irritant for skin and mucous membranes. e/irritation Irritant effect. Sensitization possible by inhalation. Sensitization possible by skin contact. gical The product shows the following dangers according to t
Oral 78-51-3 tr Oral Primary in Skin corr Serious e Respirato sensitisat	is(2-buto) LD50 rritant effe osion/irrit eye damag ory or skin tion al toxicolo	yethyl) phosphate 3000 mg/kg (rat) act: ation Irritant for skin and mucous membranes. e/irritation Irritant effect. Sensitization possible by inhalation. Sensitization possible by skin contact. gical The product shows the following dangers according to t calculation method of the General EC Classification Guidelines
Oral 78-51-3 tr Oral Primary in Skin corr Serious e Respirato sensitisat	is(2-buto) LD50 rritant effe osion/irrit eye damag ory or skin tion al toxicolo	yethyl) phosphate 3000 mg/kg (rat) ect: ation Irritant for skin and mucous membranes. e/irritation Irritant effect. Sensitization possible by inhalation. Sensitization possible by skin contact.

#### Page 6/9



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 10

Revision: 13.10.2021

(Contd. of page 6)

Trade name Konudur 250 OM-PL Winterharz - Komponente B

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Carc. 2

Toxicity		
Aquatic to	xicitv:	
-	) diisononyl phtha	alate
EC50/72h	88 mg/l (algae)	
LC50/96h	102 mg/l (Danio re	rio)
EC50/48h	74 mg/l (Daphnia r	nagna)
NOEC	101 mg/l (Daphnia	magna)
	ce and degradabili in environmental	ity No further relevant information available. I systems:
Bioaccum Mobility in		No further relevant information available. No further relevant information available.
	ecological inforn	
General n		
Results of	FPBT and vPvB as	sessment
PBT:		Not applicable.
vPvB:	erse effects	Not applicable. No further relevant information available.

40 D'-				
13 DIS	nosai	consia	een	ons
	p o o u i	<b>U</b> UIIUIU		

Waste treatment methods
 Recommendation
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings:

· Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, ĬATA	Void	

Page 7/9



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 10

Revision: 13.10.2021

Trade name Konudur 250 OM-PL Winterharz - Komponente B

		(Contd. of page
Transport hazard class(es)		
ADR, ADN, IMDG, IATA	N / - ' - /	
Class	Void	
Packing group ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

<ul> <li>Department issuing data specification sheet:</li> <li>Contact:</li> </ul>	Environment protection department.
	<ul> <li>RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)</li> <li>ICAO: International Civil Aviation Organisation</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>DNEL: Derived No-Effect Level (REACH)</li> <li>PNEC: Predicted No-Effect Concentration (REACH)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>LD50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>VPVB: very Persistent and very Bioaccumulative</li> </ul>
	(Contd. on page 9)

Page 8/9

AF



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 10

Revision: 13.10.2021

#### Trade name Konudur 250 OM-PL Winterharz - Komponente B

(Contd. of page 8)

Page 9/9

	(Conto. of page 8)
Acute Tox. 5: Acute toxicity – Category 5	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 2: Carcinogenicity – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – C	ategory 3
STOT RE 2: Specific target organ toxicity (repeated exposure) -	- Category 2

AE -