

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 9

Revision: 30.11.2021

Product identifier	
Trade name	MC-Adhesive PU solid - Komponente B
CAS Number:	9016-87-9
Index number:	615-005-01-6
Relevant identified uses o	
the substance or mixture a uses advised against	No further relevant information available.
Application of the substar	
/ the mixture	Adhesives
	Hardening agent/ Curing agent
Details of the supplier of t	
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG
	Am Kruppwald 1-8
	D-46238 Bottrop Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10
	CH-8953 Dietikon
	Tel.: +44-7400510 Fax : +44-7400533
Informing department: Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR)
	Tel.: +48612864565
Hazards identification	
Classification of the subs	ance or mixture
Acute Tox. 5 H333 May be	e harmful if inhaled.
Skin Irrit. 2 H315 Cause	s skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.	
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
Skin Sens. 1 H317 May cause an allergic skin reaction.	
Carc. 2 H351 Suspected of causing cancer.	
STOT SE 3 H335 May cause respiratory irritation.	
STOT RE 2 H373 May ca	ause damage to organs through prolonged or repeated exposure.
Label elements	
GHS label elements	The substance is classified and labelled according to the Globa
	The substance is allocation and labellad according to the Cla

Page 1/8



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 9

 \land

Revision: 30.11.2021

(Contd. of page 1)

Trade name MC-Adhesive PU solid - Komponente B

· Hazard pictograms

	GHS07 GHS08
· Signal word	Danger
 Hazard-determining components of labelling: Hazard statements 	diphenylmethanediisocyanate,isomeres and homologues May be harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if
	inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.
· Precautionary statements	Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor. Store in a well-ventilated place. Keep container tightly closed.
· Other hazards	
Results of PBT and vPvB as	sessment
· PBT: · vPvB:	Not applicable. Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Substances			
• CAS No. Designation:	9016-87-9 diphenylmethanediisocyanate,isomeres and homologues		
 Identification number(s): 	U		
· Index number:	615-005-01-6		

4 First aid measures

· Description of first aid measures

 General information 	Instantly remove any clothing soiled by the product.
	Take affected persons into the open air.
	Seek medical treatment.
 After inhalation 	Supply fresh air; consult doctor in case of symptoms.
	(Contd.o

⁻ AE



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 9

Revision: 30.11.2021

Trade name MC-Adhesive PU solid - Komponente B

· After skin contact	(Contd. of page 2) Instantly wash with water and soap and rinse thoroughly.
· After eye contact	Rinse opened eye for several minutes under running water. Seek medical treatment.
 After swallowing Information for doctor Most important symptoms and effects, both acute and 	Call a doctor immediately.
delayed • Indication of any immediate medical attention and special	No further relevant information available.
treatment needed	No further relevant information available.

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- Special hazards arising from
- the substance or mixture No further relevant information available.
- Advice for firefighters • Protective equipment:
- Put on breathing apparatus.

6 Accidental release measures

 Personal precautions, protective equipment and 	
emergency procedures	Not required.
Environmental precautions:	Prevent material from reaching sewage system, holes and cellars.
• Methods and material for	
containment and cleaning up	: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
· Reference to other sections	Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation. See Section 7 for information on safe handling
Reference to other sections	See Section 7 for information on personal protection equipment. See Section 13 for information on disposal.

7 Handling and storage

· Handling

Precautions for safe handling	Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.	
 Information about protection against explosions and fires: 	· · ·	Contd

Contd. on page 4)

AE



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 9

Revision: 30.11.2021

Trade name MC-Adhesive PU solid - Komponente B

	(Contd. of page 3)		
 Conditions for safe storage, in Storage 	ncluding any incompatibilities		
· Requirements to be met by			
storerooms and containers:	No special requirements.		
 Information about storage in 			
one common storage facility:	Not required.		
 Further information about storage conditions: 	Keep container tightly sealed.		
· Specific end use(s)	No further relevant information available.		
8 Exposure controls/perso	nal protection		
Additional information about	Na futbau data ana itan 7		
design of technical systems:	No further data; see item 7.		
· Control parameters			
-	es that require monitoring at the workplace:		
	isocyanate,isomeres and homologues		
WEL (Great Britain) Short-term			
Long-term Sen; as -N	value: 0.02 mg/m³		
DNELS			
	isocyanate, isomeres and homologues		
Inhalative DNEL 0.05 mg/m³ (A	ArL)		
· PNECs			
9016-87-9 diphenylmethanediisocyanate, isomeres and homologues			
PNEC 1 mg/l (Sewage Treatme	ent Plant)		
0.1 mg/l (Mew)			
1 mg/l (Suw)			
PNEC 1 mg/kg dwt (Bod)			
Additional information:	The lists that were valid during the compilation were used as basis.		
· Exposure controls			
Personal protective equipmer	ot and the second s		
General protective and			
hygienic measures	Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments.		
	Wash hands during breaks and at the end of the work.		
	Avoid contact with the eyes and skin.		
 Breathing equipment: 	Respiratory protection is required at inadequately ventilated		
	workplaces and during spray processing. Fresh air masks or		
· Protection of hands:	combination filters A2-P2 are recommended for short-term work. Conditionally suitable materials for protective gloves; EN 374-3:		
	Nitrile rubber - NBR: Thickness > 0.35mm.		
	Only suitable for splash protection. Only suitable for short-term		
	exposure. In case of contamination, the protective gloves must be		
	(Contd. on page 5)		



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 9

Revision: 30.11.2021

Trade name MC-Adhesive PU solid - Komponente B

	(Contd. of page 4)
	changed immediately.
 Material of gloves 	Nitrile rubber, NBR
· Penetration time of glove	
material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· Eye protection:	Safety glasses
	Tightly sealed safety glasses.
 Body protection: 	Protective work clothing.

9 Physical and chemical properties

· Information on basic physical and chemical properties		
General Information		
· Appearance:		
Form:	Liquid	
Colour:	Dark brown	
· Smell:	Characteristic	
· pH-value:	Not applicable.	
	Not determined.	
· Change in condition		
Melting point/freezing point:	5-10 °C	
Initial boiling point and boiling range	≥: 190 °C	
· Flash point:	> 200 °C	
· Explosive properties:	Product is not explosive.	
· Density at 20 °C	1.22 g/cm³	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	
· Viscosity:		
dynamic:	Not determined.	
· Other information	No further relevant information available.	

Reactivity	No further relevant information available.
Chemical stability	
Thermal decomposition /	
conditions to be avoided:	No decomposition if used according to specifications.
Possibility of hazardous	
reactions	Reacts with amines
Conditions to avoid	No further relevant information available.
Incompatible materials:	No further relevant information available.
•	(Contd. on page



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 9

Revision: 30.11.2021

(Contd. of page 5)

AF

Trade name MC-Adhesive PU solid - Komponente B

•	Hazardous	decomposition
	products:	-

No dangerous decomposition products known

11 Toxicol	ogical in	formation		
· Informatio · Acute tox		cological eff	ects	
	•	t are relevan	t for classification:	
Oral	LD50	>10000 mg/kg (Rat)		
Dermal	LD50	>5000 mg/kg (Kan)		
Inhalative	LC50/4 h	~450 mg/l (Rat)		
9016-87-9	diphenyl	methanediis	ocyanate,isomeres and homologues	
Oral	LD50	>10000 mg/kg (Rat)		
Dermal	LD50	>5000 mg/kg (Rab)		
Inhalative	LC50/4 h	~450 mg/l (R	Pat)	
Skin corre Serious e Respirato	 Primary irritant effect: Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation 		rritant for skin and mucous membranes. rritant effect. Sensitization possible by inhalation. Sensitization possible by skin contact.	
 Additional information CMR effect 	on: cts (carcir	T C F In Dogenity,	The product shows the following dangers according to the alculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Harmful rritant	
mutageni reproduci		oxicity for	Carc. 2	

12 Ecological information · Toxicity · Aquatic toxicity: No further relevant information available. · Persistence and degradability No further relevant information available. Behaviour in environmental systems: · Bioaccumulative potential No further relevant information available. · Mobility in soil No further relevant information available. Additional ecological information: · General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. (Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 9

Revision: 30.11.2021

Trade name MC-Adhesive PU solid - Komponente B

• Other adverse effects

No further relevant information available.

(Contd. of page 6)

13 Disposal considerations

 · Waste treatment methods

 · Recommendation

 · Recommendation

 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings: · Recommendation:

Dispose of packaging according to regulations on the disposal of packagings. Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14 Transport information

· UN-Number · ADR, ADN, IMDG, IATA	Void
 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex II o Marpol and the IBC Code 	f Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances - ANNEX I

Substance is not listed.

(Contd. on page 8)

[–] AE



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 9

Revision: 30.11.2021

Trade name MC-Adhesive PU solid - Komponente B

(Contd. of page 7)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data specification sheet:	Environment protection department.
Abbreviations and acronyms.	 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity – Category 5 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Respiratory sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT KE 3: Specific target organ toxicity (single exposure) – Category 2