

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2021 Version number 7 Revision: 15.11.2021

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

• Trade name MC-Ballastbond 70 - Komponente B

Relevant identified uses of the substance or mixture and

uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Injektion

Polyurethane resin

Hardening agent/ Curing agent

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

msds@mc-bauchemie.de

Emergency telephone

number: Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

2 Hazards identification

· Classification of the substance or mixture

Acute Tox. 5 H333 May be harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

· Label elements

• GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms





GHS07 GHS08



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2021 Version number 7 Revision: 15.11.2021

Trade name MC-Ballastbond 70 - Komponente B

(Contd. of page 1)

· Signal word

Danger

· Hazard-determining components of labelling:

diphenylmethanediisocyanate,isomeres and homologues

Hazard statements

May be harmful if inhaled. Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation.

May cause damage to organs through prolonged or repeated

exposure.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face

protection.

[In case of inadequate ventilation] wear respiratory protection.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

If experiencing respiratory symptoms: Call a POISON CENTER/

doctor.

Store in a well-ventilated place. Keep container tightly closed.

· Other hazards

Results of PBT and vPvB assessment
PBT:
Not appl

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

Dangerous components:

9016-87-9 diphenylmethanediisocyanate,isomeres and homologues

70-100%

Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335

4 First aid measures

· Description of first aid measures

After inhalation Supply fresh air; consult doctor in case of symptoms.
 After skin contact Instantly wash with water and soap and rinse thoroughly.
 After eye contact Rinse opened eye for several minutes under running water.

Call a doctor immediately.

· After swallowing Instantly call for doctor.

(Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2021 Version number 7 Revision: 15.11.2021

No further relevant information available.

Trade name MC-Ballastbond 70 - Komponente B

(Contd. of page 2)

· Information for doctor

 Most important symptoms and effects, both acute and

delayed Indication of any immediate medical attention and special

treatment needed No further relevant information available.

5 Firefighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

Special hazards arising from

the substance or mixture Can be released in case of fire

Carbon monoxide (CO) Nitrogen oxides (NOx) Hydrogen cyanide (HCN)

Under certain fire conditions, traces of other toxic gases cannot be

excluded.

· Advice for firefighters

· **Protective equipment:** Put on breathing apparatus.

6 Accidental release measures

Personal precautions, protective equipment and

emergency procedures Keep people at a distance and stay on the windward side.

Put on breathing apparatus.

• Environmental precautions: Prevent material from reaching sewage system, holes and cellars.

· Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

· Handling

· Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection

against explosions and fires: No special measures required.

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2021 Version number 7 Revision: 15.11.2021

Trade name MC-Ballastbond 70 - Komponente B

(Contd. of page 3)

Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· Control parameters

· Components with critical values that require monitoring at the workplace:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

WEL (Great Britain) Short-term value: 0.07 mg/m³

Long-term value: 0.02 mg/m3

Sen; as -NCO

· DNELs

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Inhalative DNEL 0.05 mg/m³ (ArL)

PNECs

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

PNEC 1 mg/l (Sewage Treatment Plant)

0.1 mg/l (Mew) 1 mg/l (Suw)

PNEC 1 mg/kg dwt (Bod)

• Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

· Personal protective equipment

General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

• Breathing equipment: Respiratory protection is required at inadequately ventilated

workplaces and during spray processing. Fresh air masks or combination filters A2-P2 are recommended for short-term work.

• Protection of hands: Conditionally suitable materials for protective gloves; EN 374-3:

Nitrile rubber - NBR: Thickness ≥ 0.35 mm.

Only suitable for splash protection. Only suitable for short-term exposure. In case of contamination, the protective gloves must be (Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 15.11.2021 Printing date 15.11.2021 Version number 7

Trade name MC-Ballastbond 70 - Komponente B

(Contd. of page 4)

changed immediately. · Material of gloves Nitrile rubber, NBR

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Tightly sealed safety glasses.

· Body protection: Protective work clothing.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid Colour: Dark brown · Smell: Characteristic

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 190 °C · Flash point: 201 °C

· Ignition temperature: 400 °C

· Explosive properties: Product is not explosive.

0.0002 hPa · Steam pressure at 25 °C:

· Density at 20 °C 1.22 g/cm3

· Solubility in / Miscibility with

Water: Hydrolized

Not miscible or difficult to mix

· Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition /

conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous

reactions

Reacts with amines

· Conditions to avoid No further relevant information available. No further relevant information available. · Incompatible materials:

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2021 Version number 7 Revision: 15.11.2021

Trade name MC-Ballastbond 70 - Komponente B

(Contd. of page 5)

· Hazardous decomposition

products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values that are relevant for classification:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

 Oral
 LD50
 >10000 mg/kg (Rat)

 Dermal
 LD50
 >5000 mg/kg (Rab)

 Inhalative
 LC50/4 h
 ~450 mg/l (Rat)

· Primary irritant effect:

· **Skin corrosion/irritation** Irritant for skin and mucous membranes.

· Serious eye damage/irritation Irritant effect.

· Respiratory or skin

sensitisationSensitization possible by inhalation.
Sensitization possible by skin contact.

· Additional toxicological

information: The product shows the following dangers according to the

calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

. Harmful

· CMR effects (carcinogenity, mutagenicity and toxicity for

reproduction) Carc. 2

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available. • Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

• Other adverse effects No further relevant information available.

ΑE



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2021 Version number 7 Revision: 15.11.2021

Trade name MC-Ballastbond 70 - Komponente B

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

14 Transport information

<u> </u>	
· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2021 Version number 7 Revision: 15.11.2021

Trade name MC-Ballastbond 70 - Komponente B

(Contd. of page 7)

Department issuing data

specification sheet: Environment protection department.

Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 5: Acute toxicity – Category 5

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2