



BE SURE. BUILD SURE.

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 8

Revision: 19.10.2021



1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** **MC-CarboSolid 1000 - Komponente A**
- **Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.*
- **Application of the substance / the mixture** *Epoxy sealing*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** *MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de*

*MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533*
- **Informing department:** *msds@mc-bauchemie.de*
- **Emergency telephone number:** *Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +48612864565*

2 Hazards identification

- **Classification of the substance or mixture**
 - Acute Tox. 5 H333 May be harmful if inhaled.*
 - Skin Irrit. 2 H315 Causes skin irritation.*
 - Eye Irrit. 2A H319 Causes serious eye irritation.*
 - Skin Sens. 1 H317 May cause an allergic skin reaction.*
 - Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.*
 - Aquatic Acute 3 H402 Harmful to aquatic life.*
 - Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.*
- **Label elements**
- **GHS label elements** *The product is classified and labelled according to the Globally Harmonised System (GHS).*
- **Hazard pictograms**


GHS07 GHS08
- **Signal word** *Warning*

(Contd. on page 2)

AE

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 8

Revision: 19.10.2021

Trade name MC-CarboSolid 1000 - Komponente A

(Contd. of page 1)

- **Hazard-determining components of labelling:** phenol, polymer with formaldehyde, glycidyl ether
titanium dioxide
Propyl -2,2-diphenyl-4,4'-dipropylloxirane polymers and homologues
molecular weight < 700
oxirane, mono[(C12-14-alkyloxy)methyl] derivs
1,6-hexene-diglycidylether
- **Hazard statements** May be harmful if inhaled.
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
Suspected of causing cancer. Route of exposure: Inhalation.
Harmful to aquatic life with long lasting effects.
- **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray.
Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF INHALED: Call a POISON CENTER/doctor if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
Store locked up.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

28064-14-4	phenol, polymer with formaldehyde, glycidyl ether Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Acute 2, H401	≥2.5-<10%
25068-38-6	Propyl -2,2-diphenyl-4,4'-dipropylloxirane polymers and homologues molecular weight < 700 Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	≥5-<10%
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs Skin Irrit. 2, H315; Skin Sens. 1, H317	≥1-<2.5%
16096-31-4	1,6-hexene-diglycidylether Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; Acute Tox. 5, H313; Aquatic Acute 3, H402; Aquatic Chronic 3, H412	≥1-<1.5%
13463-67-7	titanium dioxide Carc. 2, H351; Acute Tox. 5, H333	≥0.1-<1.5%

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 8

Revision: 19.10.2021

Trade name MC-CarboSolid 1000 - Komponente A

· Additional information

For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

4 First aid measures

· Description of first aid measures

- **After inhalation** Void
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.
Seek medical treatment.
- **After swallowing** Rinse out mouth and then drink plenty of water.
Seek medical treatment.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Prevent material from reaching sewage system, holes and cellars.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections** See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Store in cool, dry place in tightly closed containers.
Open and handle container with care.

(Contd. on page 4)

AE

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 8

Revision: 19.10.2021

Trade name MC-CarboSolid 1000 - Komponente A

(Contd. of page 3)

- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

25068-38-6 Propyl -2,2-diphenyl-4,4'dipropylloxirane polymers and homologues molecular weight < 700

Oral	DNEL	0.75 mg/kg bw/Tag (General) (Kurzfristig und Langfristig Systemisch)
Dermal	DNEL	3.6 mg/kg bw/day (General) (Kurzfristig und Langfristig Systemisch)
		8.3 mg/kg bw/day (Workers) (Kurzfristig und Langfristig Systemisch)
Inhalative	DNEL	0.75 mg/m ³ (General) (Kurzfristig und Langfristig Systemisch)
		12.3 mg/m ³ (Workers) (Kurzfristig und Langfristig Systemisch)

68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

Oral	DNEL	1 mg/kg bw/Tag (ArL)
Dermal	DNEL	1.7 mg/kg bw/day (ArL)
Inhalative	DNEL	0.98 mg/m ³ (ArL)

16096-31-4 1,6-hexene-diglycidylether

Dermal	DNEL	2.8 mg/kg bw/day (ArL)
Inhalative	DNEL	4.9 mg/m ³ (ArL)

· PNECs

25068-38-6 Propyl -2,2-diphenyl-4,4'dipropylloxirane polymers and homologues molecular weight < 700

PNEC	3 µg/l (Fresh water)
	0.3 µg/l (Marine)
PNEC	10 mg/l (Sewage Treatment Plant)

(Contd. on page 5)



BE SURE. BUILD SURE.

Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 8

Revision: 19.10.2021

Trade name MC-CarboSolid 1000 - Komponente A

(Contd. of page 4)

PNEC	0.5 mg/kg dwt (Marine water sediment) 0.05 mg/kg dwt (Sediment) 0.5 mg/kg dwt (Fresh water sediment)
68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs	
PNEC	0.00072 mg/l (Mew) 0.0072 mg/l (Suw)
PNEC	80.12 mg/kg dwt (Bod) 6.677 mg/kg dwt (Sediment) 66.77 mg/kg dwt (Fresh water sediment)
16096-31-4 1,6-hexene-diglycidylether	
PNEC	0.0115 mg/l (Fresh water) 0.00115 mg/l (Mew)
PNEC	0.223 mg/kg dwt (Bod) 0.0283 mg/kg dwt (Sediment) 0.283 mg/kg dwt (Fresh water sediment)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.

· **Protection of hands:**

Protective gloves.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

After use of gloves apply skin-cleaning agents and skin cosmetics.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Safety glasses
Tightly sealed safety glasses.

· **Body protection:**

Protective work clothing.

AE

(Contd. on page 6)



BE SURE. BUILD SURE.

Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 8

Revision: 19.10.2021

Trade name MC-CarboSolid 1000 - Komponente A

(Contd. of page 5)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Pasty
Colour:	Grey
Smell:	Characteristic

· Change in condition

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined

· Flash point:	Not applicable
----------------	----------------

· Self-inflammability:	Product is not selfigniting.
------------------------	------------------------------

· Explosive properties:	Product is not explosive.
-------------------------	---------------------------

· Density	Not determined
-----------	----------------

· Solubility in / Miscibility with Water:

Not miscible or difficult to mix

· Viscosity:

kinematic at 20 °C:	5000 s (ISO 6 mm)
---------------------	-------------------

· Other information	No further relevant information available.
---------------------	--

10 Stability and reactivity

· Reactivity

No further relevant information available.

· Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous reactions

No dangerous reactions known

· Conditions to avoid

No further relevant information available.

· Incompatible materials:

No further relevant information available.

· Hazardous decomposition products:

No dangerous decomposition products known

AE

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 8

Revision: 19.10.2021

Trade name MC-CarboSolid 1000 - Komponente A

(Contd. of page 6)

11 Toxicological information

- Information on toxicological effects
- Acute toxicity

- LD/LC50 values that are relevant for classification:

25068-38-6 Propyl -2,2-diphenyl-4,4'dipropoxyirane polymers and homologues molecular weight < 700

Oral	LD50	30000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

Oral	LD50	17100 mg/kg (rat)
------	------	-------------------

16096-31-4 1,6-hexene-diglycidylether

Oral	LD50	>8500 mg/kg (rat)
Dermal	LD50	>4900 mg/kg (rat)

13463-67-7 titanium dioxide

Oral	LD50	>10000 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.8 mg/l (rat)

- Primary irritant effect:

- Skin corrosion/irritation Irritant for skin and mucous membranes.

- Serious eye damage/irritation Irritant effect.

- Respiratory or skin sensitisation

Sensitization possible by skin contact.

- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
Irritant

- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carc. 2

12 Ecological information

- Toxicity

- Aquatic toxicity:

68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

EbC50/72h	843 mg/l (Pseudokirchneriella subcapitata)
LC50/96h	>5000 mg/l (Oncorhynchus mykiss) 1800 mg/l (Lepomis macrochirus)
EC50	>100 mg/l (BEL)
NOEC	500 mg/l (Pseudokirchneriella subcapitata)

(Contd. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 8

Revision: 19.10.2021

Trade name MC-CarboSolid 1000 - Komponente A

(Contd. of page 7)

16096-31-4 1,6-hexene-diglycidylether

LC50/96h 30 mg/l (Leucidus idus)

EC50/48h 47 mg/l (Daphnia magna)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow product to reach ground water, water bodies or sewage system.
Danger to drinking water if even small quantities leak into soil.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|-----------------|
| · UN-Number | |
| · ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |

(Contd. on page 9)



BE SURE. BUILD SURE.

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 8

Revision: 19.10.2021

Trade name MC-CarboSolid 1000 - Komponente A

(Contd. of page 8)

· UN "Model Regulation": Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:** Environment protection department.
- **Contact:**
- **Abbreviations and acronyms:**
 - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 - ICAO: International Civil Aviation Organisation
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - ELINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - DNEL: Derived No-Effect Level (REACH)
 - PNEC: Predicted No-Effect Concentration (REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - Acute Tox. 5: Acute toxicity – Category 5
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2
 - Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 - Skin Sens. 1: Skin sensitisation – Category 1
 - Carc. 2: Carcinogenicity – Category 2
 - Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2
 - Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
 - Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
 - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

— AE —