

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 10

Revision: 19.10.2021

Product identifier		
• Trade name • Relevant identified uses of the substance or mixture and uses advised against • Application of the substance / the mixture	MC-CarboSolid 1209 - Komponente A No further relevant information available.	
	Epoxy coating	
Details of the supplier of the s Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533	
Informing department: Emergency telephone number:	msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565	
Hazards identification		
· Classification of the substanc		
Acute Tox. 5H313 May beSkin Irrit. 2H315 CausesEye Irrit. 2AH319 CausesSkin Sens. 1H317 May caAquatic Acute 3H402 Harmful	e farmful in contact with skin. s skin irritation. s serious eye irritation. ause an allergic skin reaction. Il to aquatic life. o aquatic life with long lasting effects.	
· Label elements		
· GHS label elements · Hazard pictograms	The product is classified and labelled according to the Global Harmonised System (GHS).	
	GHS07 GHS09	
Signal word	Warning (Contd. on page	



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 10

Revision: 19.10.2021

Trade name MC-CarboSolid 1209 - Komponente A

(Contd. of page 1)	(Contd.	of	page	1)
--------------------	---------	----	------	----

	molecular weight < 700 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polyme
	and homologues, molecular weight < 700
	1,6-hexene-diglycidylether
	oxirane, mono[(C12-14-alkyloxy)methyl] derivs
Hazard statements	May be harmful in contact with skin.
	Causes skin irritation.
	Causes serious eye irritation.
	May cause an allergic skin reaction.
	Harmful to aquatic life.
	Toxic to aquatic life with long lasting effects.
Precautionary statements	Avoid breathing dust/fume/gas/mist/vapours/spray.
	Wear protective gloves / eye protection / face protection.
	IF IN EYES: Rinse cautiously with water for several minute
	Remove contact lenses, if present and easy to do. Continuring.
	Call a POISON CENTER/doctor if you feel unwell.
	Specific treatment (see on this label).
	Take off contaminated clothing and wash it before reuse.
Other hazards	-
Results of PBT and vPvB as	sessment
PBT:	Not applicable.
vPvB:	Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

Description:	Mixture consisting of the following components.
--------------	---

1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	70-100%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
9003-36-5	2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700	≥10-<25%
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; Acute Tox. 5, H303; Acute Tox. 5, H313; Aquatic Acute 2, H401	
16096-31-4	1,6-hexene-diglycidylether	<i>≥</i> 2.5-<10%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; Acute Tox. 5, H313; Aquatic Acute 3, H402; Aquatic Chronic 3, H412	
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	≥1-<1.5%
	Skin Irrit. 2, H315; Skin Sens. 1, H317	

(Contd. on page 3)



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 10

Revision: 19.10.2021

Trade name MC-CarboSolid 1209 - Komponente A

(Contd. of page 2)

4 First aid measures

After inhalation	Supply fresh air.
After skin contact	Instantly wash with water and soap and rinse thoroughly.
After eye contact	Rinse opened eye for several minutes under running water. symptoms persist, consult doctor.
After swallowing	Rinse out mouth and then drink plenty of water. Seek medical treatment.
Information for doctor	
Most important symptoms	
and effects, both acute and	
delayed	No further relevant information available.
Indication of any immediate	
medical attention and specia	1

No further relevant information available.

- 5 Firefighting measures
- Extinguishing media

treatment needed

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from
- the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:
- No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures

Not required.

• Environmental precautions: No special measures required.

• Methods and material for containment and cleaning up: Collect mechanically.

containment and cleaning up: Collect mechanically. • Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

7 Handling and storage

· Handling

• **Precautions for safe handling** Store in cool, dry place in tightly closed containers. Open and handle container with care.

Information about protection
 against explosions and fires: No special measures required.

(Contd. on page 4)

AE



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 10

Revision: 19.10.2021

Trade name MC-CarboSolid 1209 - Komponente A

	(Contd. of page
· Conditions for safe storage, in	ncluding anv incompatibilities
· Storage	5
· Requirements to be met by	
storerooms and containers:	No special requirements.
· Information about storage in	, ,
one common storage facility:	Not required.
· Further information about	,
storage conditions:	Keep container tightly sealed.
5	Store in cool, dry conditions in well sealed containers.
 Specific end use(s) 	No further relevant information available.
8 Exposure controls/perso	nal protection
· Additional information about	
design of technical systems:	No further data; see item 7.
· Control parameters	

• Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

10090-	-31-4 1,0-N	nexene-diglycidylether		
Derma	I DNEL	2.8 mg/kg bw/day (ArL)		
Inhalat	tive DNEL	ive DNEL 4.9 mg/m ³ (ArL)		
68609-	-97-2 oxira	ane, mono[(C12-14-alkyloxy)methyl] derivs		
Oral	DNEL	1 mg/kg bw/Tag (ArL)		
Derma	DNEL	1.7 mg/kg bw/day (ArL)		
Inhalat	ive DNEL	0.98 mg/m³ (ArL)		
PNEC	S	·		
16096-	-31-4 1,6-h	nexene-diglycidylether		
PNEC	0.0115 mg	g/l (Fresh water)		
	0.00115 mg/l (Mew)			
PNEC	0.223 mg/kg dwt (Bod)			
	0.0283 mg/kg dwt (Sediment)			
	0.283 mg/kg dwt (Fresh water sediment)			
68609-	97-2 oxira	ane, mono[(C12-14-alkyloxy)methyl] derivs		
PNEC	0.00072 n	ng/l (Mew)		
	0.0072 mg	g/l (Suw)		
PNEC	80.12 mg/	/kg dwt (Bod)		
	6.677 mg/	/kg dwt (Sediment)		
	-	/kg dwt (Fresh water sediment)		

AE



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

-

Version number 10

Revision: 19.10.2021

Trade name MC-CarboSolid 1209 - Komponente A

· Additional information:	(Contd. of page 4) The lists that were valid during the compilation were used as basis.
• Exposure controls • Personal protective equipm	nent
General protective and	
hygienic measures	Keep away from foodstuffs, beverages and food.
	Instantly remove any soiled and impregnated garments.
	Wash hands during breaks and at the end of the work.
	Avoid contact with the eyes and skin.
· Protection of hands:	Protective gloves.
Frotection of nands.	•
	Selection of the glove material on consideration of the penetration
	times, rates of diffusion and the degradation
	After use of gloves apply skin-cleaning agents and skin cosmetics.
· Material of gloves	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
• Penetration time of glove	
material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
• Eye protection:	Safety glasses Tightly sealed safety glasses.
 Body protection: 	Protective work clothing.
••	-

Information on basic physical and c General Information		
Appearance:		
Form:	Fluid	
Colour:	According to product specification	
Smell:	Characteristic	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling rar	ige: Not applicable	
	Not determined	
Flash point:	Not applicable	
Ignition temperature:	184 °C	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Steam pressure at 20 °C:	0.1 hPa	
Density at 20 °C	1.16 g/cm ³	



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 10

Revision: 19.10.2021

Trade name MC-CarboSolid 1209 - Komponente A

(Contd. of page 5)

 Solubility in / Miscibility with Water:

Unsoluble

• Other information

No further relevant information available.

Reactiv		No further relevant information available.
	cal stability al decomposition /	
conditi	ons to be avoided:	No decomposition if used according to specifications.
Possib reactio	ility of hazardous	No dangerous reactions known
	ions to avoid	No further relevant information available.
Incomp	oatible materials:	No further relevant information available.
	ous decomposition	No denserous decomposition products known
produc	ts:	No dangerous decomposition products known
Toxic	ological informati	ion
Inform	ation on toxicologica	l offorts
Acute t		
	•	evant for classification:
1675-54	4-3 bis[4-(2,3-epoxvp	ropoxy)phenyl]propane
	LD50 23000 mg/kg (
		,
	6-5 2,2'-[methylene	bis(p-phenyleneoxymethylene)]bisoxirane polymers an
	6-5 2,2'-[methylene homologues, mol	bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700
9003-3 Oral	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat)
9003-30 Oral Dermal	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (LD50 >2000 mg/kg (bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat) (rabbit)
9003-30 Oral Dermal	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (LD50 >2000 mg/kg (31-4 1,6-hexene-digly	bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat) (rabbit) vcidylether
9003-30 Oral Dermal	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (LD50 >2000 mg/kg (bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat) (rabbit) vcidylether
9003-3 Oral Dermal 16096- Oral	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (LD50 >2000 mg/kg (31-4 1,6-hexene-digly	bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat) (rabbit) vcidylether (rat)
9003-3 Oral Dermal 16096-3 Oral Dermal 68609-5	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (LD50 >2000 mg/kg (31-4 1,6-hexene-digly LD50 >8500 mg/kg (LD50 >4900 mg/kg (97-2 oxirane, mono[(bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat) (rabbit) vcidylether (rat) (rat) C12-14-alkyloxy)methyl] derivs
9003-3 Oral Dermal 16096-3 Oral Dermal 68609-3 Oral	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (LD50 >2000 mg/kg (31-4 1,6-hexene-digly LD50 >8500 mg/kg (LD50 >4900 mg/kg (97-2 oxirane, mono[(LD50 17100 mg/kg (bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat) (rabbit) vcidylether (rat) (rat) C12-14-alkyloxy)methyl] derivs
9003-3 Oral Dermal 16096- Oral Dermal 68609- Oral Primar	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (LD50 >2000 mg/kg (31-4 1,6-hexene-digly LD50 >8500 mg/kg (LD50 >4900 mg/kg (27-2 oxirane, mono[(LD50 17100 mg/kg (y irritant effect:	bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat) (rabbit) (riabbit) (riablether (rat) (rat) C12-14-alkyloxy)methyl] derivs (rat)
9003-30 Oral Dermal 16096-3 Oral Dermal 68609-9 Oral Primary Skin co	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (LD50 >2000 mg/kg (31-4 1,6-hexene-digly LD50 >8500 mg/kg (LD50 >4900 mg/kg (27-2 oxirane, mono[(LD50 17100 mg/kg (y irritant effect: prrosion/irritation	bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat) (rabbit) (riabbit) (riable for set in and mucous membranes.
9003-30 Oral Dermal 16096-3 Oral Dermal 68609-9 Oral Primary Skin co Serious	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (LD50 >2000 mg/kg (31-4 1,6-hexene-digly LD50 >8500 mg/kg (LD50 >4900 mg/kg (27-2 oxirane, mono[(LD50 17100 mg/kg (y irritant effect: prosion/irritation s eye damage/irritation	bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat) (rabbit) rcidylether (rat) (rat) C12-14-alkyloxy)methyl] derivs (rat) Irritant for skin and mucous membranes.
9003-30 Oral Dermal 16096-3 Oral Dermal 68609-9 Oral Primary Skin co Serious Respire	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (LD50 >2000 mg/kg (31-4 1,6-hexene-digly LD50 >8500 mg/kg (LD50 >4900 mg/kg (97-2 oxirane, mono[(LD50 17100 mg/kg (y irritant effect: orrosion/irritation s eye damage/irritation atory or skin	bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat) (rabbit) rcidylether (rat) (rat) C12-14-alkyloxy)methyl] derivs (rat) Irritant for skin and mucous membranes. on Irritant effect.
9003-30 Oral Dermal 16096-3 Oral Dermal 68609-9 Oral Primary Skin co Serious Respira sensitis	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (LD50 >2000 mg/kg (31-4 1,6-hexene-digly LD50 >8500 mg/kg (LD50 >4900 mg/kg (97-2 oxirane, mono[(LD50 17100 mg/kg (y irritant effect: prrosion/irritation s eye damage/irritation s eye damage/irritation s ation	bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat) (rabbit) rcidylether (rat) (rat) C12-14-alkyloxy)methyl] derivs (rat) Irritant for skin and mucous membranes.
9003-30 Oral Dermal 16096-3 Oral Dermal 68609-9 Oral Primary Skin co Serious Respira sensitis	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (LD50 >2000 mg/kg (31-4 1,6-hexene-digly LD50 >8500 mg/kg (LD50 >4900 mg/kg (97-2 oxirane, mono[(LD50 17100 mg/kg (y irritant effect: orrosion/irritation s eye damage/irritation s eye damage/irritation s ation nal toxicological	bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat) (rabbit) vcidylether (rat) (rat) C12-14-alkyloxy)methyl] derivs (rat) Irritant for skin and mucous membranes. Irritant effect. Sensitization possible by skin contact.
9003-30 Oral Dermal 16096-3 Oral Dermal 68609-9 Oral Primary Skin co Serious Respira sensitis Additio	6-5 2,2'-[methylene homologues, mol LD50 >2000 mg/kg (LD50 >2000 mg/kg (31-4 1,6-hexene-digly LD50 >8500 mg/kg (LD50 >4900 mg/kg (97-2 oxirane, mono[(LD50 17100 mg/kg (y irritant effect: orrosion/irritation s eye damage/irritation s eye damage/irritation s ation nal toxicological	bis(p-phenyleneoxymethylene)]bisoxirane polymers an lecular weight < 700 (rat) (rabbit) rcidylether (rat) (rat) C12-14-alkyloxy)methyl] derivs (rat) Irritant for skin and mucous membranes. on Irritant effect.



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 10

Revision: 19.10.2021

Trade name MC-CarboSolid 1209 - Komponente A

Irritant

(Contd. of page 6)

40 E I			
17 ECOI		inform	ation
	Ugicai		

· Toxicity			
· Aquatic to	cicity:		
1675-54-3 k	ois[4-(2,3-epoxypro	poxy)phenyl]propane	
IC50	>42.6 mg/l (Bak)		
LC50/96h	2 mg/l (Oncorhyncl	nus mykiss)	
EC50/48h	1.8 mg/l (Daphnia r	nagna)	
ErC50/72h			
	2,2'-[methylenebi nomologues, molec	s(p-phenyleneoxymethylene)]bisoxirane polymers and cular weight < 700	
LC50/96h	>100 mg/l (Daphnia magna)		
EC50/96h	>100 mg/l (Leucidus idus)		
16096-31-4	1,6-hexene-diglyci	dylether	
LC50/96h	30 mg/l (Leucidus idus)		
EC50/48h	47 mg/l (Daphnia magna)		
68609-97-2	oxirane, mono[(C1	2-14-alkyloxy)methyl] derivs	
EbC50/72h	843 mg/l (Pseudokirchneriella subcapitata)		
LC50/96h	>5000 mg/l (Oncorhynchus mykiss)		
	1800 mg/l (Lepomis macrochirus)		
EC50	>100 mg/l (BEL)		
NOEC	500 mg/l (Pseudokirchneriella subcapitata)		
		No further relevant information available.	
	in environmental s		
· Mobility in	lative potential	No further relevant information available.	
	ecological informa		
· General no		Do not allow product to reach ground water, water bodies or sewage system.	
		Danger to drinking water if even small quantities leak into soil.	
	PBT and vPvB ass		
· PBT:		Not applicable.	
· vPvB:		Not applicable.	
· Other adve	rse effects	No further relevant information available.	

13 Disposal considerations

· Waste treatment	methods
-------------------	---------

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

⁻ AE



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 10

Revision: 19.10.2021

(Contd. of page 7)

Trade name MC-CarboSolid 1209 - Komponente A

Uncleaned packagings:

Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

UN-Number	
ADR, IMDG, IATA	UN3082
UN proper shipping name ADR, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (epoxide derivates)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (epoxide derivates), MARIN POLLUTANT
Transport hazard class(es)	
ADR	
Class	9 (M6) Miscellaneous dangerous substances ar articles.
Label	9
IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles 9
	•
Packing group ADR, IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardou substances: epoxide derivates
Marine pollutant:	Yes Sumbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances ar articles.
Kemler Number:	90
EMS Number:	F-A,S-F
Stowage Category	A
<i>Transport in bulk according to Annex</i> <i>Marpol and the IBC Code</i>	II of Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 10

Revision: 19.10.2021

Trade name MC-CarboSolid 1209 - Komponente A

	(Contd. of page 8)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
Tunnel restriction code	(-)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXIDE DERIVATES), 9, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU · Named dangerous	
substances - ANNEX I	None of the ingredients is listed.
· Seveso category	E2 Hazardous to the Aquatic Environment
• Qualifying quantity (tonnes)	
for the application of lower-	
tier requirements	200 t
 Qualifying quantity (tonnes) 	
for the application of upper-	
tier requirements	500 t
 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing data specification sheet: Contact: 	Environment protection department.
• Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances (Contd. on page 10)
	ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021

Version number 10

Revision: 19.10.2021

Trade name MC-CarboSolid 1209 - Komponente A

(Contd. of page 9) ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
Acute Tox. 5: Acute toxicity – Category 5
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3