

Page 1/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 10 Revision: 10.06.2022

### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name MC-DUR 1177 WV-A - Komponente A

· Relevant identified uses of the substance or mixture and

uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Epoxy impregnation EP-Additives

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

msds@mc-bauchemie.de

Emergency telephone

*number:* Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

### 2 Hazards identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· Label elements

• GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms

GHS07 GHS09

· Signal word Warning

Hazard-determining

components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane

2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers

and homologues, molecular weight < 700

(Contd. on page 2)



Page 2/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 10 Revision: 10.06.2022

#### Trade name MC-DUR 1177 WV-A - Komponente A

(Contd. of page 1)

· Hazard statements Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

· **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid release to the environment.

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

# 3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	25-50%
	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
9003-36-5	2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700	<i>≥</i> 2.5-<10%
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irritation 2A, H319; Skin Sens. 1, H317; Acute Tox. 5, H303; Acute Tox. 5, H313; Aquatic Acute 2, H401	
100-51-6	benzyl alcohol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Eye Irrit. 2, H319	<2.5%

Additional information For the wording of the listed hazard phrases refer to section 16.

#### 4 First aid measures

· Description of first aid measures

After inhalation
 After skin contact
 After eye contact
 Supply fresh air; consult doctor in case of symptoms.
 Instantly wash with water and soap and rinse thoroughly.
 Rinse opened eye for several minutes under running water.

Seek medical treatment.

· After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

(Contd. on page 3)



Page 3/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 10 Revision: 10.06.2022

No further relevant information available.

#### Trade name MC-DUR 1177 WV-A - Komponente A

(Contd. of page 2)

· Information for doctor

 Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special

treatment needed No further relevant information available.

### 5 Firefighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

Special hazards arising from

the substance or mixture No further relevant information available.

· Advice for firefighters

• **Protective equipment:** No special measures required.

#### 6 Accidental release measures

Personal precautions, protective equipment and

emergency procedures Not required.

· Environmental precautions: Prevent material from reaching sewage system, holes and cellars.

Dilute with much water.

· Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

• Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### 7 Handling and storage

· Handling

· Precautions for safe handling Store in cool, dry place in tightly closed containers.

Open and handle container with care.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Not required.

Further information about

storage conditions: Keep container tightly sealed.

(Contd. on page 4)



Page 4/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 10 Revision: 10.06.2022

Trade name MC-DUR 1177 WV-A - Komponente A

(Contd. of page 3)

· **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· Control parameters

· Components with critical values that require monitoring at the workplace:

100-51-6 benzyl alcohol

WEEL (USA) Long-term value: 10 ppm

· DNELs

100-51-6 benzyl alcohol

Oral DNEL 4 mg/kg bw/Tag (ArL)

20 mg/kg bw/Tag (Ark)

Dermal DNEL 8 mg/kg bw/day (ArL)

40 mg/kg bw/day (Ark)

Inhalative DNEL 22 mg/m³ (ArL)

110 mg/m³ (Ark)

· PNECs

#### 100-51-6 benzyl alcohol

PNEC 0.527 mg/l (Marine water sediment)

0.1 mg/l (Mew)

1 mg/l (Fresh water sediment)

PNEC 0.456 mg/kg dwt (Bod)

5.27 mg/kg dwt (Fresh water sediment)

· Additional information:

The lists that were valid during the compilation were used as basis.

- · Exposure controls
- · Personal protective equipment
- · General protective and

**hygienic measures** Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

\*Material of gloves\*\*

The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

(Contd. on page 5)



Page 5/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 10 Revision: 10.06.2022

#### Trade name MC-DUR 1177 WV-A - Komponente A

(Contd. of page 4)

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Tightly sealed safety glasses.

· Body protection: Protective work clothing.

### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Transparent
Smell: Characteristic

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 100 °C

· Flash point: Not applicable

· Ignition temperature: 184 °C

· **Self-inflammability:** Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Steam pressure at 20 °C: 23 hPa

· Density at 20 °C 1.1 g/cm³

· Solubility in / Miscibility with

Water: Fully miscible

· Other information No further relevant information available.

### 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

· Thermal decomposition /

**conditions to be avoided:** No decomposition if used according to specifications.

· Possibility of hazardous

reactions No dangerous reactions known

• Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available.

(Contd. on page 6)



Page 6/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 10 Revision: 10.06.2022

Trade name MC-DUR 1177 WV-A - Komponente A

(Contd. of page 5)

Hazardous decomposition

products: No dangerous decomposition products known

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

	Acute toxicity					
	· LD/LC50	LD/LC50 values that are relevant for classification:				
Γ	1675-54-3	1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane				
	Dermal	LD50	23000 mg/kg (rabbit)			
	9003-36-5	p-phenyleneoxymethylene)]bisoxirane polymers and ar weight < 700				
	Oral	LD50	>2000 mg/kg (rat)			
	Dermal	LD50	>2000 mg/kg (rabbit)			
	100-51-6 I	100-51-6 benzyl alcohol				
	Oral	LD50	1230 mg/kg (rat)			
		NOAEL 2nd year study	200 mg/kg (mouse)			
			200 mg/kg (rat)			
	Dermal	LD50	2000 mg/kg (rabbit)			
	Inhalative	LC50/4 h	>4178 mg/l (rat)			

· Primary irritant effect:

· Skin corrosion/irritation Irritant for skin and mucous membranes.

· Serious eye damage/irritation No irritant effect.

· Respiratory or skin

**sensitisation** Sei

· Additional toxicological

information:

Sensitization possible by skin contact.

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

Irritant

### 12 Ecological information

· Toxicity

· Aquatic toxicity:

	<del>-</del>
1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane

IC50 >42.6 mg/l (Bak)

LC50/96h 2 mg/l (Oncorhynchus mykiss) EC50/48h 1.8 mg/l (Daphnia magna)

ErC50/72h 11 mg/l (Selenastrum capricornutum)

(Contd. on page 7)



Page 7/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 10 Revision: 10.06.2022

#### Trade name MC-DUR 1177 WV-A - Komponente A

(Contd. of page 6)

	9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700		
LC50/96h	>100 mg/l (Daphnia magna)		
EC50/96h	>100 mg/l (Leucidus idus)		
100-51-6 benzyl alcohol			
IC50/72h	700 mg/l (algae)		
LC50/96h	460 mg/l (Pimephales promelas)		
	10 mg/l (Lepomis macrochirus)		

· Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Additional ecological information:

• General notes: Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

Other adverse effects No further relevant information available.

### 13 Disposal considerations

· Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

· Recommended cleaning

agent: Water, if necessary with cleaning agent.

# 14 Transport information

· UN-Number · ADR, IMDG, IATA UN3082

· UN proper shipping name

· ADR, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (epoxide derivates)

· IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (epoxide derivates), MARINE

POLLUTANT

(Contd. on page 8)



Page 8/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 10 Revision: 10.06.2022

# Trade name MC-DUR 1177 WV-A - Komponente A

	(Contd. of page
Transport hazard class(es)	
ADR	
Class	9 (M6) Miscellaneous dangerous substances an articles.
Label	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
Packing group	
ADR, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	Yes
marino ponatario	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances ar
epoola. productions for addi	articles.
Kemler Number:	90
EMS Number:	F-A,S-F
Stowage Category	A
Transport in bulk according to Anne	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	(-)
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU
•	SUBSTANCE, LIQUID, N.O.S. (EPOXID
	DERIVATES), 9, III



Page 9/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 10 Revision: 10.06.2022

Trade name MC-DUR 1177 WV-A - Komponente A

(Contd. of page 8)

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

· Named dangerous

**substances - ANNEX I** None of the ingredients is listed.

• Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-

tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-

tier requirements 500 t

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 5: Acute toxicity - Category 5

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard -

Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard -

Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 2

(Contd. on page 10)



Page 10/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 10 Revision: 10.06.2022

Trade name MC-DUR 1177 WV-A - Komponente A

(Contd. of page 9)

\* \* Data compared to the previous version altered.

ΑE