

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 17

Revision: 02.12.2023

· Product identifier	
Trade name Relevant identified uses of the substance or mixture and	
uses advised against • Application of the substance	
/ the mixture	Concrete/Mortar admixtures
• Details of the supplier of the • Manufacturer/Supplier:	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
 Informing department: 2 Hazards identification 	msds@mc-bauchemie.de
2 Hazards identification	
2 Hazards identification Classification of the substan	nce or mixture
2 Hazards identification • Classification of the substan Skin Sens. 1 H317 May c	nce or mixture cause an allergic skin reaction.
2 Hazards identification • Classification of the substan Skin Sens. 1 H317 May of Aquatic Acute 3 H402 Harm	nce or mixture cause an allergic skin reaction.
2 Hazards identification • Classification of the substan Skin Sens. 1 H317 May of Aquatic Acute 3 H402 Harm	n ce or mixture cause an allergic skin reaction. ful to aquatic life. ful to aquatic life with long lasting effects. The product is classified and labelled according to the Globall
2 Hazards identification • Classification of the substan Skin Sens. 1 H317 May of Aquatic Acute 3 H402 Harm Aquatic Chronic 3 H412 Harm • Label elements	The product is classified and labelled according to the Globall Harmonised System (GHS).
2 Hazards identification • Classification of the substan Skin Sens. 1 H317 May of Aquatic Acute 3 H402 Harm Aquatic Chronic 3 H412 Harm • Label elements • GHS label elements	n ce or mixture cause an allergic skin reaction. ful to aquatic life. ful to aquatic life with long lasting effects. The product is classified and labelled according to the Globall
2 Hazards identification • Classification of the substan Skin Sens. 1 H317 May of Aquatic Acute 3 H402 Harm Aquatic Chronic 3 H412 Harm • Label elements • GHS label elements • Hazard pictograms	tice or mixture cause an allergic skin reaction. ful to aquatic life. ful to aquatic life with long lasting effects. The product is classified and labelled according to the Globall Harmonised System (GHS). GHS07
2 Hazards identification • Classification of the substan Skin Sens. 1 H317 May of Aquatic Acute 3 H402 Harm Aquatic Chronic 3 H412 Harm • Label elements • GHS label elements • Hazard pictograms • Signal word	tice or mixture cause an allergic skin reaction. ful to aquatic life. ful to aquatic life with long lasting effects. The product is classified and labelled according to the Globall Harmonised System (GHS). GHS07



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 17

national/international regulations.

Revision: 02.12.2023

*≥*0.0025-<0.025%

Trade name MC-Easyscreed RS

(Contd. of page 1)

Specific treatment (see on this label). Dispose of contents/container in accordance with local/regional/

Other hazards

· Results of PBT and vPvB assessment

· PBT: · vPvB: Not applicable. Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Description:

Mixture consisting of the following components.

· Dangerous components:

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317

4 First aid measures

 Description of first aid measure General information 	res No special measures required.
· After inhalation	Void
 After skin contact 	The product is not skin irritating.
 After eye contact 	Rinse opened eye for several minutes under running water.
• After swallowing	Rinse out mouth and then drink plenty of water.
-	In case of persistent symptoms consult doctor.
 Information for doctor Most important symptoms and effects, both acute and 	
delayed Indication of any immediate medical attention and special	No further relevant information available.
treatment needed	No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents Void
- · Special hazards arising from
- No further relevant information available. the substance or mixture

(Contd. on page 3)

AF



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 17

Revision: 02.12.2023

(Contd. of page 2)

Trade name MC-Easyscreed RS

 Advice for firefighters · Protective equipment:

No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures • Environmental precautions:
- Not required. Dilute with much water.
- · Methods and material for
 - containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). No dangerous materials are released.
- · Reference to other sections

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection
- against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in
- one common storage facility: Not required.
- · Further information about storage conditions: None. Storage class 12 • Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection
- · Additional information about design of technical systems: No further data; see section 7.
- Control parameters · Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. · Additional information: The lists that were valid during the compilation were used as basis. (Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 17

Revision: 02.12.2023

Trade name MC-Easyscreed RS

	(Contd. of page 3)
 Exposure controls 	
Personal protective equipm	ent
General protective and	
hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals.
 Breathing equipment: 	Not required.
· Protection of hands:	Not required.
 Material of gloves 	-
· Penetration time of glove	
material	-
• Eye protection:	Safety glasses

9 Physical and chemical properties

Appearance: Form:	Fluid	
Colour:	Transparent	
Smell:	Characteristic	
oH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling	g range: 100 °C	
Flash point:	Not applicable	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Steam pressure at 20 °C:	23 hPa	
Density at 20 °C	1.04 g/cm³	
Solubility in / Miscibility with		
Water:	Fully miscible	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
Other information		

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 17

Revision: 02.12.2023

Trade name MC-Easyscreed RS

(Contd. of page 4)

Page 5/8

Reactivity	No further relevant information available.
Chemical stability	
Thermal decomposition /	
conditions to be avoided:	No decomposition if used according to specifications.
Possibility of hazardous	
reactions	No dangerous reactions known
Conditions to avoid	No further relevant information available.
Incompatible materials:	No further relevant information available.
Hazardous decomposition	
products:	No dangerous decomposition products known

11 Toxicological information

· Information on toxicological effects

· Acute toxicity

LD/LC50 values that are relevant for classification:			
CAS: 265	30-20-1 2-	octyl-2H-isothiazol-3-one	
Oral	LD50	125 mg/kg (ATE)	
		500 mg/kg (rat)	
Dermal	LD50	311 mg/kg (ATE)	
		>2000 mg/kg (rat)	
Inhalative	LC50/4 h	0.27 mg/l (ATE)	
		0.6 mg/l (rat)	
· Primary in			
· Skin corre			
		e/irritation No irritant effect.	
· Respirato	ory or skin		
sensitisat	tion	No sensitizing effect known.	
· Additiona	I toxicolo	gical	
informatio	on:	The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:	

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecolo	nical	inform	ation
	gicai		

- · Toxicity
- · Aquatic toxicity:

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

EC50/48h 0.42 mg/l (Daphnien)

(Contd. on page 6)

AE



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 17

Revision: 02.12.2023

Trade name MC-Easyscreed RS

Develotence en el ele eve de bili	(Contd. of page
	ty No further relevant information available.
· Behaviour in environmental	systems:
· Bioaccumulative potential	No further relevant information available.
• Mobility in soil	No further relevant information available.
· Additional ecological inform	nation:
· General notes:	Do not allow product to reach ground water, water bodies sewage system.
	Danger to drinking water if even small quantities leak into soil.
· Results of PBT and vPvB as	sessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
· Other adverse effects	No further relevant information available.

13 Disposal considerations

· Waste treatment methods	
· Recommendation	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
· Waste disposal key number:	54206 Bez.: Metallseifen Entsorgungshinweise: Sonderabfallverbrennung Sonderabfalldeponie (bedingt) Untertagedeponie (bedingt)
 Uncleaned packagings: Recommendation: Recommended cleaning agent: 	Packaging can be reused or recycled after cleaning. Water, if necessary with cleaning agent.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMĎG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 17

Revision: 02.12.2023

Trade name MC-Easyscreed RS

	(Contd. of page 6
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex Marpol and the IBC Code 	II of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data specification sheet: Contact:	Environment protection department.
Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3 (Contd. on page 8)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 17

Revision: 02.12.2023

Page 8/8

٩E

Trade name MC-Easyscreed RS

	(Contd. of page 7) Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic
	Aqualic Childric 1. Hazardous to the aqualic environment - long-term aqualic
	hazard – Category 1
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic
	hazard – Category 3
ompared to the	
- version alterad	

• * Data compared to the previous version altered.