



BE SURE. BUILD SURE.

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022

Version number 8


Revision: 15.02.2022

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** **MC-FLOOR SCREED 10**
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Concrete/Mortar admixtures
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de
- **Emergency telephone number:** Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +48612864565

2 Hazards identification

- **Classification of the substance or mixture**
Acute Tox. 5 H333 May be harmful if inhaled.
Skin Corr. 3 H316 Causes mild skin irritation.
Eye Dam. 1 H318 Causes serious eye damage.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**

GHS05
- **Signal word** Danger
- **Hazard-determining components of labelling:** Cement, portland, chemicals
Cr(VI)<2ppm
calcium sulphate, natural
- **Hazard statements** May be harmful if inhaled.
Causes mild skin irritation.
Causes serious eye damage.

(Contd. on page 2)

AE

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022

Version number 8

Revision: 15.02.2022

Trade name MC-FLOOR SCREED 10

(Contd. of page 1)

- **Precautionary statements** *Wear eye protection / face protection.
IF INHALED: Call a POISON CENTER/doctor if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
If skin irritation occurs: Get medical advice/attention.*
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** *Mixture consisting of the following components.*

· **Dangerous components:**

14808-60-7	Quartz (SiO ₂)	50-70%
65997-16-2	Tonerdezement (chromatfrei) Acute Tox. 5, H303	<25%
65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	≥3-<10%
7778-18-9	calcium sulphate, natural Acute Tox. 4, H302; Acute Tox. 4, H332	<10%
	Copolymer of vinyl acetate and ethylene with mineral additives and protective colloid Acute Tox. 4, H302	<2.5%

- **Additional information** *For the wording of the listed hazard phrases refer to section 16.*

4 First aid measures

- **Description of first aid measures**
- **After inhalation** *Supply fresh air.
In case of unconsciousness bring patient into stable side position for transport.*
- **After skin contact** *Instantly wash with water and soap and rinse thoroughly.*
- **After eye contact** *Rinse opened eye for several minutes under running water.
Seek medical treatment.*
- **After swallowing** *Rinse out mouth and then drink plenty of water.
Seek medical treatment.*

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022

Version number 8

Revision: 15.02.2022

Trade name MC-FLOOR SCREED 10

(Contd. of page 2)

- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections** See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Prevent formation of dust.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

(Contd. on page 4)

— AE —

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022

Version number 8

Revision: 15.02.2022

Trade name MC-FLOOR SCREED 10

· **Specific end use(s)**

No further relevant information available.

(Contd. of page 3)

8 Exposure controls/personal protection

· **Additional information about**

design of technical systems: No further data; see item 7.

· **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

14808-60-7 Quartz (SiO₂)

PEL (USA)	Long-term value: 0.05* mg/m ³ *resp. dust; 30mg/m ³ /%SiO ₂ +2
REL (USA)	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m ³ *respirable particulate matter, A2
BOELV (European Union)	Long-term value: 0.1* mg/m ³ *respirable fraction

65997-15-1 Cement, portland, chemicals Cr(VI)<2ppm

PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	Long-term value: 1* mg/m ³ E; *as respirable fraction, A4
WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust

7778-18-9 calcium sulphate, natural

PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	Long-term value: 10* mg/m ³ *as inhalable fraction

69012-64-2 amorphous silica (fume)

TLV (USA)	TLV withdrawn
-----------	---------------

· **DNELs**

65997-15-1 Cement, portland, chemicals Cr(VI)<2ppm

Inhalative	DNEL	1 mg/m ³ (ArL)
------------	------	---------------------------

7778-18-9 calcium sulphate, natural

Oral	DNEL	1.52 mg/kg bw/Tag (ArL)
------	------	-------------------------

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022

Version number 8

Revision: 15.02.2022

Trade name MC-FLOOR SCREED 10

(Contd. of page 4)

Inhalative	DNEL	21.17 mg/m ³ (ArL)
------------	------	-------------------------------

· **PNECs**

7778-18-9 calcium sulphate, natural

PNEC	100 mg/l (Kla)
------	----------------

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· **Protection of hands:**

Protective gloves.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
After use of gloves apply skin-cleaning agents and skin cosmetics.

· **Material of gloves**

Strong gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Safety glasses
Tightly sealed safety glasses.

· **Body protection:**

Protective work clothing.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Powder

Colour: Grey

· **Smell:** neutral

· **Change in condition**

Melting point/freezing point: Not determined

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022

Version number 8

Revision: 15.02.2022

Trade name MC-FLOOR SCREED 10

(Contd. of page 5)

Initial boiling point and boiling range: Not determined	
· Flash point:	Not applicable
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Density at 20 °C	1.6 g/cm ³
· Solubility in / Miscibility with Water:	Slightly soluble
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

65997-16-2 Tonerdezement (chromatfrei)

Oral	LD50	>2000 mg/kg (rat)
------	------	-------------------

65997-15-1 Cement, portland, chemicals Cr(VI)<2ppm

Dermal	LD50	2000 mg/kg (rabbit)
--------	------	---------------------

Inhalative	LC50/4 h	5 mg/l (rat)
------------	----------	--------------

7778-18-9 calcium sulphate, natural

Oral	LD50	>1581 mg/kg (rat)
------	------	-------------------

Dermal	NOAEL	790 mg/kg (rat)
--------	-------	-----------------

Inhalative	LC50/4 h	>2.61 mg/l (rat)
------------	----------	------------------

Copolymer of vinyl acetate and ethylene with mineral additives and protective colloid

Oral	LD50	2000 mg/kg (rat)
------	------	------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant for skin and mucous membranes.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022

Version number 8

Revision: 15.02.2022

Trade name MC-FLOOR SCREED 10

(Contd. of page 6)

· **Serious eye damage/irritation** Irritant effect.

· **Respiratory or skin sensitisation**

No sensitizing effect known.

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
Irritant

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

65997-16-2 Tonerdezement (chromatfrei)

LC50/96h	>100 mg/l (Oncorhynchus mykiss)
EC50/48h	6.6 mg/l (Daphnia magna)
NOEC	>100 mg/l (Oncorhynchus mykiss)
	3.2 mg/l (Pseudokirchneriella subcapitata)
	1.8 mg/l (Daphnia magna)
ErC50/72h	5.6 mg/l (Pseudokirchneriella subcapitata)

7778-18-9 calcium sulphate, natural

EC50/72h	>79 mg/l (Selenastrum capricornutum)
LC50/96h	>79 mg/l (fish)
EC50	>790 mg/l (BEL)
EC50/48h	>79 mg/l (Daphnia magna)

· **Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

-

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022

Version number 8

Revision: 15.02.2022

Trade name MC-FLOOR SCREED 10

(Contd. of page 7)

· **Uncleaned packagings:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14 Transport information

· **UN-Number**

· **ADR, ADN, IMDG, IATA**

Void

· **UN proper shipping name**

· **ADR, ADN, IMDG, IATA**

Void

· **Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class**

Void

· **Packing group**

· **ADR, IMDG, IATA**

Void

· **Environmental hazards:**

· **Marine pollutant:**

No

· **Special precautions for user**

Not applicable.

· **Transport in bulk according to Annex II of**

Marpol and the IBC Code

Not applicable.

· **UN "Model Regulation":**

Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous**

substances - ANNEX I

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing data**

specification sheet:

Environment protection department.

· **Contact:**

· **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.02.2022

Version number 8

Revision: 15.02.2022

Trade name MC-FLOOR SCREED 10

(Contd. of page 8)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 5: Acute toxicity – Category 5

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Corr. 3: Skin corrosion/irritation – Category 3

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· * Data compared to the
previous version altered.

AE