

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021 Version number 11 Revision: 19.10.2021

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name **MC-FLOOR SCREED 25**

· Relevant identified uses of the substance or mixture and

No further relevant information available. uses advised against

· Application of the substance

/ the mixture Floor screed - fast cement

dry mortar

· Details of the supplier of the safety data sheet MC-Bauchemie Müller GmbH & Co. KG · Manufacturer/Supplier:

> Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

msds@mc-bauchemie.de Emergency telephone

number: Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

2 Hazards identification

· Classification of the substance or mixture

Acute Tox. 5 H313 May be harmful in contact with skin.

Acute Tox. 5 H333 May be harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms



GHS05 GHS07

· Signal word Danger

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021 Version number 11 Revision: 19.10.2021

Trade name MC-FLOOR SCREED 25

(Contd. of page 1)

Hazard-determining

components of labelling: Cement, portland, chemicals

Cr(VI)<2ppm

calcium suifoaluminate clinker calcium sulphate, natural Flue dust, portland cement

Hazard statements May be harmful in contact with skin.

May be harmful if inhaled.
Causes skin irritation.
Causes serious eye damage.
May cause an allergic skin reaction.
May cause respiratory irritation.

• **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

Dangerous	components:	
65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	50-70%
	calcium suifoaluminate clinker Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	≥20-<25%
7778-18-9	calcium sulphate, natural Acute Tox. 4, H302; Acute Tox. 4, H332	<10%
68475-76-3	Flue dust, portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥3-<5%
1305-62-0	calcium dihydroxide Eye Dam. 1, H318; Skin Irrit. 2, H315	≥1-<1.5%

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021 Version number 11 Revision: 19.10.2021

Trade name MC-FLOOR SCREED 25

(Contd. of page 2)

• Additional information For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

• After inhalation Supply fresh air.

In case of unconsciousness bring patient into stable side position

for transport.

After skin contact Instantly wash with water and soap and rinse thoroughly.
 After eye contact Rinse opened eye for several minutes under running water.

Seek medical treatment.

· After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· Information for doctor

 Most important symptoms and effects, both acute and

delayed No further r

No further relevant information available.

Indication of any immediate medical attention and special

treatment needed No further relevant information available.

5 Firefighting measures

Extinguishing media

· Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with

water jet or alcohol-resistant foam.

· Special hazards arising from

the substance or mixture

No further relevant information available.

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and

emergency procedures Not required.

· Environmental precautions: No special measures required.

Methods and material for

containment and cleaning up: Collect mechanically.

· Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

- AE



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021 Version number 11 Revision: 19.10.2021

Trade name MC-FLOOR SCREED 25

(Contd. of page 3)

7 Handling and storage

· Handling

· Precautions for safe handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: None.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· Control parameters

65997-15-1 Cement, p Cr(VI)<2pp		
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction, A4	
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust	
7778-18-9 calcium su	phate, natural	
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 10* mg/m³ *as inhalable fraction	
1305-62-0 calcium dih	ydroxide	
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 5 mg/m³	

ΑE





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021 Version number 11 Revision: 19.10.2021

Trade name MC-FLOOR SCREED 25

	(Contd. of pag
TLV (USA)	Long-term value: 5 mg/m³
, ,	Short-term value: 4 mg/m³
real (Language Comerny	Long-term value: 1 mg/m³
	Respirable fraction
WEL (Great Britain)	Short-term value: 4* mg/m³
	Long-term value: 5 1* mg/m³
	*resprable fraction
· DNELs	
65997-15-1 Cement, port	land, chemicals
Cr(VI)<2ppm	
Inhalative DNEL 1 mg/m ³	
7778-18-9 calcium sulph	ate, natural
Oral DNEL 1.52 mg	g/kg bw/Tag (ArL)
Inhalative DNEL 21.17 m	ng/m³ (ArL)
1305-62-0 calcium dihyd	roxide
Inhalative DNEL 1 mg/m ³	³ (ArL)
PNECs	
7778-18-9 calcium sulph	ate, natural
PNEC 100 mg/l (Kla)	
1305-62-0 calcium dihyd	roxide
PNEC 3 mg/l (BEL)	
0.32 mg/l (Mew)	
0.49 mg/l (Suw)	
PNEC 1080 mg/kg dwt (B	Bod)

Additional information:

The lists that were valid during the compilation were used as basis.

- · Exposure controls
- Personal protective equipment
- General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Breathing equipment: In case of brief exposure or low pollution use breathing filter

apparatus. In case of intensive or longer exposure use breathing

apparatus that is independent of circulating air.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves Strong gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be (Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021 Version number 11 Revision: 19.10.2021

Trade name MC-FLOOR SCREED 25

(Contd. of page 5)

calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Tightly sealed safety glasses.

· Body protection: Protective work clothing.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

 Form:
 Powder

 Colour:
 Grey

 ∙ Smell:
 Odourless

 ∙ pH-value:
 10-14 (aq)

· Change in condition

Melting point/freezing point: Not determined Initial boiling point and boiling range: Not determined

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

• Explosive properties: Product is not explosive.

- Density Not determined

· Solubility in / Miscibility with

Water: Partly miscible

• Other information No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

· Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous

reactions

No dangerous reactions known

Conditions to avoid
 Incompatible materials:
 No further relevant information available.
 No further relevant information available.

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 19.10.2021 Printing date 25.10.2021 Version number 11

Trade name MC-FLOOR SCREED 25

(Contd. of page 6)

· Hazardous decomposition

products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects

	· Acute tox	icity					
	· LD/LC50	LD/LC50 values that are relevant for classification:					
	65997-15-	1 Cement Cr(VI)<2	, portland, chemicals Pppm				
ľ	Dermal	LD50	2000 mg/kg (rabbit)				
	Inhalative	LC50/4 h	5 mg/l (rat)				
ſ	7778-18-9 calcium sulphate, natural						
ľ	Oral	LD50	>1581 mg/kg (rat)				
	Dermal	NOAEL	790 mg/kg (rat)				
	Inhalative	LC50/4 h	>2.61 mg/l (rat)				
1305-62-0 calcium dihydroxide			dihydroxide				

Primary irritant effect:

Oral

LD50

Skin corrosion/irritation Irritant for skin and mucous membranes.

7340 mg/kg (rat)

· Serious eye damage/irritation Strong irritant with the danger of severe eye injury.

Respiratory or skin

Sensitization possible by skin contact. sensitisation

· Additional toxicological

information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

Irritant

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

7778-18-9 calcium sulphate, natural

EC50/72h >79 mg/l (Selenastrum capricornutum)

LC50/96h | >79 mg/l (fish) EC50 >790 mg/l (BEL)

EC50/48h >79 mg/l (Daphnia magna)

- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available. · Mobility in soil No further relevant information available.

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 19.10.2021 Printing date 25.10.2021 Version number 11

Trade name MC-FLOOR SCREED 25

(Contd. of page 7)

· Additional ecological information:

· General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

Empty contaminated packagings thoroughly. They can be recycled · Recommendation:

after thorough and proper cleaning.

UN-Number	\/_:_	
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMĎG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2021 Version number 11 Revision: 19.10.2021

Trade name MC-FLOOR SCREED 25

(Contd. of page 8)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 5: Acute toxicity – Category 5 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3