



BE SURE. BUILD SURE.

Page 1/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 5

Revision: 14.10.2021

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** MC-Fast ST
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Regulated set cement
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de
- MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de
- **Emergency telephone number:** Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +48612864565

### 2 Hazards identification

- **Classification of the substance or mixture**  
 Acute Tox. 5 H313 May be harmful in contact with skin.  
 Acute Tox. 5 H333 May be harmful if inhaled.  
 Skin Irrit. 2 H315 Causes skin irritation.  
 Eye Dam. 1 H318 Causes serious eye damage.  
 STOT SE 3 H335 May cause respiratory irritation.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**




GHS05 GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:** Cement, portland, chemicals  
Cr(VI)<2ppm  
calcium oxide  
Flue dust, portland cement

(Contd. on page 2)

— AE —

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 5

Revision: 14.10.2021

**Trade name MC-Fast ST**

(Contd. of page 1)

- **Hazard statements**
  - May be harmful in contact with skin.
  - May be harmful if inhaled.
  - Causes skin irritation.
  - Causes serious eye damage.
  - May cause respiratory irritation.
- **Precautionary statements**
  - Avoid breathing dust/fume/gas/mist/vapours/spray.
  - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - Immediately call a POISON CENTER/doctor.
  - Specific treatment (see on this label).
  - Take off contaminated clothing and wash it before reuse.
  - Store in a well-ventilated place. Keep container tightly closed.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

|            |                                                                                                                                              |         |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 65997-15-1 | Cement, portland, chemicals<br>Cr(VI)<2ppm<br>Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335 | 50-70%  |
| 65997-16-2 | Tonerdezement (chromatfrei)<br>Acute Tox. 5, H303                                                                                            | <25%    |
| 14808-60-7 | Quartz (SiO <sub>2</sub> )                                                                                                                   | <10%    |
| 1305-78-8  | calcium oxide<br>Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335; Acute Tox. 5, H303; Acute Tox. 5, H313                              | ≥3-<10% |
| 68475-76-3 | Flue dust, portland cement<br>Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335                                                         | ≥3-<5%  |

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

- **Description of first aid measures**
- **After inhalation** Supply fresh air.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water. Seek medical treatment.
- **After swallowing** Rinse out mouth and then drink plenty of water.

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 5

Revision: 14.10.2021

Trade name MC-Fast ST

(Contd. of page 2)

- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed**
- **Indication of any immediate medical attention and special treatment needed**

Seek medical treatment.

No further relevant information available.

No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections** See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling** Prevent formation of dust.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.

(Contd. on page 4)

AE

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 5

Revision: 14.10.2021

**Trade name MC-Fast ST**

· **Specific end use(s)**

No further relevant information available.

(Contd. of page 3)

### 8 Exposure controls/personal protection

· **Additional information about**

**design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

**65997-15-1 Cement, portland, chemicals**  
**Cr(VI)<2ppm**

|                     |                                                                                             |
|---------------------|---------------------------------------------------------------------------------------------|
| PEL (USA)           | Long-term value: 50 mppcf or 15* 5** mg/m <sup>3</sup><br>*total dust **respirable fraction |
| REL (USA)           | Long-term value: 10* 5** mg/m <sup>3</sup><br>*total dust **respirable fraction             |
| TLV (USA)           | Long-term value: 1* mg/m <sup>3</sup><br>E; *as respirable fraction, A4                     |
| WEL (Great Britain) | Long-term value: 10* 4** mg/m <sup>3</sup><br>*inhalable dust **respirable dust             |

**14808-60-7 Quartz (SiO<sub>2</sub>)**

|                        |                                                                                                    |
|------------------------|----------------------------------------------------------------------------------------------------|
| PEL (USA)              | Long-term value: 0.05* mg/m <sup>3</sup><br>*resp. dust; 30mg/m <sup>3</sup> /%SiO <sub>2</sub> +2 |
| REL (USA)              | Long-term value: 0.05* mg/m <sup>3</sup><br>*respirable dust; See Pocket Guide App. A              |
| TLV (USA)              | Long-term value: 0.025* mg/m <sup>3</sup><br>*respirable particulate matter, A2                    |
| BOELV (European Union) | Long-term value: 0.1* mg/m <sup>3</sup><br>*respirable fraction                                    |

**1305-78-8 calcium oxide**

|                        |                                                                                                           |
|------------------------|-----------------------------------------------------------------------------------------------------------|
| PEL (USA)              | Long-term value: 5 mg/m <sup>3</sup>                                                                      |
| REL (USA)              | Long-term value: 2 mg/m <sup>3</sup>                                                                      |
| TLV (USA)              | Long-term value: 2 mg/m <sup>3</sup>                                                                      |
| IOELV (European Union) | Short-term value: 4 mg/m <sup>3</sup><br>Long-term value: 1 mg/m <sup>3</sup><br>Respirable fraction      |
| WEL (Great Britain)    | Short-term value: 4* mg/m <sup>3</sup><br>Long-term value: 2 1* mg/m <sup>3</sup><br>*respirable fraction |

· **DNELs**

**65997-15-1 Cement, portland, chemicals**  
**Cr(VI)<2ppm**

|            |      |                           |
|------------|------|---------------------------|
| Inhalative | DNEL | 1 mg/m <sup>3</sup> (ArL) |
|------------|------|---------------------------|

(Contd. on page 5)



BE SURE. BUILD SURE.

Page 5/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 5

Revision: 14.10.2021

**Trade name MC-Fast ST**

(Contd. of page 4)

### 1305-78-8 calcium oxide

Inhalative DNEL 1 mg/m<sup>3</sup> (ArL)

#### · PNECs

### 1305-78-8 calcium oxide

PNEC 2.27 mg/l (BEL)

0.24 mg/l (Mew)

0.37 mg/l (Suw)

PNEC 817.4 mg/kg dwt (Bod)

· **Additional information:** The lists that were valid during the compilation were used as basis.

#### · Exposure controls

#### · Personal protective equipment

#### · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

#### · Protection of hands:

Protective gloves.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
After use of gloves apply skin-cleaning agents and skin cosmetics.

#### · Material of gloves

Strong gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:

Safety glasses  
Tightly sealed safety glasses.

#### · Body protection:

Protective work clothing.

## 9 Physical and chemical properties

#### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form:

Powder

Colour:

Grey

(Contd. on page 6)

AE

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 5

Revision: 14.10.2021

**Trade name MC-Fast ST**

(Contd. of page 5)

|                                                  |                                            |
|--------------------------------------------------|--------------------------------------------|
| · <b>Smell:</b>                                  | Odourless                                  |
| · <b>Change in condition</b>                     |                                            |
| Melting point/freezing point:                    | Not determined                             |
| Initial boiling point and boiling range:         | Not applicable                             |
| · <b>Flash point:</b>                            | Not applicable                             |
| · <b>Self-inflammability:</b>                    | Product is not selfigniting.               |
| · <b>Explosive properties:</b>                   | Product is not explosive.                  |
| · <b>Density</b>                                 | Not determined                             |
| · <b>Solubility in / Miscibility with Water:</b> | Unsoluble                                  |
| · <b>Other information</b>                       | No further relevant information available. |

### 10 Stability and reactivity

|                                                            |                                                       |
|------------------------------------------------------------|-------------------------------------------------------|
| · <b>Reactivity</b>                                        | No further relevant information available.            |
| · <b>Chemical stability</b>                                |                                                       |
| · <b>Thermal decomposition / conditions to be avoided:</b> | No decomposition if used according to specifications. |
| · <b>Possibility of hazardous reactions</b>                | No dangerous reactions known                          |
| · <b>Conditions to avoid</b>                               | No further relevant information available.            |
| · <b>Incompatible materials:</b>                           | No further relevant information available.            |
| · <b>Hazardous decomposition products:</b>                 | No dangerous decomposition products known             |

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

#### · **LD/LC50 values that are relevant for classification:**

**65997-15-1 Cement, portland, chemicals**  
**Cr(VI)<2ppm**

|            |          |                     |
|------------|----------|---------------------|
| Dermal     | LD50     | 2000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 5 mg/l (rat)        |

**65997-16-2 Tonerdezement (chromatfrei)**

|      |      |                   |
|------|------|-------------------|
| Oral | LD50 | >2000 mg/kg (rat) |
|------|------|-------------------|

**1305-78-8 calcium oxide**

|        |      |                      |
|--------|------|----------------------|
| Oral   | LD50 | >2000 mg/kg (rat)    |
| Dermal | LD50 | >2500 mg/kg (rabbit) |

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant for skin and mucous membranes.

(Contd. on page 7)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 5

Revision: 14.10.2021

**Trade name MC-Fast ST**

(Contd. of page 6)

· **Serious eye damage/irritation** Strong irritant with the danger of severe eye injury.

· **Respiratory or skin sensitisation**

No sensitizing effect known.

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:  
Irritant

### 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

#### 65997-16-2 Tonerdezement (chromatfrei)

|           |                                            |
|-----------|--------------------------------------------|
| LC50/96h  | >100 mg/l (Oncorhynchus mykiss)            |
| EC50/48h  | 6.6 mg/l (Daphnia magna)                   |
| NOEC      | >100 mg/l (Oncorhynchus mykiss)            |
|           | 3.2 mg/l (Pseudokirchneriella subcapitata) |
|           | 1.8 mg/l (Daphnia magna)                   |
| ErC50/72h | 5.6 mg/l (Pseudokirchneriella subcapitata) |

#### 1305-78-8 calcium oxide

|          |                     |
|----------|---------------------|
| EC50/72h | 184.57 mg/l (algae) |
| LC50/96h | 50.6 mg/l (Fis)     |
|          | 158 mg/l (Mew)      |
| EC50/48h | 49.1 mg/l (Suw)     |
| NOEC     | 32 mg/l (Mew)       |
|          | 48 mg/l (algae)     |

· **Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

— AE —

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 5

Revision: 14.10.2021

Trade name MC-Fast ST

(Contd. of page 7)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.*

### 14 Transport information

- |                                                                             |                 |
|-----------------------------------------------------------------------------|-----------------|
| · <b>UN-Number</b>                                                          |                 |
| · <b>ADR, ADN, IMDG, IATA</b>                                               | Void            |
| · <b>UN proper shipping name</b>                                            |                 |
| · <b>ADR, ADN, IMDG, IATA</b>                                               | Void            |
| · <b>Transport hazard class(es)</b>                                         |                 |
| · <b>ADR, ADN, IMDG, IATA</b>                                               |                 |
| · <b>Class</b>                                                              | Void            |
| · <b>Packing group</b>                                                      |                 |
| · <b>ADR, IMDG, IATA</b>                                                    | Void            |
| · <b>Environmental hazards:</b>                                             |                 |
| · <b>Marine pollutant:</b>                                                  | No              |
| · <b>Special precautions for user</b>                                       | Not applicable. |
| · <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>                                             | Void            |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

### 16 Other information

*These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

(Contd. on page 9)

AE



BE SURE. BUILD SURE.

Page 9/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021

Version number 5

Revision: 14.10.2021

**Trade name MC-Fast ST**

(Contd. of page 8)

· **Department issuing data  
specification sheet:**

*Environment protection department.*

· **Contact:**

· **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*DNEL: Derived No-Effect Level (REACH)*

*PNEC: Predicted No-Effect Concentration (REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Acute Tox. 5: Acute toxicity – Category 5*

*Acute Tox. 4: Acute toxicity – Category 4*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

AE