



BE SURE. BUILD SURE.

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 20


Revision: 02.12.2023

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** MC-Fastpack 2300 top - Komponente A
- **Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.*
- **Application of the substance / the mixture** *Polyurethane resin
Injektion*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** *MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de*

*MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533*
- **Informing department:** *msds@mc-bauchemie.de*

2 Hazards identification

- **Classification of the substance or mixture**
*Acute Tox. 5 H303 May be harmful if swallowed.
Acute Tox. 5 H313 May be harmful in contact with skin.
Serious eye damage/irritation – Category 2A H319 Causes serious eye irritation.*
- **Label elements**
- **GHS label elements** *The product is classified and labelled according to the Globally Harmonised System (GHS).*
- **Hazard pictograms**

GHS07
- **Signal word** *Warning*
- **Hazard-determining components of labelling:** *Polypropylene glycol
ethane-1,2-diol*
- **Hazard statements** *May be harmful if swallowed.
May be harmful in contact with skin.
Causes serious eye irritation.*
- **Precautionary statements** *Wash thoroughly after handling.*

(Contd. on page 2)

AE



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 20

Revision: 02.12.2023

Trade name MC-Fastpack 2300 top - Komponente A

(Contd. of page 1)

Wear eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Resin mixture.

Mixture consisting of the following components.

· **Dangerous components:**

CAS: 25322-69-4	Polypropylene glycol Acute Tox. 4, H302; Acute Tox. 5, H313	10-30%
CAS: 770-35-4	1-Phenoxypropan-2-ol Serious eye damage/irritation – Category 2A, H319; Acute Tox. 5, H303; Acute Tox. 5, H313	10-30%
CAS: 107-21-1	ethane-1,2-diol STOT RE 2, H373; Acute Tox. 4, H302; Acute Tox. 5, H313	<5%

4 First aid measures

· **Description of first aid measures**

· **General information** No special measures required.

· **After inhalation** Supply fresh air.

· **After skin contact** The product is not skin irritating.

· **After eye contact** Rinse opened eye for several minutes under running water.

· **After swallowing** Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

AE

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 20

Revision: 02.12.2023

Trade name MC-Fastpack 2300 top - Komponente A

(Contd. of page 2)

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** No dangerous materials are released.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class** 12
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

(Contd. on page 4)

AE



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 20

Revision: 02.12.2023

Trade name MC-Fastpack 2300 top - Komponente A

(Contd. of page 3)

· **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

CAS: 107-21-1 ethane-1,2-diol

TLV (USA)	Short-term value: 10** mg/m ³ , 50* ppm Long-term value: 25* ppm *vapor fraction:**inh. fraction, aerosol only, A4
WEEL (USA)	I (2)
IOELV (European Union)	Short-term value: 104 mg/m ³ , 40 ppm Long-term value: 52 mg/m ³ , 20 ppm Skin
WEL (Great Britain)	Short-term value: 104** mg/m ³ , 40** ppm Long-term value: 10* 52** mg/m ³ , 20** ppm Sk *particulate **vapour

· **DNELs**

CAS: 770-35-4 1-Phenoxypropan-2-ol

Dermal	DNEL	42 mg/kg bw/day (ArL)
Inhalative	DNEL	25.7 mg/m ³ (ArL)

CAS: 107-21-1 ethane-1,2-diol

Dermal	DNEL	106 mg/kg bw/day (ArL)
Inhalative	DNEL	35 mg/m ³ (ArL)

· **PNECs**

CAS: 770-35-4 1-Phenoxypropan-2-ol

PNEC	0.01 mg/l (Mew)
	0.1 mg/l (Freshwater)
PNEC	0.02 mg/kg dwt (Bod)
	0.038 mg/kg dwt (Marine water sediment)
	0.38 mg/kg dwt (Fresh water sediment)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

· **Breathing equipment:**

Not required.

· **Protection of hands:**

Not required.

· **Material of gloves**

-

· **Penetration time of glove material**

-

· **Eye protection:**

Safety glasses

(Contd. on page 5)



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 20

Revision: 02.12.2023

Trade name MC-Fastpack 2300 top - Komponente A

Tightly sealed safety glasses.

(Contd. of page 4)

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Colour: Yellow

· **Smell:** Characteristic

· **pH-value:** Not determined.

· **Change in condition**

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 243 °C

· **Flash point:** Not applicable

· **Auto-ignition temperature:** 135 °C

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Steam pressure:** Not determined.

· **Density at 20 °C** 0.99 g/cm³

· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix

· **Viscosity:**

dynamic: Not determined.

kinematic at 20 °C: 80 s (DIN 53211/4)

· **Other information**

No further relevant information available.

10 Stability and reactivity

· **Reactivity**

No further relevant information available.

· **Chemical stability**

· **Thermal decomposition /**

conditions to be avoided:

No decomposition if used according to specifications.

· **Possibility of hazardous**

reactions

No dangerous reactions known

· **Conditions to avoid**

No further relevant information available.

· **Incompatible materials:**

No further relevant information available.

(Contd. on page 6)



BE SURE. BUILD SURE.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 20

Revision: 02.12.2023

Trade name MC-Fastpack 2300 top - Komponente A

(Contd. of page 5)

· **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- Information on toxicological effects
- Acute toxicity

· **LD/LC50 values that are relevant for classification:**

CAS: 25322-69-4 Polypropylene glycol

Oral	LD50	1000-<2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

Dermal	LD50	>2000 mg/kg (rabbit)
--------	------	----------------------

CAS: 770-35-4 1-Phenoxypropan-2-ol

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

Dermal	LD50	>2000 mg/kg (rat)
--------	------	-------------------

CAS: 107-21-1 ethane-1,2-diol

Oral	LD50	4000 mg/kg (rat)
	LDL0	1600 mg/kg (Workers)
Dermal	LD50	>3500 mg/kg (mouse)
		10600 mg/kg (rabbit)

Dermal	LD50	>3500 mg/kg (mouse)
		10600 mg/kg (rabbit)

- **Primary irritant effect:**
- **Serious eye damage/irritation** No irritant effect.
- **Respiratory or skin sensitisation** No sensitizing effect known.
- **Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

- Toxicity

· **Aquatic toxicity:**

CAS: 25322-69-4 Polypropylene glycol

LC50/48h	>100 mg/l (Leucidus idus)
EC50/48h	>100 mg/l (Daphnia magna)
EC0	>100 mg/l (Desmodesmus subspicatus)

EC0	>100 mg/l (Desmodesmus subspicatus)
-----	-------------------------------------

CAS: 770-35-4 1-Phenoxypropan-2-ol

EC50/72h	>100 mg/l (Desmodesmus subspicatus)
----------	-------------------------------------

(Contd. on page 7)



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 20

Revision: 02.12.2023

Trade name MC-Fastpack 2300 top - Komponente A

(Contd. of page 6)

LC50/96h	280 mg/l (<i>Pimephales promelas</i>)
LC50/48h	370 mg/l (<i>Daphnia magna</i>)
CAS: 107-21-1 ethane-1,2-diol	
LC50/96h	72860 mg/l (<i>Pimephales promelas</i>)
EC50/48h	>100 mg/l (<i>Daphnia magna</i>)
EC50/96h	6500-13000 mg/l (<i>Selenastrum capricornutum</i>)
NOEC	8590 mg/l (<i>Ceriodaphnia dubia</i>)
	15380 mg/l (<i>Pimephales promelas</i>)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Dispose of packaging according to regulations on the disposal of packagings.
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14 Transport information

· UN-Number	Void
· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	Void
· ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	Void
· ADR, ADN, IMDG, IATA	Void
· Class	Void

(Contd. on page 8)



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 20

Revision: 02.12.2023

Trade name MC-Fastpack 2300 top - Komponente A

(Contd. of page 7)

· Packing group	
· ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations**
- **Other regulations, limitations and prohibitive regulations** MAL-Code: 0-1 (1993)
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:** Environment protection department.
- **Contact:**
- **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

(Contd. on page 9)



BE SURE. BUILD SURE.

Page 9/9

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.12.2023

Version number 20

Revision: 02.12.2023

Trade name MC-Fastpack 2300 top - Komponente A

(Contd. of page 8)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 5: Acute toxicity – Category 5

Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

*** Data compared to the
previous version altered.**

AE