



BE SURE. BUILD SURE.

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24

Revision: 12.08.2023

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** MC-Fastpack PU Solid - Komponente B
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Adhesives
Hardening agent/ Curing agent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de

2 Hazards identification

- **Classification of the substance or mixture**
- Acute Tox. 5 H333 May be harmful if inhaled.
- Skin Irrit. 2 H315 Causes skin irritation.
- Serious eye damage/irritation – Category 2A H319 Causes serious eye irritation.
- Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- Carc. 2 H351 Suspected of causing cancer.
- STOT SE 3 H335 May cause respiratory irritation.
- STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- **Label elements**
- **GHS label elements**
- **Hazard pictograms**

The product is classified and labelled according to the Globally Harmonised System (GHS).



GHS07 GHS08

- **Signal word**

Danger

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24

Revision: 12.08.2023

Trade name MC-Fastpack PU Solid - Komponente B

(Contd. of page 1)

- **Hazard-determining components of labelling:** diphenylmethanediisocyanate, isomeres and homologues
- **Hazard statements**
 - May be harmful if inhaled.
 - Causes skin irritation.
 - Causes serious eye irritation.
 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 - May cause an allergic skin reaction.
 - Suspected of causing cancer.
 - May cause respiratory irritation.
 - May cause damage to organs through prolonged or repeated exposure.
- **Precautionary statements**
 - Do not breathe dust/fume/gas/mist/vapours/spray.
 - Wear protective gloves/protective clothing/eye protection/face protection.
 - [In case of inadequate ventilation] wear respiratory protection.
 - IF IN EYES: Rinse cautiously with water for several minutes.
 - Remove contact lenses, if present and easy to do. Continue rinsing.
 - If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
 - Store in a well-ventilated place. Keep container tightly closed.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

9016-87-9	diphenylmethanediisocyanate, isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	30-60%
67762-90-7	Siloxane und Silicone, di-Me, Reaktionsprodukte mit Siliciumdioxid Acute Tox. 4, H302; Acute Tox. 5, H313	<2.5%
4083-64-1	p-toluenesulphonyl isocyanate Resp. Sens. 1, H334; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335; Acute Tox. 5, H303	≥0.1-<0.5%

AE

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24

Revision: 12.08.2023

Trade name MC-Fastpack PU Solid - Komponente B

(Contd. of page 2)

4 First aid measures

- **Description of first aid measures**
- **General information** *Instantly remove any clothing soiled by the product.
Take affected persons into the open air.
Seek medical treatment.*
- **After inhalation** *Supply fresh air; consult doctor in case of symptoms.*
- **After skin contact** *Instantly wash with water and soap and rinse thoroughly.*
- **After eye contact** *Rinse opened eye for several minutes under running water.
Seek medical treatment.*
- **After swallowing** *Call a doctor immediately.*
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** *Use fire fighting measures that suit the environment.*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:** *Put on breathing apparatus.*

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** *Not required.*
- **Environmental precautions:** *Prevent material from reaching sewage system, holes and cellars.*
- **Methods and material for containment and cleaning up:** *Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.*
- **Reference to other sections** *See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.*

AE

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24

Revision: 12.08.2023

Trade name MC-Fastpack PU Solid - Komponente B

(Contd. of page 3)

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class** 10
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

· Control parameters

· Components with critical values that require monitoring at the workplace:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

WEL (Great Britain)	Short-term value: 0.07 mg/m ³
	Long-term value: 0.02 mg/m ³
	Sen; as -NCO

4083-64-1 p-toluenesulphonyl isocyanate

WEL (Great Britain)	Short-term value: 0.07 mg/m ³
	Long-term value: 0.02 mg/m ³
	Sen; as -NCO

· DNELs

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Inhalative	DNEL	0.05 mg/m ³ (ArL)
------------	------	------------------------------

· PNECs

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

PNEC	1 mg/l (Sewage Treatment Plant)
	0.1 mg/l (Mew)
	1 mg/l (Suw)
PNEC	1 mg/kg dwt (Bod)

- **Additional information:** The lists that were valid during the compilation were used as basis.

(Contd. on page 5)



BE SURE. BUILD SURE.

Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24

Revision: 12.08.2023

Trade name MC-Fastpack PU Solid - Komponente B

(Contd. of page 4)

- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
 - Keep away from foodstuffs, beverages and food.
 - Instantly remove any soiled and impregnated garments.
 - Wash hands during breaks and at the end of the work.
 - Avoid contact with the eyes and skin.
- **Breathing equipment:**
 - Respiratory protection is required at inadequately ventilated workplaces and during spray processing. Fresh air masks or combination filters A2-P2 are recommended for short-term work.
- **Protection of hands:**
 - Conditionally suitable materials for protective gloves; EN 374-3: Nitrile rubber - NBR: Thickness $\geq 0.35\text{mm}$.
 - Only suitable for splash protection. Only suitable for short-term exposure. In case of contamination, the protective gloves must be changed immediately.
- **Material of gloves**
 - Nitrile rubber, NBR
- **Penetration time of glove material**
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
 - Safety glasses
 - Tightly sealed safety glasses.
- **Body protection:**
 - Protective work clothing.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - Form:** Fluid
 - Colour:** Grey
 - Smell:** Characteristic
- **pH-value:** Not determined.
- **Change in condition**
 - Melting point/freezing point:** 5-10 °C
 - Initial boiling point and boiling range:** 190 °C
- **Flash point:** 201 °C
- **Explosive properties:** Product is not explosive.
- **Steam pressure at 25 °C:** 0 hPa
- **Density at 20 °C** 1.9 g/cm³
- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix
- **Viscosity:**
 - dynamic at 20 °C:** 130 mPas

(Contd. on page 6)

AE

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24

Revision: 12.08.2023

Trade name MC-Fastpack PU Solid - Komponente B

(Contd. of page 5)

kinematic: Not determined.

Other information

No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Reacts with amines
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

LD/LC50 values that are relevant for classification:

Oral	LD50	>10000 mg/kg (Rat)
Dermal	LD50	>5000 mg/kg (Kan)
Inhalative	LC50/4 h	~450 mg/l (Rat)

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Oral	LD50	>10000 mg/kg (Rat)
Dermal	LD50	>5000 mg/kg (Rab)
Inhalative	LC50/4 h	~450 mg/l (Rat)

67762-90-7 Siloxane und Silicone, di-Me, Reaktionsprodukte mit Siliciumdioxid

Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

4083-64-1 p-toluenesulphonyl isocyanate

Oral	LD50	2600 mg/kg (rat)
------	------	------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant for skin and mucous membranes.
- **Serious eye damage/irritation** Irritant effect.
- **Respiratory or skin sensitisation** Sensitization possible by inhalation.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24

Revision: 12.08.2023

Trade name MC-Fastpack PU Solid - Komponente B

(Contd. of page 6)

· **Additional toxicological information:**

Sensitization possible by skin contact.

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Harmful
Irritant

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Carc. 2

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

67762-90-7 Siloxane und Silicone, di-Me, Reaktionsprodukte mit Siliciumdioxid

Sensitisation	EL50	10000 mg/l (Daphnien)
	LC50/96h	>10000 mg/l (Brachydanio rerio)

· **Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:**

Dispose of packaging according to regulations on the disposal of packagings.
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

AE

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24

Revision: 12.08.2023

Trade name MC-Fastpack PU Solid - Komponente B

(Contd. of page 7)

14 Transport information

· UN-Number	Void
· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	Void
· ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	Void
· ADR, ADN, IMDG, IATA	Void
· Class	Void
· Packing group	Void
· ADR, IMDG, IATA	Void
· Environmental hazards:	No
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing data specification sheet: Environment protection department.
- Contact:
- Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24

Revision: 12.08.2023

Trade name MC-Fastpack PU Solid - Komponente B

(Contd. of page 8)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 5: Acute toxicity – Category 5

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

*** Data compared to the
previous version altered.**

AE