

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 11

Revision: 17.12.2021

Product identifier	
Trade name Relevant identified uses of the substance or mixture and	MC-Floor Screed BE
uses advised against Application of the substance	No further relevant information available.
/ the mixture	Flag floor finish/ Fluidised floor
Details of the supplier of the s Manufacturer/Supplier:	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Emergency telephone number:	Tel.: +49 / (0)700 24112112 (MCR)
number.	Tel.: +48612864565
	Tel.: +48612864565
Hazards identification	Tel.: +48612864565
	Tel.: +48612864565
Hazards identification	Tel.: +48612864565
Hazards identification Classification of the substanc	Tel.: +48612864565
Hazards identification Classification of the substanc Acute Tox. 5 H333 May be harr	Tel.: +48612864565 re or mixture mful if inhaled. h irritation.
Hazards identification Classification of the substanc Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skin	Tel.: +48612864565 e or mixture mful if inhaled. h irritation. ious eye damage.
Hazards identification Classification of the substanc Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seri Label elements	Tel.: +48612864565 re or mixture mful if inhaled. to irritation. fous eye damage. The product is classified and labelled according to the Global Harmonised System (GHS).
Hazards identification Classification of the substanc Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seri Label elements GHS label elements Hazard pictograms	Tel.: +48612864565 re or mixture mful if inhaled. the irritation. fous eye damage. The product is classified and labelled according to the Global Harmonised System (GHS). GHS05
Hazards identification Classification of the substanc Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seri Label elements GHS label elements Hazard pictograms	Tel.: +48612864565 re or mixture mful if inhaled. the irritation. fous eye damage. The product is classified and labelled according to the Globa Harmonised System (GHS).
Hazards identification Classification of the substanc Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seri Label elements GHS label elements Hazard pictograms	Tel.: +48612864565 re or mixture mful if inhaled. to irritation. fous eye damage. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS05 Danger Cement, portland, chemicals Cr(VI)<2ppm
Hazards identification Classification of the substanc Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seri Label elements GHS label elements Hazard pictograms	Tel.: +48612864565 re or mixture mful if inhaled. in irritation. fous eye damage. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS05 Danger Cement, portland, chemicals



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 11

Revision: 17.12.2021

Trade name MC-Floor Screed BE

(Contd. of page 1) Wear protective gloves / eye protection / face protection.
IF INHALED: Call a POISON CENTER/doctor if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue
rinsing.
Immediately call a POISON CENTER/doctor.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
·
sessment
Not applicable.
Not applicable.

Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Description:

Mixture consisting of the following components.

· Dangerous	components:	
14808-60-7	Quartz (SiO2)	70-100%
65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm	≥10-<20%
	Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	
1317-65-3	1317-65-3 Calciumcarbonat Acute Tox. 5, H303; Acute Tox. 5, H313	
68475-76-3 Flue dust, portland cement ≥3- Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335		
· Additional	information For the wording of the listed hazard phrases refer to se	ction 16.

4 First aid measures

After inhalation	Supply fresh air.
· After skin contact	Instantly wash with water and soap and rinse thoroughly.
After eye contact	Rinse opened eye for several minutes under running water. Seek medical treatment.
After swallowing	Rinse out mouth and then drink plenty of water. Seek medical treatment.
 Information for doctor Most important symptoms and effects, both acute and 	
delayed	No further relevant information available.
2	(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 11

Revision: 17.12.2021

Trade name MC-Floor Screed BE

 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- Special hazards arising from
- the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:
- No special measures required.

Keep container tightly sealed.

o Accidental release measures		
 Personal precautions, protective equipment and emergency procedures Environmental precautions: Methods and material for 	Not required. No special measures required.	
containment and cleaning up:	Collect mechanically.	
· Reference to other sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.	

7 Handling and storage

- · Handling
- · Precautions for safe handling Prevent formation of dust.
- · Information about protection
- against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in
- one common storage facility: Not required.
- · Further information about
- storage conditions: · Specific end use(s)
 - I use(s) No further relevant information available.

(Contd. on page 4)

Page 3/8

(Contd. of page 2)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 11

Revision: 17.12.2021

Trade name MC-Floor Screed BE

(Contd. of page 3)

Additional information al design of technical system	bout ems: No further data; see item 7.	
Control parameters		
•	I values that require monitoring at the workplace:	
14808-60-7 Quartz (SiO2)		
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2	
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.025* mg/m³ *respirable particulate matter, A2	
BOELV (European Union)		
65997-15-1 Cement, port Cr(VI)<2ppm	land, chemicals	
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction, A4	
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust	
DNELs		
65997-15-1 Cement, port Cr(VI)<2ppm	land, chemicals	
Inhalative DNEL 1 mg/m ³	(ArL)	
1317-65-3 Calciumcarbor	nat	
Oral DNEL 6.1 mg/k		
Inhalative DNEL 10 mg/m	1 ³ (ArL)	
PNECs		
1317-65-3 Calciumcarbor		
PNEC 100 mg/l (Sewage		
Additional information:	The lists that were valid during the compilation were used as ba	
Exposure controls Personal protective equi	pment	
General protective and hygienic measures	Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.	



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Version number 11

Revision: 17.12.2021

Trade name MC-Floor Screed BE

Printing date 17.12.2021

Proothing on inmont	(Contd. of page 4)
· Breathing equipment:	In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
 Protection of hands: 	Protective gloves.
	Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· Material of gloves	After use of gloves apply skin-cleaning agents and skin cosmetics. Strong gloves
material of gloves	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove	
material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
• Eye protection:	Safety glasses Tightly sealed safety glasses.
Body protection:	Protective work clothing.

9 Physical and chemical properties

Appearance:		
••	Powder	
Colour:	Grey	
Smell:	Odourless	
pH-value:	11	
Change in condition		
•	Not determined	
Initial boiling point and boiling range:	Not determined	
	Not applicable	
Flash point:	Not applicable	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Density	Not determined	
Solubility in / Miscibility with		
Water:	Unsoluble	
Other information	No further relevant information available.	

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 11

Revision: 17.12.2021

Trade name MC-Floor Screed BE

(Contd. of page 5)

Page 6/8

Reactivity	No further relevant information available.
Chemical stability	
Thermal decomposition /	
conditions to be avoided:	No decomposition if used according to specifications.
Possibility of hazardous	
reactions	No dangerous reactions known
Conditions to avoid	No further relevant information available.
Incompatible materials:	No further relevant information available.
Hazardous decomposition	
products:	No dangerous decomposition products known

11 Toxicological information

	· Information on toxicological effects · Acute toxicity			
·LD	· LD/LC50 values that are relevant for classification:			
659	65997-15-1 Cement, portland, chemicals Cr(VI)<2ppm			
Dermal LD50 2000 mg/kg (rabbit)			g (rabbit)	
Inh	alative	LC50/4 h	5 mg/l (rat)	
131	1317-65-3 Calciumcarbonat			
Ora	al	LD50	050 >2000 mg/kg (rat)	
Dei	rmal	nal LD50 >2000 mg/kg (rat)		
			Strong irritant with the danger of severe eye injury. No sensitizing effect known. The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for	

12 Ecological information		
· Toxicity		
· Aquatic to	xicity:	
1317-65-3	Calciumcarbonat	
EC50/72h	>14 mg/l (Desmodesmus subspicatus)	
LC50/96h	>10000 mg/l (Oncorhynchus mykiss)	

. Irritant

(Contd. on page 7)

AE



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 11

Revision: 17.12.2021

Trade name MC-Floor Screed BE

	(Contd. of page 6)
LC50/48h >1000 mg	l (Daphnia magna)
EC50/48h >1000 mg	l (Daphnia magna)
Persistence and deg Behaviour in enviro	radability No further relevant information available.
· Bioaccumulative po	ential No further relevant information available.
 Mobility in soil Additional ecological 	No further relevant information available. I information:
· General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
• Results of PBT and	/PvB assessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
Other adverse effect	s No further relevant information available.

13 Disposal considerations

 Waste treatment methods Recommendation 	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Non contaminated packagings can be used for recycling.

14 Transport information

UN-Number ADR, ADN, IMDG, IATA	Void	
UN proper shipping name ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
Packing group ADR, IMDG, IATA	Void	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Anno Marpol and the IBC Code	ex II of Not applicable.	
		(Contd. on page



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 11

Revision: 17.12.2021

Trade name MC-Floor Screed BE

· UN "Model Regulation":

Void

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous
- substances ANNEX I None of the ingredients is listed. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data specification sheet:	Environment protection department.
Contact:	
Abbreviations and acronyms:	 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity – Category 5 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Page 8/8

(Contd. of page 7)