

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021 Version number 5 Revision: 15.10.2021

## 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name MC-Injekt 2300 NV - Komponente B

Relevant identified uses of the substance or mixture and

uses advised against

Application of the substance

/ the mixture

No further relevant information available.

Injektion

Polyurethane resin

Hardening agent/ Curing agent

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

msds@mc-bauchemie.de

Emergency telephone

number: Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

## 2 Hazards identification

· Classification of the substance or mixture

Acute Tox. 5 H333 May be harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

· Label elements

• GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms





GHS07 GHS08



Page 2/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021 Version number 5 Revision: 15.10.2021

## Trade name MC-Injekt 2300 NV - Komponente B

(Contd. of page 1)

· Signal word

Danger

· Hazard-determining components of labelling:

diphenylmethanediisocyanate,isomeres and homologues

· Hazard statements

May be harmful if inhaled. Causes skin irritation. Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation.

May cause damage to organs through prolonged or repeated

exposure.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face

protection.

[In case of inadequate ventilation] wear respiratory protection.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

If experiencing respiratory symptoms: Call a POISON CENTER/

doctor.

Store in a well-ventilated place. Keep container tightly closed.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

#### 3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Resin mixture.

Mixture consisting of the following components.

Dangerous components:

9016-87-9 diphenylmethanediisocyanate,isomeres and homologues

70-100%

Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335

• Additional information For the wording of the listed hazard phrases refer to section 16.

## 4 First aid measures

· Description of first aid measures

• General information Take affected persons into the open air.

Seek medical treatment.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

(Contd. on page 3)



Page 3/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021 Version number 5 Revision: 15.10.2021

## Trade name MC-Injekt 2300 NV - Komponente B

(Contd. of page 2)

• After inhalation Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position

for transport.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

· After eye contact Call a doctor immediately.

Rinse opened eye for several minutes under running water. If

symptoms persist, consult doctor.

• After swallowing Call a doctor immediately.

· Information for doctor · Most important symptoms and effects, both acute and

delayed Indication of any immediate No further relevant information available.

Indication of any immediate medical attention and special

treatment needed No further relevant information available.

## 5 Firefighting measures

Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

Special hazards arising from

the substance or mixture Formation of toxic gases is possible during heating or in case of

fire.

Can be released in case of fire Carbon monoxide (CO) Nitrogen oxides (NOx)

Under certain fire conditions, traces of other toxic gases cannot be

excluded.

Advice for firefighters

Protective equipment: Put on breathing apparatus.

#### 6 Accidental release measures

Personal precautions, protective equipment and

**emergency procedures** Wear protective clothing.

• Environmental precautions: Do not allow product to reach sewage system or water bodies.

Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

AL.



Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021 Version number 5 Revision: 15.10.2021

Trade name MC-Injekt 2300 NV - Komponente B

(Contd. of page 3)

## 7 Handling and storage

· Handling

· Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

**storage conditions:** Keep container tightly sealed.

· **Specific end use(s)** No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· Control parameters

· Components with critical values that require monitoring at the workplace:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

WEL (Great Britain) Short-term value: 0.07 mg/m³

Long-term value: 0.02 mg/m3

Sen: as -NCO

· DNELs

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Inhalative DNEL 0.05 mg/m³ (ArL)

PNECs

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

PNEC 1 mg/l (Sewage Treatment Plant)

0.1 mg/l (Mew) 1 mg/l (Suw)

PNEC 1 mg/kg dwt (Bod)

• Additional information: The lists that were valid during the compilation were used as basis.

Exposure controls

Personal protective equipment

General protective and

hygienic measures Use skin protection cream for preventive skin protection.

Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments.

(Contd. on page 5)



Page 5/8

Printing date 16.10.2021 Version number 5 Revision: 15.10.2021

#### Trade name MC-Injekt 2300 NV - Komponente B

(Contd. of page 4)

Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

· Breathing equipment: Respiratory protection is required at inadequately ventilated

workplaces and during spray processing. Fresh air masks or combination filters A2-P2 are recommended for short-term work.

• **Protection of hands:** Conditionally suitable materials for protective gloves; EN 374-3:

Nitrile rubber - NBR: Thickness ≥ 0.35mm.

Only suitable for splash protection. Only suitable for short-term exposure. In case of contamination, the protective gloves must be

changed immediately. Nitrile rubber, NBR

· Material of gloves

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Tightly sealed safety glasses.

· **Body protection:** Protective work clothing.

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Whitish
Smell: Characteristic

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 190 °C

· Flash point: > 180 °C

· Ignition temperature: 400 °C

· **Self-inflammability:** Product is not selfigniting.

• Explosive properties: Product is not explosive.

Steam pressure at 25 °C: 0.0002 hPa

· Density at 20 °C 1.22 g/cm³

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

· Viscosity:

dynamic at 20 °C: 66 mPas

(Contd. on page 6)



Page 6/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021 Version number 5 Revision: 15.10.2021

Trade name MC-Injekt 2300 NV - Komponente B

(Contd. of page 5)

· Other information

No further relevant information available.

## 10 Stability and reactivity

Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition / conditions to be avoided:

· Possibility of hazardous

reactions

No decomposition if used according to specifications.

Violent reaction with water at high temperatures

Reacts with amines

· Conditions to avoid · Incompatible materials:

· Hazardous decomposition

products:

No further relevant information available.

No further relevant information available.

No dangerous decomposition products known

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity

## · LD/LC50 values that are relevant for classification:

Oral	LD50	>10000 mg/kg (Rat)
Dermal	LD50	>5000 mg/kg (Kan)
Inhalative	LC50/4 h	~450 mg/l (Rat)

### 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Oral	LD50	>10000 mg/kg (Rat)
Dermal	LD50	>5000 mg/kg (Rab)
Inhalative		~450 mg/l (Rat)

Primary irritant effect:

Skin corrosion/irritation Irritant for skin and mucous membranes.

· Serious eye damage/irritation Irritant effect.

Respiratory or skin

sensitisation Sensitization possible by inhalation.

· Additional toxicological

information:

Sensitization possible by skin contact.

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

Harmful Irritant

(Contd. on page 7)



Page 7/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021 Version number 5 Revision: 15.10.2021

Trade name MC-Injekt 2300 NV - Komponente B

(Contd. of page 6)

 CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. 2

## 12 Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available. • Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

## 13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

#### 14 Transport information · UN-Number · ADR, ADN, IMDG, IATA Void · UN proper shipping name · ADR, ADN, IMDG, IATA Void · Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void · Packing group Void · ADR, IMDG, IATA · Environmental hazards: · Marine pollutant: No

(Contd. on page 8)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.10.2021 Version number 5 Revision: 15.10.2021

#### Trade name MC-Injekt 2300 NV - Komponente B

(Contd. of page 7)

Page 8/8

· Special precautions for user	Not applicable.	
· Transport in bulk according to Ani Marpol and the IBC Code	nex II of Not applicable.	
· UN "Model Regulation":	Void	

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

**substances - ANNEX I** None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 5: Acute toxicity – Category 5

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2