



BE SURE. BUILD SURE.

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6


Revision: 19.10.2021

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** **MC-Injekt 2300 rapid - Komponente A**
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Polyurethane resin
Injektion
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de
- **Emergency telephone number:** Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +48612864565

2 Hazards identification

- **Classification of the substance or mixture**
Acute Tox. 5 H303 May be harmful if swallowed.
Acute Tox. 5 H313 May be harmful in contact with skin.
Eye Irrit. 2A H319 Causes serious eye irritation.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**

GHS07
- **Signal word** Warning
- **Hazard-determining components of labelling:** ethane-1,2-diol
- **Hazard statements** May be harmful if swallowed.
May be harmful in contact with skin.
Causes serious eye irritation.

(Contd. on page 2)

AE

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

Trade name MC-Injekt 2300 rapid - Komponente A

(Contd. of page 1)

- **Precautionary statements**
 - Wash thoroughly after handling.
 - Wear eye protection / face protection.
 - IF IN EYES: Rinse cautiously with water for several minutes.
 - Remove contact lenses, if present and easy to do. Continue rinsing.
 - Call a POISON CENTER/doctor if you feel unwell.
 - If eye irritation persists: Get medical advice/attention.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:**
 - Resin mixture.
 - Mixture consisting of the following components.

· Dangerous components:		
25322-69-4	Polymer of propylene glycol Acute Tox. 5, H303; Acute Tox. 5, H313	25-50%
770-35-4	1-Phenoxypropan-2-ol Eye Irrit. 2A, H319; Acute Tox. 5, H303; Acute Tox. 5, H313	≥10-<25%
107-21-1	ethane-1,2-diol STOT RE 2, H373; Acute Tox. 4, H302	<5%
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1, H304; Acute Tox. 5, H313	<1.5%

4 First aid measures

- **Description of first aid measures**
- **General information**
 - No special measures required.
- **After inhalation**
 - Supply fresh air.
- **After skin contact**
 - The product is not skin irritating.
- **After eye contact**
 - Rinse opened eye for several minutes under running water.
- **After swallowing**
 - Rinse out mouth and then drink plenty of water.
 - Seek medical treatment.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed**
 - No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
 - No further relevant information available.

AE

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/8

Safety data sheet **according to 1907/2006/EC, Article 31**

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

Trade name MC-Injekt 2300 rapid - Komponente A

(Contd. of page 2)

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** No dangerous materials are released.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

AE

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

Trade name MC-Injekt 2300 rapid - Komponente A

(Contd. of page 3)

· **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

107-21-1 ethane-1,2-diol

TLV (USA)	Short-term value: 10** mg/m ³ , 50* ppm Long-term value: 25* ppm *vapor fraction:**inh. fraction, aerosol only, A4
WEEL (USA)	I (2)
IOELV (European Union)	Short-term value: 104 mg/m ³ , 40 ppm Long-term value: 52 mg/m ³ , 20 ppm Skin
WEL (Great Britain)	Short-term value: 104** mg/m ³ , 40** ppm Long-term value: 10* 52** mg/m ³ , 20** ppm Sk *particulate **vapour

· **DNELs**

770-35-4 1-Phenoxypropan-2-ol

Dermal	DNEL	42 mg/kg bw/day (ArL)
Inhalative	DNEL	25.7 mg/m ³ (ArL)

107-21-1 ethane-1,2-diol

Dermal	DNEL	106 mg/kg bw/day (ArL)
Inhalative	DNEL	35 mg/m ³ (ArL)

· **PNECs**

770-35-4 1-Phenoxypropan-2-ol

PNEC	0.01 mg/l (Mew) 0.1 mg/l (Suw)
PNEC	0.02 mg/kg dwt (Bod) 0.038 mg/kg dwt (Marine water sediment) 0.38 mg/kg dwt (Fresh water sediment)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

· **Breathing equipment:**

Not required.

· **Protection of hands:**

Not required.

· **Material of gloves**

-

· **Penetration time of glove material**

-

· **Eye protection:**

Safety glasses

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

Trade name MC-Injekt 2300 rapid - Komponente A

Tightly sealed safety glasses.

(Contd. of page 4)

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Colour:	Yellow
Smell:	Characteristic

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	243 °C

· **Flash point:** 127 °C

· **Ignition temperature:** 135 °C

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Steam pressure at 20 °C:** 0 hPa

· **Density at 20 °C** 0.98 g/cm³

· **Solubility in / Miscibility with Water:** Not miscible or difficult to mix

· **Viscosity:**
kinematic at 20 °C: 80 s (DIN 53211/4)

· **Other information** No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

· **Hazardous decomposition products:** No dangerous decomposition products known

AE

(Contd. on page 6)



BE SURE. BUILD SURE.

Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

Trade name MC-Injekt 2300 rapid - Komponente A

(Contd. of page 5)

11 Toxicological information

- Information on toxicological effects
- Acute toxicity

· **LD/LC50 values that are relevant for classification:**

25322-69-4 Polymer of propylene glycol

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

770-35-4 1-Phenoxypropan-2-ol

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

107-21-1 ethane-1,2-diol

Oral	LD50	4000 mg/kg (rat)
	LDL0	1600 mg/kg (Workers)
Dermal	LD50	>3500 mg/kg (mouse)
		10600 mg/kg (rbt)

- **Primary irritant effect:**
- **Serious eye damage/irritation** No irritant effect.
- **Respiratory or skin sensitisation** No sensitizing effect known.

· **Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

- Toxicity

· **Aquatic toxicity:**

25322-69-4 Polymer of propylene glycol

LC50/48h	>100 mg/l (Leucidus idus)
EC50/48h	>100 mg/l (Daphnia magna)
EC0	>100 mg/l (Desmodesmus subspicatus)

770-35-4 1-Phenoxypropan-2-ol

EC50/72h	>100 mg/l (Desmodesmus subspicatus)
LC50/96h	280 mg/l (Pimephales promelas)
LC50/48h	370 mg/l (Daphnia magna)

(Contd. on page 7)

AE

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

Trade name MC-Injekt 2300 rapid - Komponente A

(Contd. of page 6)

107-21-1 ethane-1,2-diol

LC50/96h	72860 mg/l (Pimephales promelas)
EC50/48h	>100 mg/l (Daphnia magna)
EC50/96h	6500-13000 mg/l (Selenastrum capricornutum)
NOEC	8590 mg/l (Ceriodaphnia dubia)
	15380 mg/l (Pimephales promelas)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Dispose of packaging according to regulations on the disposal of packagings.
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14 Transport information

- | | |
|-------------------------------------|------|
| · UN-Number | |
| · ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · ADR, IMDG, IATA | Void |

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

Trade name MC-Injekt 2300 rapid - Komponente A

(Contd. of page 7)

· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:** Environment protection department.
- **Contact:**
- **Abbreviations and acronyms:**
 - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 - ICAO: International Civil Aviation Organisation
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - DNEL: Derived No-Effect Level (REACH)
 - PNEC: Predicted No-Effect Concentration (REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - Acute Tox. 4: Acute toxicity – Category 4
 - Acute Tox. 5: Acute toxicity – Category 5
 - Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 - STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
 - Asp. Tox. 1: Aspiration hazard – Category 1

AE