

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

| Product identifier | |
|---|---|
| Trade name CAS Number: EC number: Relevant identified uses of a Sector of Use | <u>MC-Montan Grout 01</u> 1344-09-8 215-687-4 the substance or mixture and uses advised against SU22 Professional uses: Public domain (administratio |
| Application of the substanc / the mixture | education, entertainment, services, craftsmen) e Backfill Grout |
| Details of the supplier of the Manufacturer/Supplier: | e safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 |
| Informing department: Emergency telephone number: | msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565 |
| | |
| Hazards identification | |
| Eye Dam. 1 H318 Causes s | narmful if swallowed. |
| <i>Label elements GHS label elements Hazard pictograms</i> | The substance is classified and labelled according to the Globa Harmonised System (GHS). GHS05 GHS07 |
| Signal word | Danger |
| Hazard-determining components of labelling: | Silicic acid, sodium salt |



Page 2/8

| according to 1907/2006/EC, Article 31 | | |
|---------------------------------------|--|----------------------------|
| Printing date 30.11.2021 | Version number 6 | Revision: 19.10.202 |
| Trade name MC-Montan Grout 01 | | |
| | | (Contd. of page 1 |
| Hazard statements | May be harmful if swallowed. | |
| | May be harmful in contact with skin. | |
| | Causes severe skin burns and eye d | amage. |
| | May cause respiratory irritation. | |
| • Precautionary statements | Do not breathe dusts or mists. | |
| | IF ON SKIN (or hair): Take off in | |
| | clothing. Rinse skin with water/showe | |
| | IF IN EYES: Rinse cautiously with | |
| | Remove contact lenses, if preser | it and easy to do. Continu |
| | rinsing. | 7/de eter |
| | Immediately call a POISON CENTEF Specific treatment (see on this label) | |
| | Store in a well-ventilated place. Keep | |
| · Other hazards | | |
| · Results of PBT and vPvB as | scossmont | |
| · PBT: | Not applicable. | |
| · vPvB: | Not applicable. | |
| | | |

3 Composition/information on ingredients

· Chemical characterisation: Substances

- · CAS No. Designation: 1344-09-8 Silicic acid, sodium salt
- Identification number(s):EC number:215-687-4Additional informationFor the wording of the listed hazard phrases refer to section 16.

4 First aid measures

| After inhalation After skin contact After eye contact | Supply fresh air; consult doctor in case of symptoms. The product is not skin irritating. Rinse opened eye for several minutes under running water. |
|--|---|
| <i>After swallowing Information for doctor Most important symptoms and effects, both acute and</i> | In case of persistent symptoms consult doctor. |
| delayed Indication of any immediate medical attention and special | No further relevant information available. |
| treatment needed | No further relevant information available. |

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC. Article 31



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

Trade name MC-Montan Grout 01

(Contd. of page 2)

Page 3/8

5 Firefighting measures

· Extinguishing media

· Protective equipment:

• Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

No further relevant information available.

- Special hazards arising from the substance or mixture
 Advice for firefighters
 - No special measures required.

6 Accidental release measures

| Personal precautions, protective equipment and emergency procedures Environmental precautions: Methods and material for | Not required. No special measures required. |
|---|--|
| containment and cleaning up | : Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). |
| Reference to other sections | <i>No dangerous materials are released. See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.</i> |

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection
- against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by
- storerooms and containers: No special requirements.
- Information about storage in
- one common storage facility: Not required.
- Further information about
- storage conditions: • Specific end use(s)
- None. No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

AE



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

Trade name MC-Montan Grout 01

| | (Contd. of page 3) |
|---|---|
| Control parameters Components with critical values that require monitoring at the workplace: | Not required. |
| DNELs | |
| 1344-09-8 Silicic acid, sodium | salt |
| Oral DNEL 0.8 mg/kg bw | /Tag (ArL) |
| Dermal DNEL 1.59 mg/kg bu | v/day (ArL) |
| Inhalative DNEL 5.61 mg/m³ (A | ArL) |
| PNECs | |
| 1344-09-8 Silicic acid, sodium | salt |
| PNEC 348 mg/l (Kla) | |
| 1 mg/l (Mew) | |
| 7.5 mg/l (Suw) | |
| Additional information: | The lists that were valid during the compilation were used as basis. |
| Exposure controls Personal protective equipmen General protective and hygienic measures | nt The usual precautionary measures should be adhered to in handling the chemicals. |
| · Breathing equipment: | Not required. |
| Protection of hands: | Not required. |
| Material of gloves | - |
| Penetration time of glove material | |
| · Eye protection: | - Safety glasses |
| | Tightly sealed safety glasses. |
| · Body protection: | Protective work clothing. |
| | |

| Information on basic physical and chemical properties General Information Appearance: | |
|---|--|
| Fluid | |
| | |
| | |
| Not determined. | |
| 11.5 | |
| | |
| Not determined nge: 100 °C | |
| | Fluid Clear Light Not determined. 11.5 Not determined |

AE



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

Page 5/8

Trade name MC-Montan Grout 01

| | (Contd. of page 4 |
|---|--|
| Flash point: | Not applicable |
| Inflammability (solid, gaseous) | Not applicable. |
| Decomposition temperature: | Not determined. |
| Self-inflammability: | Product is not selfigniting. |
| Explosive properties: | Product is not explosive. |
| Critical values for explosion: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Steam pressure at 20 °C: | 23 hPa |
| Density at 20 °C | 1.37 g/cm³ |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Fully miscible |
| Partition coefficient: n-octanol/water: | Not determined. |
| Viscosity: | |
| dynamic: | Not determined. |
| kinematic: | Not determined. |
| Other information | No further relevant information available. |

10 Stability and reactivity

· Reactivity

No further relevant information available.

• Thermal decomposition / conditions to be avoided: No decomposition if used

Possibility of hazardous reactions

· Conditions to avoid

· Incompatible materials:

· Chemical stability

Hazardous decomposition products:

No decomposition if used according to specifications.

No dangerous reactions known

No further relevant information available.

No further relevant information available.

No dangerous decomposition products known

(Contd. on page 6)

AF



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

Trade name MC-Montan Grout 01

(Contd. of page 5)

| | oxicity | | ant for classification: | |
|----------------------------------|---------|------------------|--|--|
| | | | | |
| | | cic acid, sodium | | |
| | | | 3400 mg/kg (rat) | |
| Dermal | LD50 | 4640 mg/kg (rabl | bit) | |
| | | >5000 mg/kg (rat | t) | |
| sensitis · Additio informa | nal to | kicological | No sensitizing effect known. The product is not subject to classification according to t calculation method of the General EC Classification Guidelines Preparations as issued in the latest version: When used and handled according to specifications, the product | |
| | | | does not have any harmful effects according to our experience a the information provided to us. | |

| · Toxicity | | | |
|------------------------|---------------------|---|---------------------|
| · Aquatic to | oxicity: | | |
| 1344-09-8 | Silicic acid, sodiu | n salt | |
| EC50/72h | >345.4 mg/l (Desm | odesmus subspicatus) | |
| LC50/96h | 1108 mg/l (Danio re | erio) | |
| | 260 mg/l (Oncorhyı | nchus mykiss) | |
| | >100 mg/l (fish) | | |
| EC50 | >100 mg/l (Bak) | | |
| | >100 mg/l (algae) | | |
| | >100 mg/l (Daphnie | en) | |
| | >100 mg/l (Daphnia | a magna) | |
| EC50/48h | 1700 mg/l (Daphnia | a magna) | |
| [.] Behaviou | r in environmental | | |
| | | No further relevant information available. No further relevant information available. | |
| · Mobility in | | | |
| | l ecological inform | | |
| [.] General n | otes: | Do not allow undiluted product or large quanti ground water, water bodies or sewage system. | ties of it to reach |
| | | ground water, water boures or sewage system. | (Contd. on page 7) |

(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

Trade name MC-Montan Grout 01

| Results of PBT and vPvB PBT: | Not applicable. | |
|------------------------------|--|--|
| vPvB: | Not applicable. | |
| Other adverse effects | No further relevant information available. | |

13 Disposal considerations

Waste treatment methods
 Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings: • Recommendation:

Disposal must be made according to official regulations.

| 14 Transport information | |
|---|--|
| · UN-Number · ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name · ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA · Class | Void |
| · Packing group · ADR, IMDG, IATA | Void |
| · Environmental hazards: · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| Transport in bulk according to Annex II Marpol and the IBC Code | of Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| · UN "Model Regulation": | Void |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances - ANNEX I
- Substance is not listed.

(Contd. on page 8)

AE



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 6

Revision: 19.10.2021

Trade name MC-Montan Grout 01

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

| Department issuing data specification sheet: Contact: | Environment protection department. |
|---|--|
| | ADR: Accord relatif au transport international des marchandises dangereuses paroute (European Agreement Concerning the International Carriage of Dangerout Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity – Category 5 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 |