



BE SURE. BUILD SURE.

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.12.2021

Version number 7

Revision: 18.12.2021

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** MC-Montan Injekt FF - Komponente A
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Injektion
Polyurethane resin
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de
- **Emergency telephone number:** Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +48612864565

2 Hazards identification

- **Classification of the substance or mixture**
Acute Tox. 5 H333 May be harmful if inhaled.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms** Void
- **Signal word** Warning
- **Hazard-determining components of labelling:** 2,2'-oxybisethanol
- **Hazard statements** May be harmful if inhaled.
- **Precautionary statements** IF INHALED: Call a POISON CENTER/doctor if you feel unwell.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

AE

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.12.2021

Version number 7

Revision: 18.12.2021

Trade name MC-Montan Injekt FF - Komponente A

(Contd. of page 1)

3 Composition/information on ingredients

· **Chemical characterisation:** *Mixtures*

· **Description:** *Mixture consisting of the following components.*

· **Dangerous components:**

25322-69-4	Polymer of propylene glycol	Acute Tox. 5, H303; Acute Tox. 5, H313	<25%
111-46-6	2,2'-oxybisethanol	Acute Tox. 3, H331; Acute Tox. 4, H302	<0.5%

· **Additional information** *For the wording of the listed hazard phrases refer to section 16.*

4 First aid measures

· **Description of first aid measures**

· **After inhalation**

Supply fresh air; consult doctor in case of symptoms.

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

· **After eye contact**

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

Call a doctor immediately.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Firefighting measures

· **Extinguishing media**

· **Suitable extinguishing agents** *Use fire fighting measures that suit the environment.*

· **Special hazards arising from the substance or mixture**

No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:**

No special measures required.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Not required.

· **Environmental precautions:**

Prevent material from reaching sewage system, holes and cellars.

· **Methods and material for**

containment and cleaning up: *Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*

· **Reference to other sections**

See Section 7 for information on safe handling

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.12.2021

Version number 7

Revision: 18.12.2021

Trade name MC-Montan Injekt FF - Komponente A

(Contd. of page 2)

See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· Components with critical values that require monitoring at the workplace:

111-46-6 2,2'-oxybisethanol

WEEL (USA)	Long-term value: 10 mg/m ³
WEL (Great Britain)	Long-term value: 101 mg/m ³ , 23 ppm

· DNELs

25791-96-2 Glycerin, propoxyliert

Dermal	DNEL	13.9 mg/kg bw/day (ArL)
Inhalative	DNEL	98 mg/m ³ (ArL)

111-46-6 2,2'-oxybisethanol

Dermal	DNEL	106 mg/kg bw/day (ArL)
Inhalative	DNEL	60 mg/m ³ (ArL)

· PNECs

25791-96-2 Glycerin, propoxyliert

PNEC	1000 mg/l (Kla)
	0.02 mg/l (Mew)
	0.2 mg/l (Suw)

(Contd. on page 4)



BE SURE. BUILD SURE.

Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.12.2021

Version number 7

Revision: 18.12.2021

Trade name MC-Montan Injekt FF - Komponente A

(Contd. of page 3)

PNEC 0.0665 mg/kg dwt (Bod)
0.052 mg/kg dwt (Marine water sediment)
0.52 mg/kg dwt (Fresh water sediment)

111-46-6 2,2'-oxybisethanol

PNEC 199.5 mg/l (Sewage Treatment Plant)
10 mg/l (Fresh water)
1 mg/l (Marine)
PNEC 1.53 mg/kg dwt (Bod)
20.9 mg/kg dwt (Fresh water sediment)

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes.
- **Breathing equipment:** In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
- **Protection of hands:** Protective gloves.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves** Butyl rubber, BR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses
Tightly sealed safety glasses.
- **Body protection:** Protective work clothing.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - Form: Fluid
 - Colour: Light yellow

(Contd. on page 5)

AE



BE SURE. BUILD SURE.

Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.12.2021

Version number 7

Revision: 18.12.2021

Trade name MC-Montan Injekt FF - Komponente A

(Contd. of page 4)

· Smell:	Characteristic
· Change in condition	
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	288 °C
· Flash point:	229 °C
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Density at 20 °C	1.00 g/cm ³
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity	No further relevant information available.
· Chemical stability	
· Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
· Possibility of hazardous reactions	No dangerous reactions known
· Conditions to avoid	No further relevant information available.
· Incompatible materials:	No further relevant information available.
· Hazardous decomposition products:	No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

25791-96-2 Glycerin, propoxyliert

Oral	LD50	>2000 mg/kg (rat)
------	------	-------------------

25322-69-4 Polymer of propylene glycol

Oral	LD50	>2000 mg/kg (rat)
------	------	-------------------

Dermal	LD50	>2000 mg/kg (rabbit)
--------	------	----------------------

111-46-6 2,2'-oxybisethanol

Oral	LD50	12565 mg/kg (rat)
------	------	-------------------

	NOAEL	3060 mg/kg (mouse)
--	-------	--------------------

Dermal	LD50	11890 mg/kg (rabbit)
--------	------	----------------------

Inhalative	LC50/4 h	>5.08 mg/l (rat)
------------	----------	------------------

(Contd. on page 6)

AE

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.12.2021

Version number 7

Revision: 18.12.2021

Trade name MC-Montan Injekt FF - Komponente A

(Contd. of page 5)

- **Primary irritant effect:**
- **Skin corrosion/irritation** No irritant effect.
- **Serious eye damage/irritation** No irritant effect.
- **Respiratory or skin sensitisation** No sensitizing effect known.
- **Additional toxicological information:** The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

12 Ecological information

· Toxicity

· Aquatic toxicity:

25791-96-2 Glycerin, propoxyliert

LC50/96h	>1000 mg/l (Leucidus idus)
EC50/48h	>100 mg/l (Daphnia magna)
EC0	>100 mg/l (Desmodesmus subspicatus)

25322-69-4 Polymer of propylene glycol

LC50/48h	>100 mg/l (Leucidus idus)
EC50/48h	>100 mg/l (Daphnia magna)
EC0	>100 mg/l (Desmodesmus subspicatus)

111-46-6 2,2'-oxybisethanol

IC50	>1000 mg/l (Bak)
EC50/24h	>10000 mg/l (Daphnien)
LC50/96h	75200 mg/l (fish)
NOEC	8590 mg/l (Daphnien)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

AE

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.12.2021

Version number 7

Revision: 18.12.2021

Trade name MC-Montan Injekt FF - Komponente A

(Contd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.*

14 Transport information

- | | |
|---|-----------------|
| · UN-Number | Void |
| · ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | Void |
| · ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | Void |
| · ADR, ADN, IMDG, IATA | Void |
| · Class | Void |
| · Packing group | Void |
| · ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.12.2021

Version number 7

Revision: 18.12.2021

Trade name MC-Montan Injekt FF - Komponente A

(Contd. of page 7)

· **Department issuing data
specification sheet:**

Environment protection department.

· **Contact:**

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 5: Acute toxicity – Category 5

Acute Tox. 3: Acute toxicity – Category 3

· *** Data compared to the
previous version altered.**

AE