

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2022 Version number 8 Revision: 24.06.2022

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

• Trade name MC-Montan Grout 01

• CAS Number: 1344-09-8 • EC number: 215-687-4

· Relevant identified uses of the substance or mixture and uses advised against

Sector of Use SU22 Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

· Application of the substance

/ the mixture Backfill Grout

Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

Emergency telephone

number: Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

msds@mc-bauchemie.de

2 Hazards identification

· Classification of the substance or mixture

Acute Tox. 5 H303 May be harmful if swallowed.

Acute Tox. 5 H313 May be harmful in contact with skin.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• GHS label elements The substance is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms



GHS05 GHS07

· **Signal word** Danger

· Hazard-determining

components of labelling: Silicic acid, sodium salt

(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2022 Version number 8 Revision: 24.06.2022

Trade name MC-Montan Grout 01

(Contd. of page 1)

· **Hazard statements** May be harmful if swallowed.

May be harmful in contact with skin.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

· **Precautionary statements** Do not breathe dusts or mists.

IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Store in a well-ventilated place. Keep container tightly closed.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Substances

· CAS No. Designation: 1344-09-8 Silicic acid, sodium salt

· Identification number(s):

• **EC number**: 215-687-4

• Additional information For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

• General information No special measures required.

• After inhalation Supply fresh air; consult doctor in case of symptoms.

· After skin contact The product is not skin irritating.

• After eye contact Rinse opened eye for several minutes under running water.

• After swallowing In case of persistent symptoms consult doctor.

Information for doctor
Most important symptoms

and effects, both acute and

delayed No further relevant information available.

 Indication of any immediate medical attention and special

treatment needed No further relevant information available.

AE -



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2022 Version number 8 Revision: 24.06.2022

Trade name MC-Montan Grout 01

(Contd. of page 2)

5 Firefighting measures

· Extinguishing media

· Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with

water jet or alcohol-resistant foam.

· Special hazards arising from

the substance or mixture No

No further relevant information available.

· Advice for firefighters

· **Protective equipment:** No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and

emergency procedures Not required.

Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

Reference to other sections No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

· Handling

· Precautions for safe handling No special measures required.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: None.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2022 Version number 8 Revision: 24.06.2022

Trade name MC-Montan Grout 01

(Contd. of page 3)

· Control parameters

· Components with critical

values that require

monitoring at the workplace: Not required.

· DNELs

1344-09-8 Silicic acid, sodium salt

Oral DNEL 0.8 mg/kg bw/Tag (ArL)
Dermal DNEL 1.59 mg/kg bw/day (ArL)

Inhalative DNEL 5.61 mg/m³ (ArL)

PNECs

1344-09-8 Silicic acid, sodium salt

PNEC 348 mg/l (Kla)

1 mg/l (Mew) 7.5 mg/l (Suw)

Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

· Personal protective equipment

· General protective and

hygienic measures The usual precautionary measures should be adhered to in

handling the chemicals.

Breathing equipment: Not required.Protection of hands: Not required.

· Material of gloves · Penetration time of glove

material

• Eye protection: Safety glasses

Tightly sealed safety glasses.

Body protection: Protective work clothing.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Clear
Smell: Light

· Odour threshold: Not determined.

• **pH-value:** 11.5

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 100 °C

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Version number 8 Revision: 24.06.2022 Printing date 24.06.2022

Trade name MC-Montan Grout 01

	(Contd. of pag
Flash point:	Not applicable
Inflammability (solid, gaseous)	Not applicable.
Decomposition temperature:	Not determined.
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
Steam pressure at 20 °C:	23 hPa
Density at 20 °C	1.37 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition /

conditions to be avoided:

· Possibility of hazardous

reactions

· Conditions to avoid

Hazardous decomposition

products:

· Incompatible materials:

No decomposition if used according to specifications.

No dangerous reactions known

No further relevant information available.

No further relevant information available.

No dangerous decomposition products known

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2022 Version number 8 Revision: 24.06.2022

Trade name MC-Montan Grout 01

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

LD/LC50 values that are relevant for classification:

1344-09-8 Silicic acid, sodium salt

Oral LD50 3400 mg/kg (rat)

Dermal LD50 4640 mg/kg (rabbit)

>5000 mg/kg (rat)

· Primary irritant effect:

• Skin corrosion/irritation No irritant effect. • Serious eye damage/irritation Strong caustic effect.

· Respiratory or skin

sensitisation

· Additional toxicological

information:

No sensitizing effect known.

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and

the information provided to us.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

1344-09-8 Silicic acid, sodium salt

EC50/72h >345.4 mg/l (Desmodesmus subspicatus)

LC50/96h 1108 mg/l (Danio rerio)

260 mg/l (Oncorhynchus mykiss)

>100 mg/l (fish)

EC50 >100 mg/l (Bak)

>100 mg/l (algae) >100 mg/l (Daphnien)

>100 mg/l (Daphnia magna)

EC50/48h 1700 mg/l (Daphnia magna)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2022 Version number 8 Revision: 24.06.2022

Trade name MC-Montan Grout 01

(Contd. of page 6)

Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Annex I Marpol and the IBC Code	II of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I Substance is not listed.

(Contd. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2022 Version number 8 Revision: 24.06.2022

Trade name MC-Montan Grout 01

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

Contact:

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity – Category 5 Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

ΑE