



BE SURE. BUILD SURE.

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2023

Version number 15


Revision: 24.06.2023

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** MC-Montan Injekt CB - Komponente A
- **Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.*
- **Application of the substance / the mixture** *Injektion*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** *MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de*

*MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533*
- **Informing department:** *msds@mc-bauchemie.de*

2 Hazards identification

- **Classification of the substance or mixture**
*Skin Irrit. 2 H315 Causes skin irritation.
Serious eye damage/irritation – Category 2A H319 Causes serious eye irritation.*
- **Label elements**
- **GHS label elements** *The product is classified and labelled according to the Globally Harmonised System (GHS).*
- **Hazard pictograms**

GHS07
- **Signal word** *Warning*
- **Hazard statements** *Causes skin irritation.
Causes serious eye irritation.*
- **Precautionary statements** *Wash thoroughly after handling.
Wear eye protection / face protection.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
If eye irritation persists: Get medical advice/attention.*

(Contd. on page 2)

AE



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2023

Version number 15

Revision: 24.06.2023

Trade name MC-Montan Injekt CB - Komponente A

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

1344-09-8	Silicic acid, sodium salt Skin Irrit. 2, H315; Eye Irrit. 2, H319; Acute Tox. 5, H303; Acute Tox. 5, H313	30-60%
56-81-5	glycerol	<3%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **After inhalation** void
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.
Seek medical treatment.
- **After swallowing** Rinse out mouth and then drink plenty of water.
Seek medical treatment.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

AE

(Contd. on page 3)



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2023

Version number 15

Revision: 24.06.2023

Trade name MC-Montan Injekt CB - Komponente A

(Contd. of page 2)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Dilute with much water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class** 12
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

56-81-5 glycerol

PEL (USA)

Long-term value: 15* 5** mg/m³
mist; *total dust **respirable fraction

TLV (USA)

TLV withdrawn-insufficient data human occup. exp.

WEL (Great Britain)

Long-term value: 10 mg/m³

(Contd. on page 4)



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2023

Version number 15

Revision: 24.06.2023

Trade name MC-Montan Injekt CB - Komponente A

(Contd. of page 3)

· DNELs

1344-09-8 Silicic acid, sodium salt

Oral	DNEL	0.8 mg/kg bw/Tag (ArL)
Dermal	DNEL	1.59 mg/kg bw/day (ArL)
Inhalative	DNEL	5.61 mg/m ³ (ArL)

· PNECs

1344-09-8 Silicic acid, sodium salt

PNEC	348 mg/l (Kla)
	1 mg/l (Mew)
	7.5 mg/l (Suw)

· Additional information: *The lists that were valid during the compilation were used as basis.*

· Exposure controls

· Personal protective equipment

· General protective and hygienic measures

*Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.*

· Breathing equipment:

In case of brief exposure or low pollution or when application is performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· Protection of hands:

*Protective gloves.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
After use of gloves apply skin-cleaning agents and skin cosmetics.*

· Material of gloves

*Nitrile rubber, NBR
Butyl rubber, BR
Fluorocarbon rubber (Viton)
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

*Safety glasses
Tightly sealed safety glasses.*

· Body protection:

Protective work clothing.

AE

(Contd. on page 5)



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2023

Version number 15

Revision: 24.06.2023

Trade name MC-Montan Injekt CB - Komponente A

(Contd. of page 4)

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Fluid
· Colour:	Yellow
· Smell:	Characteristic

· **pH-value:** Not determined.

· **Change in condition**

· Melting point/freezing point:	Not determined
· Initial boiling point and boiling range:	100 °C

· **Flash point:** Not applicable

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Steam pressure at 20 °C:** 23 hPa

· **Density at 20 °C** 1.46 g/cm³

· **Solubility in / Miscibility with**

· **Water:** Fully miscible

· **Viscosity:**

· **dynamic:** Not determined.

· **kinematic:** Not determined.

· **Other information**

No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions**

No dangerous reactions known

· **Conditions to avoid**

No further relevant information available.

· **Incompatible materials:**

No further relevant information available.

· **Hazardous decomposition products:**

No dangerous decomposition products known

AE

(Contd. on page 6)



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2023

Version number 15

Revision: 24.06.2023

Trade name MC-Montan Injekt CB - Komponente A

(Contd. of page 5)

11 Toxicological information

- Information on toxicological effects
- Acute toxicity

· LD/LC50 values that are relevant for classification:

1344-09-8 Silicic acid, sodium salt

Oral	LD50	3400 mg/kg (rat)
Dermal	LD50	4640 mg/kg (rabbit)
		>5000 mg/kg (rat)

56-81-5 glycerol

Oral	LD50	12600 mg/kg (rat)
Dermal	LD50	>18700 mg/kg (rabbit)

· Primary irritant effect:

· Skin corrosion/irritation Irritant for skin and mucous membranes.

· Serious eye damage/irritation Irritant effect.

· Respiratory or skin sensitisation No sensitizing effect known.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
Irritant

12 Ecological information

· Toxicity

· Aquatic toxicity:

1344-09-8 Silicic acid, sodium salt

EC50/72h	>345.4 mg/l (Desmodesmus subspicatus)
LC50/96h	1108 mg/l (Danio rerio)
	260 mg/l (Oncorhynchus mykiss)
	>100 mg/l (fish)
EC50	>100 mg/l (Bak)
	>100 mg/l (algae)
	>100 mg/l (Daphnien)
	>100 mg/l (Daphnia magna)
EC50/48h	1700 mg/l (Daphnia magna)

56-81-5 glycerol

LC50/24h	>10000 mg/l (Daphnia magna)
	>10000 mg/l (Leucidus idus)

· Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

(Contd. on page 7)



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2023

Version number 15

Revision: 24.06.2023

Trade name MC-Montan Injekt CB - Komponente A

(Contd. of page 6)

- **Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:** *Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.*
- **Recommended cleaning agent:** *Water, if necessary with cleaning agent.*

14 Transport information

- | | |
|---|-----------------|
| · UN-Number | Void |
| · ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | Void |
| · ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

AE

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2023

Version number 15

Revision: 24.06.2023

Trade name **MC-Montan Injekt CB - Komponente A**

(Contd. of page 7)

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:** *Environment protection department.*
- **Contact:**
- **Abbreviations and acronyms:** *RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 5: Acute toxicity – Category 5
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A*
- *** Data compared to the previous version altered.**

— AE —