



BE SURE. BUILD SURE.

Page 1/7

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024


Version number 25

Revision: 29.03.2024

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** MC-PowerFlow Perma
- **Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.*
- **Application of the substance / the mixture** *Concrete/Mortar admixtures*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** *MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de*  
  
*MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533*
- **Informing department:** *msds@mc-bauchemie.de*

### 2 Hazards identification

- **Classification of the substance or mixture**  
*Skin Sens. 1 H317 May cause an allergic skin reaction.*
- **Label elements**
- **GHS label elements** *The product is classified and labelled according to the Globally Harmonised System (GHS).*
- **Hazard pictograms**  
  
GHS07
- **Signal word** *Warning*
- **Hazard-determining components of labelling:** *2-octyl-2H-isothiazol-3-one*
- **Hazard statements** *May cause an allergic skin reaction.*
- **Precautionary statements** *Avoid breathing dust/fume/gas/mist/vapours/spray.  
Wear protective gloves.  
Take off contaminated clothing and wash it before reuse.  
If skin irritation or rash occurs: Get medical advice/attention.  
Specific treatment (see on this label).  
Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*

(Contd. on page 2)

AE



BE SURE. BUILD SURE.

Page 2/7

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

Version number 25

Revision: 29.03.2024

Trade name MC-PowerFlow Perma

· vPvB:

Not applicable.

(Contd. of page 1)

### 3 Composition/information on ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Mixture consisting of the following components.

· **Dangerous components:**

CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	≥0.0015-<0.0025%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	

· **Additional information**

For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

· **Description of first aid measures**

· **General information**

No special measures required.

· **After inhalation**

Supply fresh air; consult doctor in case of symptoms.

· **After skin contact**

The product is not skin irritating.

· **After eye contact**

Rinse opened eye for several minutes under running water.

· **After swallowing**

In case of persistent symptoms consult doctor.

### 5 Firefighting measures

· **Extinguishing media**

· **Suitable extinguishing agents** CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· **Special hazards arising from the substance or mixture**

No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:**

No special measures required.

### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Not required.

· **Environmental precautions:**

Dilute with much water.

· **Methods and material for**

**containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

AE



BE SURE. BUILD SURE.

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

Version number 25

Revision: 29.03.2024

Trade name MC-PowerFlow Perma

· **Reference to other sections** No dangerous materials are released.

(Contd. of page 2)

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class** 12

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** The usual precautionary measures should be adhered to in handling the chemicals.
- **Breathing equipment:** Not required.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Natural rubber, NR  
Nitrile rubber, NBR
- **Penetration time of glove material** Breakthrough time: > = 480 min
- **Eye protection:** Not required.
- **Body protection:** Impervious protective clothing

AE

(Contd. on page 4)



BE SURE. BUILD SURE.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

Version number 25

Revision: 29.03.2024

Trade name MC-PowerFlow Perma

(Contd. of page 3)

#### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Colour:	Light brown
Smell:	Characteristic

· pH-value at 20 °C: 4.9

· **Change in condition**

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	100 °C

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

· Explosive properties: Product is not explosive.

· Steam pressure at 20 °C: 23 hPa

· Density at 20 °C 1.05 g/cm<sup>3</sup>

· **Solubility in / Miscibility with**

Water: Fully miscible

· **Viscosity:**

dynamic: Not determined.

kinematic: Not determined.

· **Other information**

No further relevant information available.

#### 10 Stability and reactivity

· **Reactivity**

No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· **Possibility of hazardous reactions**

No dangerous reactions known

· **Conditions to avoid**

No further relevant information available.

· **Incompatible materials:**

No further relevant information available.

· **Hazardous decomposition products:**

No dangerous decomposition products known

AE

(Contd. on page 5)



BE SURE. BUILD SURE.

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

Version number 25

Revision: 29.03.2024

Trade name MC-PowerFlow Perma

(Contd. of page 4)

### 11 Toxicological information

- Information on toxicological effects
- Acute toxicity

· LD/LC50 values that are relevant for classification:

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

Oral	LD50	125 mg/kg (ATE) 500 mg/kg (rat)
Dermal	LD50	311 mg/kg (ATE) >2000 mg/kg (rat)
Inhalative	LC50/4 h	0.27 mg/l (ATE) 0.6 mg/l (rat)

- Primary irritant effect:
- Skin corrosion/irritation No irritant effect.
- Serious eye damage/irritation No irritant effect.
- Respiratory or skin sensitisation No sensitizing effect known.

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

### 12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

EC50/48h	0.42 mg/l (Daphnien)
----------	----------------------

· Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

AE

(Contd. on page 6)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

Version number 25

Revision: 29.03.2024

Trade name MC-PowerFlow Perma

(Contd. of page 5)

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation**                      *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:**                      *Disposal must be made according to official regulations.*
- **Recommended cleaning agent:**                      *Water, if necessary with cleaning agent.*

**14 Transport information**

· <b>UN-Number</b>	
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>UN proper shipping name</b>	
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>Transport hazard class(es)</b>	
· <b>ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Void
· <b>Packing group</b>	
· <b>ADR, IMDG, IATA</b>	Void
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	Void

**15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I**                      *None of the ingredients is listed.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

AE

(Contd. on page 7)



BE SURE. BUILD SURE.

Page 7/7

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.03.2024

Version number 25

Revision: 29.03.2024

Trade name MC-PowerFlow Perma

(Contd. of page 6)

### 16 Other information

*These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing data specification sheet:**

*Environment protection department.*

· **Contact:**

· **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Acute Tox. 3: Acute toxicity – Category 3*

*Acute Tox. 2: Acute toxicity – Category 2*

*Skin Corr. 1A: Skin corrosion/irritation – Category 1A*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Skin Sens. 1: Skin sensitisation – Category 1*

*Skin Sens. 1A: Skin sensitisation – Category 1A*

*Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1*

*Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*

· **\* Data compared to the previous version altered.**

AE