



BE SURE. BUILD SURE.

Page 1/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024


Version number 31

Revision: 16.02.2024

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** MC-PowerFlow evo 502
- **Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.*
- **Application of the substance / the mixture** *Concrete/Mortar admixtures*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** *MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de*  
  
*MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533*
- **Informing department:** *msds@mc-bauchemie.de*

### 2 Hazards identification

- **Classification of the substance or mixture**  
*Skin Sens. 1 H317 May cause an allergic skin reaction.*
- **Label elements**
- **GHS label elements** *The product is classified and labelled according to the Globally Harmonised System (GHS).*
- **Hazard pictograms**  
  
GHS07
- **Signal word** *Warning*
- **Hazard-determining components of labelling:** *2-octyl-2H-isothiazol-3-one*
- **Hazard statements** *May cause an allergic skin reaction.*
- **Precautionary statements** *Avoid breathing dust/fume/gas/mist/vapours/spray.  
Wear protective gloves.  
Take off contaminated clothing and wash it before reuse.  
If skin irritation or rash occurs: Get medical advice/attention.  
Specific treatment (see on this label).  
Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*

(Contd. on page 2)

AE



BE SURE. BUILD SURE.

Page 2/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024

Version number 31

Revision: 16.02.2024

Trade name MC-PowerFlow evo 502

· vPvB: Not applicable.

(Contd. of page 1)

### 3 Composition/information on ingredients

- CAS No. Designation: void
- Identification number(s): Void
- Chemical characterisation: Mixtures
- Description: Mixture consisting of the following components.

#### · Dangerous components:

CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	≥0.0015-<0.0025%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	

- Additional information For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

- Description of first aid measures
- General information No special measures required.
- After inhalation Void
- After skin contact The product is not skin irritating.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing Rinse out mouth and then drink plenty of water.

### 5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents Void
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

AE



BE SURE. BUILD SURE.

Page 3/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024

Version number 31

Revision: 16.02.2024

Trade name MC-PowerFlow evo 502

· **Reference to other sections** No dangerous materials are released.

(Contd. of page 2)

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class** 12

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** The usual precautionary measures should be adhered to in handling the chemicals.
- **Breathing equipment:** Not required.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.35$  mm
- **Penetration time of glove material** Breakthrough time:  $> = 480$  min
- **Eye protection:** Not required.
- **Body protection:** Light weight protective clothing  
Protective work clothing.

AE

(Contd. on page 4)



BE SURE. BUILD SURE.

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024

Version number 31

Revision: 16.02.2024

Trade name MC-PowerFlow evo 502

(Contd. of page 3)

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Fluid
· <b>Colour:</b>	Light yellow
· <b>Smell:</b>	Characteristic

· **pH-value at 20 °C:** 5

· **Change in condition**

· <b>Melting point/freezing point:</b>	<0 °C
· <b>Initial boiling point and boiling range:</b>	100 °C

· **Flash point:** Not applicable

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Steam pressure at 20 °C:** 23 hPa

· **Density at 20 °C** 1.03 g/cm<sup>3</sup>

· **Solubility in / Miscibility with**

· **Water:** Fully miscible

· **Viscosity:**

· <b>dynamic at 20 °C:</b>	<100 mPas
· <b>kinematic:</b>	Not determined.

· **Other information**

No further relevant information available.

### 10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

· **Hazardous decomposition products:** No dangerous decomposition products known

AE

(Contd. on page 5)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024

Version number 31

Revision: 16.02.2024

Trade name MC-PowerFlow evo 502

(Contd. of page 4)

#### 11 Toxicological information

- Information on toxicological effects
- Acute toxicity

· LD/LC50 values that are relevant for classification:

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

Oral	LD50	125 mg/kg (ATE) 500 mg/kg (rat)
Dermal	LD50	311 mg/kg (ATE) >2000 mg/kg (rat)
Inhalative	LC50/4 h	0.27 mg/l (ATE) 0.6 mg/l (rat)

- Primary irritant effect:
- Serious eye damage/irritation No irritant effect.
- Respiratory or skin sensitisation No sensitizing effect known.

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### 12 Ecological information

- Toxicity

· Aquatic toxicity:

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

EC50/48h	0.42 mg/l (Daphnien)
----------	----------------------

- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

AE

(Contd. on page 6)



BE SURE. BUILD SURE.

Page 6/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024

Version number 31

Revision: 16.02.2024

Trade name MC-PowerFlow evo 502

(Contd. of page 5)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*

### 14 Transport information

- |   |  |
|---|--|
| · <b>UN-Number</b>  | Void   |
| · <b>ADR, ADN, IMDG, IATA</b>   | Void   |
| · <b>UN proper shipping name</b>  | Void   |
| · <b>ADR, ADN, IMDG, IATA</b>   | Void   |
| · <b>Transport hazard class(es)</b>   | Void   |
| · <b>ADR, ADN, IMDG, IATA</b>   | Void   |
| · <b>Class</b>  | Void   |
| · <b>Packing group</b>  | Void   |
| · <b>ADR, IMDG, IATA</b>  | Void   |
| · <b>Environmental hazards:</b>   |  |
| · <b>Marine pollutant:</b>  | No   |
| · <b>Special precautions for user</b>                                       | Not applicable.                                      |
| · <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable.                                      |
| · <b>Transport/Additional information:</b>                                  | Not dangerous according to the above specifications. |
| · <b>UN "Model Regulation":</b>   | Void   |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

AE

(Contd. on page 7)



BE SURE. BUILD SURE.

Page 7/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024

Version number 31

Revision: 16.02.2024

Trade name MC-PowerFlow evo 502

(Contd. of page 6)

### 16 Other information

*These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing data specification sheet:**

*Environment protection department.*

· **Contact:**

· **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Acute Tox. 3: Acute toxicity – Category 3*

*Acute Tox. 2: Acute toxicity – Category 2*

*Skin Corr. 1A: Skin corrosion/irritation – Category 1A*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Skin Sens. 1: Skin sensitisation – Category 1*

*Skin Sens. 1A: Skin sensitisation – Category 1A*

*Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1*

*Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*

· **\* Data compared to the previous version altered.**

AE