

Printing date 21.04.2022

Version number 11

Revision: 21.04.2022

Page 1/8

Trade name Relevant identified uses of the substance or mixture and	<u>MC-RIM PW 301</u>
uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete surfacer Ready-mixed mortar
<i>Details of the supplier of the Manufacturer/Supplier:</i>	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department: Emergency telephone number:	msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565

Acute Tox. 5 H333 May be harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements

· Hazard pictograms

The product is classified and labelled according to the Globally Harmonised System (GHS).



Cement, portland, chemicals

Danger

Cr(VI)<2ppm

· Signal word

 Hazard-determining components of labelling:

· Hazard statements

May be harmful if inhaled.

(Contd. on page 2)

AE



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.04.2022

Version number 11

Revision: 21.04.2022

Trade name MC-RIM PW 301

	(Contd. of page 1)
	Causes skin irritation.
	Causes serious eye damage.
	May cause respiratory irritation.
· Precautionary statements	Avoid breathing dust/fume/gas/mist/vapours/spray.
,	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue
	rinsing.
	Immediately call a POISON CENTER/doctor.
	Specific treatment (see on this label).
	Take off contaminated clothing and wash it before reuse.
	Store in a well-ventilated place. Keep container tightly closed.
Other hazards	
· Results of PBT and vPvB as	sossmont
· PBT:	
	Not applicable.
·vPvB:	Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Description:

Mixture consisting of the following components.

[.] Dangerous	components:	
14808-60-7	Quartz (SiO2)	70-100%
65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm	<i>≥</i> 20-<25%
	Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	
	calcium suifoaluminate clinker	<i>≥</i> 0.1-<1%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
Additional	<i>information</i> For the wording of the listed hazard phrases refer to se	ction 16.

4 First aid measures

 Description of first aid measure 	ures
 After inhalation 	Supply fresh air.
 After skin contact 	Instantly wash with water and soap and rinse thoroughly.
· After eye contact	Rinse opened eye for several minutes under running water. Seek medical treatment.
· After swallowing	Rinse out mouth and then drink plenty of water. Seek medical treatment.
 Information for doctor Most important symptoms and effects, both acute and 	
delayed	No further relevant information available.
•	(Contd. on page 3)



Printing date 21.04.2022

Version number 11

Revision: 21.04.2022

(Contd. of page 2)

Page 3/8

Trade name MC-RIM PW 301

 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- Special hazards arising from
- the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment:
- No special measures required.

 Personal precautions, protective equipment and 	
emergency procedures	Not required.
• Environmental precautions:	No special measures required.
Methods and material for	
containment and cleaning up	: Collect mechanically.
· Reference to other sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.

7 Handling and storage

· Handling

- · Precautions for safe handling Prevent formation of dust.
- Information about protection
- against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in
- one common storage facility: Not required.
- · Further information about
- storage conditions:
- · Specific end use(s)

Keep container tightly sealed. No further relevant information available.

(Contd. on page 4)



Printing date 21.04.2022

Version number 11

Revision: 21.04.2022

Trade name MC-RIM PW 301

(Contd. of page 3)

Page 4/8

Additional information a design of technical system	bout e ms: No further data; see item 7.	
Control parameters		
-	I values that require monitoring at the workplace:	
14808-60-7 Quartz (SiO2)		
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2	
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.025* mg/m³ *respirable particulate matter, A2	
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction	
65997-15-1 Cement, port Cr(VI)<2ppm	land, chemicals	
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction, A4	
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust	
DNELs	1	
65997-15-1 Cement, port Cr(VI)<2ppm	land, chemicals	
Inhalative DNEL 1 mg/m ³	³ (ArL)	
Additional information:	The lists that were valid during the compilation were used as ba	
Exposure controls Personal protective equi General protective and hygienic measures	Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.	
Breathing equipment:	Avoid contact with the eyes and skin. In case of brief exposure or low pollution use breathing fi apparatus. In case of intensive or longer exposure use breath apparatus that is independent of circulating air.	
Protection of hands:	Protective gloves. Selection of the glove material on consideration of the penetrat times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetio (Contd. on pag	



Page 5/8

according to 1907/2006/EC, Article 31 Revision: 21.04.2022 Printing date 21.04.2022 Version number 11 Trade name MC-RIM PW 301 (Contd. of page 4) · Material of gloves Strong gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Safety glasses Tightly sealed safety glasses. · Body protection: Protective work clothing.

Safety data sheet

Information on basic physical and cher General Information	nical properties	
Appearance:		
Form:	Powder	
Colour:	Grey	
Smell:	Odourless	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling range.	Not determined	
	Not applicable	
Flash point:	Not applicable	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Density	Not determined	
Solubility in / Miscibility with		
Water:	Unsoluble	

10 Stability and reactivity

· Reactivity

No further relevant information available.

- · Chemical stability Thermal decomposition /
- conditions to be avoided:

- · Possibility of hazardous reactions
- · Conditions to avoid

No decomposition if used according to specifications.

No dangerous reactions known No further relevant information available.

(Contd. on page 6)

AF



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.04.2022

Version number 11

Revision: 21.04.2022

(Contd. of page 5)

Trade name MC-RIM PW 301

· Incompatible materials: · Hazardous decomposition

No further relevant information available.

No dangerous decomposition products known

11 Toxicological information

· Information on toxicological effects

· Acute toxicity

products:

· LD/LC50 values that are relevant for classification:

65997-15-1 Cement, portland, chemicals Cr(VI)<2ppm

2000 mg/kg (rabbit) Dermal LD50 Inhalative LC50/4 h 5 mg/l (rat)

Primary irritant effect:

- · Skin corrosion/irritation Irritant for skin and mucous membranes.
- Serious eye damage/irritation Strong irritant with the danger of severe eye injury.

No sensitizing effect known.

- · Respiratory or skin sensitisation
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available. • Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- · Results of PBT and vPvB assessment Not applicable.
- · PBT:
- · vPvB:
- Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)



Printing date 21.04.2022

Version number 11

Revision: 21.04.2022

Trade name MC-RIM PW 301

(Contd. of page 6)

Page 7/8

13 Disposal considerations

· Waste treatment methods

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Recommendation

Non contaminated packagings can be used for recycling.

Transport information		
UN-Number ADR, ADN, IMDG, IATA	Void	
UN proper shipping name ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
Packing group ADR, IMDG, IATA	Void	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	
UN "Model Regulation":	Void	

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

[—] AE



Printing date 21.04.2022

Version number 11

Revision: 21.04.2022

Page 8/8

Trade name MC-RIM PW 301

	(Contd. of page 7)
[.] Department issuing data	
specification sheet:	Environment protection department.
Contact:	
Abbreviations and acronyms:	dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Acute Tox. 4: Acute toxicity – Category 4
	Acute Tox. 5: Acute toxicity – Category 5
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Skin Sens. 1: Skin sensitisation – Category 1
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3