

*

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 27

Revision: 12.08.2023

· Product identifier	
 Trade name Relevant identified uses of the substance or mixture and 	<u>MC-RIM PW 101</u>
uses advised against · Application of the substance	No further relevant information available.
/ the mixture	Mineral coating
• Details of the supplier of the s • Manufacturer/Supplier:	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
· Informing department:	msds@mc-bauchemie.de
2 Hazards identification • Classification of the substanc	
 Classification of the substance Skin Irrit. 2 H315 Causes skin 	irritation.
· Classification of the substanc	irritation. ous eye damage.
 Classification of the substance Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seried STOT SE 3 H335 May cause rest Label elements GHS label elements 	irritation. bus eye damage. espiratory irritation.
 Classification of the substance Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seried STOT SE 3 H335 May cause restrict Label elements 	irritation. ous eye damage. espiratory irritation. The product is classified and labelled according to the Global
 Classification of the substance Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seried STOT SE 3 H335 May cause rest Label elements GHS label elements 	irritation. ous eye damage. espiratory irritation. The product is classified and labelled according to the Global
 Classification of the substance Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seried STOT SE 3 H335 May cause rest Label elements GHS label elements 	irritation. ous eye damage. espiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS).
 Classification of the substance Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seric STOT SE 3 H335 May cause re Label elements GHS label elements Hazard pictograms 	irritation. bus eye damage. espiratory irritation. The product is classified and labelled according to the Global. Harmonised System (GHS). GHS05 GHS07 Danger Portland cement
 Classification of the substance Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seric STOT SE 3 H335 May cause re Label elements GHS label elements Hazard pictograms Signal word Hazard-determining 	irritation. ous eye damage. espiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS). GHS05 GHS07 Danger



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 27

Revision: 12.08.2023

Trade name MC-RIM PW 101

(Contd. of page 1)

Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed.

- · Other hazards
- Results of PBT and vPvB assessment
- · PBT:

Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterisation: Mixtures
 Description: Mixture

Mixture consisting of the following components.

· Dangerous	components:	
14808-60-7	Quartz (SiO2)	50-70%
65997-15-1	Portland cement	<i>≥</i> 20- <i>≤</i> 30%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
93763-70-3	Perlite, expanded	<2.5%
68475-76-3	5-76-3 Flue dust, portland cement	
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
	calcium suifoaluminate clinker	≥0.1-<0.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
· Additional	information For the wording of the listed hazard phrases refer to s	ection 16.

4 First aid measures

· After inhalation	Supply fresh air.
· After skin contact	Instantly wash with water and soap and rinse thoroughly.
· After eye contact	Rinse opened eye for several minutes under running water. Seek medical treatment.
· After swallowing	Rinse out mouth and then drink plenty of water. Seek medical treatment.
 Information for doctor Most important symptoms and effects, both acute and 	
delayed Indication of any immediate medical attention and specia	No further relevant information available.
treatment needed	No further relevant information available.

(Contd. on page 3)



Printing date 12.08.2023

Version number 27

Revision: 12.08.2023

(Contd. of page 2)

Page 3/8

Trade name MC-RIM PW 101

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- Special hazards arising from
- the substance or mixture No further relevant information available. · Advice for firefighters
- Protective equipment:
- No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required. • Environmental precautions: No special measures required. · Methods and material for containment and cleaning up: Collect mechanically. · Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.
 - See Section 13 for information on disposal.

7 Handling and storage

- · Handling
- · Precautions for safe handling Prevent formation of dust.
- · Information about protection
- against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by
- storerooms and containers: No special requirements. · Information about storage in
- one common storage facility: Not required.
- · Further information about
- storage conditions:
- Storage class
- 13
- Specific end use(s)
- Keep container tightly sealed.
- No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 27

Revision: 12.08.2023

Trade name MC-RIM PW 101

Control parameters	(Contd. of page
•	I values that require monitoring at the workplace:
14808-60-7 Quartz (SiO2)	· · · ·
PEL (USA)	Long-term value: 0.05* mg/m³
(===)	*resp. dust; 30mg/m3/%SiO2+2
REL (USA)	Long-term value: 0.05* mg/m³
	*respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m³
	*respirable particulate matter, A2
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction
65997-15-1 Portland cem	ent
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³
	*total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³
	*total dust **respirable fraction
TLV (USA)	Long-term value: 1* mg/m ³
	E; *as respirable fraction, A4
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust
93763-70-3 Perlite, expar	nded
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV (USA)	TLV withdrawn
69012-64-2 amorphous s	ilica (fume)
TLV (USA)	TLV withdrawn
DNELs	
65997-15-1 Portland cem	ont
Inhalative DNEL 1 mg/m ³	
Additional information:	The lists that were valid during the compilation were used as bas
Exposure controls	nmant
Personal protective equi General protective and	pment
hygienic measures	Keep away from foodstuffs, beverages and food.
	Instantly remove any soiled and impregnated garments.
	Wash hands during breaks and at the end of the work.
	Avoid contact with the eyes and skin.
Breathing equipment:	Wear respiratory protection in case of insufficient ventilation. The selection of respirators (EN 14387) must be based on the known or anticipated exposure concentrations, the hazards of the product and the occupational exposure limits (section 8.1) of the
	respirator in question.
	(Contd. on page



Printing date 12.08.2023

Version number 27

Revision: 12.08.2023

Page 5/8

Trade name MC-RIM PW 101 (Contd. of page 4) Particle filter PP1: Inert substance; P2, P3: Hazardous substances Provide adequate ventilation. This can be achieved by local exhaust ventilation or general exhaust ventilation. (EN 689 - Methods for determining inhalation exposure) This applies especially at the mixing or stirring place. If this is not sufficient to keep the concentration below the occupational exposure limit, provide respiratory protection. · Protection of hands: Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics. · Material of gloves Nitrile rubber, NBR Butyl rubber, BR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Safety glasses Tightly sealed safety glasses. Protective work clothing.

· Body protection:

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Powder	
Colour:	Grey	
Smell:	Odourless	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling ra	ange: 2230 °C	
Flash point:	Not applicable	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Steam pressure at 1732 °C:	13.5 hPa	
Density	Not determined	



Printing date 12.08.2023

Version number 27

Revision: 12.08.2023

Page 6/8

Trade name MC-RIM PW 101

(Contd. of page 5) · Solubility in / Miscibility with Water: Unsoluble · Viscosity: dynamic: Not applicable. kinematic: Not applicable. · Other information No further relevant information available. 10 Stability and reactivity · Reactivity No further relevant information available. · Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. · Possibility of hazardous reactions No dangerous reactions known · Conditions to avoid No further relevant information available. · Incompatible materials: No further relevant information available. · Hazardous decomposition products: No dangerous decomposition products known 11 Toxicological information

· LD/LC50	values tha	t are releva	ant for classification:
65997-15-	1 Portland	d cement	
Dermal	LD50	2000 mg/k	g (rabbit)
Inhalative	tive LC50/4 h 5 mg/l (rat))
Respirato sensitisat Additiona	ry or skin tion I toxicolo		Strong irritant with the danger of severe eye injury. No sensitizing effect known.
informatio	on:		The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant

(Contd. on page 7)



Printing date 12.08.2023

Version number 27

Revision: 12.08.2023

Trade name MC-RIM PW 101

(Contd. of page 6)

Page 7/8

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB:
- Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings: · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

· UN-Number · ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
· Packing group · ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	



Printing date 12.08.2023

Version number 27

Revision: 12.08.2023

Trade name MC-RIM PW 101

· UN "Model Regulation":

Void

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous

substances - ANNEX I None of the ingredients is listed. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data specification sheet:	Environment protection department.
Contact:	Environment protection department.
Abbreviations and acronyms: * Data compared to the previous version altered.	 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Page 8/8

(Contd. of page 7)

<u>۸</u>-