

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022 Version number 7 Revision: 07.03.2022

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name MC-TechniFlow 10

· Relevant identified uses of the substance or mixture and

No further relevant information available. uses advised against

· Application of the substance

Concrete/Mortar admixtures / the mixture

· Details of the supplier of the safety data sheet

MC-Bauchemie Müller GmbH & Co. KG · Manufacturer/Supplier:

> Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

Emergency telephone

number:

msds@mc-bauchemie.de

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

2 Hazards identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms

GHS07

· Signal word Warning

· Hazard-determining

components of labelling: 2-octyl-2H-isothiazol-3-one

· Hazard statements May cause an allergic skin reaction.

Avoid breathing dust/fume/gas/mist/vapours/spray. · Precautionary statements

Wear protective gloves.

Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022 Version number 7 Revision: 07.03.2022

Trade name MC-TechniFlow 10

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/

national/international regulations.

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· **Description:** Mixture consisting of the following components.

· Dangerous components:			
126-71-6	triisobutyl phosphate	≥0.1-<0.5%	
	Skin Sens. 1, H317		
26530-20-1	2-octyl-2H-isothiazol-3-one	<i>≥</i> 0.0016-<0.0025%	
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317		

Additional information For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

General information No special measures required.

• After inhalation Supply fresh air; consult doctor in case of symptoms.

· After skin contact The product is not skin irritating.

After eye contact Rinse opened eye for several minutes under running water.

· After swallowing In case of persistent symptoms consult doctor.

Information for doctor
Most important symptoms
and effects, both acute and

delayed No further relevant information available.

Indication of any immediate medical attention and special

treatment needed No further relevant information available.

5 Firefighting measures

· Extinguishing media

Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· Special hazards arising from

the substance or mixture No further relevant information available.

(Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022 Version number 7 Revision: 07.03.2022

Trade name MC-TechniFlow 10

(Contd. of page 2)

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and

emergency procedures Not required.

· Environmental precautions: Dilute with much water.

Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· Reference to other sections No dangerous materials are released.

7 Handling and storage

· Handling

· Precautions for safe handling No special measures required.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: None.
Storage class 10

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· Control parameters

· Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

DNELs

126-71-6 triisobutyl phosphate

Oral DNEL 2.13 mg/kg bw/Tag (ArL)

Dermal DNEL 4.25 mg/kg bw/day (ArL)

(Contd. on page 4)





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022 Version number 7 Revision: 07.03.2022

Trade name MC-TechniFlow 10

Inhalative | DNEL | 50 mg/m³ (ArL) (Contd. of page 3)

PNECs

126-71-6 triisobutyl phosphate

PNEC 3.72 mg/l (Kla)

0.0011 mg/l (Mew) 0.011 mg/l (Suw)

PNEC 0.308 mg/kg dwt (Bod)

0.158 mg/kg dwt (Sediment)

1.58 mg/kg dwt (Fresh water sediment)

· Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

Personal protective equipment

General protective and

hygienic measures The usual precautionary measures should be adhered to in

handling the chemicals.

· Breathing equipment: Not required. · Protection of hands: Not required.

Material of gloves

· Penetration time of glove

material

• Eye protection: Safety glasses

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Dark brown
Smell: Characteristic

· pH-value at 20 °C: 7

· Change in condition

Melting point/freezing point: < 0 °C Initial boiling point and boiling range: 100 °C

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Steam pressure at 20 °C: 23 hPa

Density at 20 °C 1.18 g/cm³

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 07.03.2022 Printing date 07.03.2022 Version number 7

Trade name MC-TechniFlow 10

(Contd. of page 4)

· Solubility in / Miscibility with Water:	Fully miscible
· Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition / conditions to be avoided:

· Possibility of hazardous

reactions

· Conditions to avoid · Incompatible materials:

· Hazardous decomposition

products:

No decomposition if used according to specifications.

No dangerous reactions known

No further relevant information available. No further relevant information available.

No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 v	values tha	t are relevant for classification:
126-71-6 t	riisobutyl	phosphate
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)
26530-20-	1 2-octyl-	2H-isothiazol-3-one
Oral	LD50	125 mg/kg (ATE)
		279 mg/kg (rat)
Dermal	LD50	311 mg/kg (ATE)
		>2000 mg/kg (rat)
Inhalative	LC50/4 h	0.27 mg/l (ATE)
		0.6 mg/l (rat)
. Drimanı ir	wite at affa	

· Primary irritant effect:

Skin corrosion/irritation No irritant effect. · Serious eye damage/irritation No irritant effect.

· Respiratory or skin

sensitisation

No sensitizing effect known.

· Additional toxicological

information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022 Version number 7 Revision: 07.03.2022

Trade name MC-TechniFlow 10

(Contd. of page 5)

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

· Toxicity

· Aquatic toxicity:

190 The second s

126-71-6 triisobutyl phosphate

EC50/24h 10-100 mg/l (Daphnia magna)

EC50/72h | 10-100 mg/l (Scenedesmus subspicatus)

LC50/96h >100 mg/l (Oncorhynchus mykiss)

10-100 mg/l (Leucidus idus)

EC50 >100 mg/l (Pseudomonas putida)

NOEC 37 mg/l (BEL)

26530-20-1 2-octyl-2H-isothiazol-3-one

EC50/48h | 0.42 mg/l (Daphnien)

- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.
- · Additional ecological information:
- General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning

agent: Water, if necessary with cleaning agent.

ΑE



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022 Version number 7 Revision: 07.03.2022

Trade name MC-TechniFlow 10

(Contd. of page 6)

UN-Number	
ADR, ADN, IMDG, IATA	Void
UN proper shipping name ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
Packing group	
ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex	ll of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specification
UN "Model Regulation":	Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022 Version number 7 Revision: 07.03.2022

Trade name MC-TechniFlow 10

(Contd. of page 7)

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Dam. 1: Serious eye damage/eye irritation – Category Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard –

Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 1

* Data compared to the previous version altered.

- ΔΕ