

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 10

Revision: 07.03.2022

Page 1/8

Product identifier	
Trade name Relevant identified uses of	MC-TechniFlow 11
the substance or mixture and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
Details of the supplier of the Manufacturer/Supplier:	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department: Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565
Hazards identification	
Classification of the substant Skin Sens. 1 H317 May cause	
Label elements	
GHS label elements	The product is classified and labelled according to the Globall Harmonised System (GHS).
Hazard pictograms	
Hazard pictograms	GHS07
Hazard pictograms Signal word	GHS07 Warning

If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label).

(Contd. on page 2)

AE



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 10

Revision: 07.03.2022

Trade name MC-TechniFlow 11

(Contd. of page 1) Dispose of contents/container in accordance with local/regional/ national/international regulations.

Other hazards

Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB:

Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:				
126-71-6	triisobutyl phosphate	<i>≥</i> 0.1-<0.5%		
	Skin Sens. 1, H317			
26530-20-1	2-octyl-2H-isothiazol-3-one	<i>≥</i> 0.0016-<0.0025%		
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317			
Additional	nformation For the wording of the listed hazard phrases re	efer to section 16.		

4 First aid measures

General information	No special measures required.
After inhalation	Supply fresh air; consult doctor in case of symptoms.
After skin contact	The product is not skin irritating.
After eye contact	Rinse opened eye for several minutes under running water.
After swallowing	In case of persistent symptoms consult doctor.
Information for doctor	
Most important symptoms and effects, both acute and	
delayed	No further relevant information available.
Indication of any immediate medical attention and special	
treatment needed	No further relevant information available.

5 Firengnung measures		
· Extinguishing media		
· Suitable extinguishing agents	CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.	
 Special hazards arising from the substance or mixture 	No further relevant information available.	
	(Contd. on page 3)	

AE



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 10

Revision: 07.03.2022

(Contd. of page 2)

Page 3/8

Trade name MC-TechniFlow 11

· Advice for firefighters · Protective equipment:

No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures • Environmental precautions:
- Not required. Dilute with much water.
- · Methods and material for
 - containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). No dangerous materials are released.
- · Reference to other sections

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection
- against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in
- one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- · Components with critical
- values that require
- monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

126-71-6	triisobu	ityl phosphate
Oral	DNEL	2.13 mg/kg bw/Tag (ArL)
Dermal	DNEL	4.25 mg/kg bw/day (ArL)
		(Contd. on page 4)

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 10

Revision: 07.03.2022

Trade name MC-TechniFlow 11

Inhalat	tive DNEL 50 mg/m³ ((Contd. of page 3) (ArL)
PNEC	S	
126-71	l-6 triisobutyl phosph	ate
PNEC	3.72 mg/l (Kla)	
	0.0011 mg/l (Mew)	
	0.011 mg/l (Suw)	
PNEC	0.308 mg/kg dwt (Boo	()
	0.158 mg/kg dwt (Sec	·
	1.58 mg/kg dwt (Fres	
Additi	onal information:	The lists that were valid during the compilation were used as basis.
· Persol · Gener	ure controls nal protective equipn al protective and	
	nic measures	The usual precautionary measures should be adhered to in handling the chemicals.
	ning equipment:	Not required.
	ction of hands:	Not required.
	al of gloves	-
· Donoti		
· Peneti materi	ration time of glove ial	-

9 Physical and chemical properties

General Information		
Appearance:		
Form:	Fluid	
Colour:	Brown	
Smell:	Characteristic	
pH-value at 20 °C:	4.64	
Change in condition		
Melting point/freezing point:	< 0 °C	
Initial boiling point and boiling r	ange: 100 °C	
Flash point:	Not applicable	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Steam pressure at 20 °C:	23 hPa	
Density at 20 °C	1.15 g/cm³	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 10

Revision: 07.03.2022

Page 5/8

Trade name MC-TechniFlow 11

	(Contd. of page 4
 Solubility in / Miscibility with Water: 	Fully miscible
 Viscosity: dynamic at 20 °C: 	<100 mPas
· Other information	No further relevant information available.

Reactivity	No further relevant information available.
Chemical stability	
Thermal decomposition /	
conditions to be avoided:	No decomposition if used according to specifications.
Possibility of hazardous	
reactions	No dangerous reactions known
Conditions to avoid	No further relevant information available.
Incompatible materials:	No further relevant information available.
Hazardous decomposition	
products:	No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values that are relevant for classification: 126-71-6 triisobutyl phosphate Oral LD50 >5000 mg/kg (rat) Dermal LD50 >5000 mg/kg (rabbit) 26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) 279 mg/kg (rat) 279 mg/kg (rat) Dermal LD50 311 mg/kg (ATE) >2000 mg/kg (rat) >2000 mg/kg (rat) Inhalative LC50/4 h 0.27 mg/l (ATE) 0.6 mg/l (rat) 0.6 mg/l (rat) · Primary irritant effect: Serious eye damage/irritation No irritant effect. · Respiratory or skin sensitisation No sensitizing effect known. · Additional toxicological information: The product is not subject to classification acco calculation method of the General EC Classification of the General			t aro rolov	ant for classification:	
Oral LD50 >5000 mg/kg (rat) Dermal LD50 >5000 mg/kg (rabbit) 26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) 279 mg/kg (rat) 279 mg/kg (rat) Dermal LD50 311 mg/kg (ATE) >2000 mg/kg (rat) >2000 mg/kg (rat) Inhalative LC50/4 h 0.27 mg/l (ATE) 0.6 mg/l (rat) 0.6 mg/l (rat) • Primary irritant effect: • Serious eye damage/irritation No irritant effect. • Respiratory or skin sensitisation No sensitizing effect known. • Additional toxicological information: The product is not subject to classification accomponents					
DermalLD50>5000 mg/kg (rabbit)26530-20-1 2-octyl-2H-isothiazol-3-oneOralLD50125 mg/kg (ATE) 279 mg/kg (rat)DermalLD50311 mg/kg (ATE) >2000 mg/kg (rat)InhalativeLC50/4 h0.27 mg/l (ATE) 0.6 mg/l (rat)Primary irritant effect:Serious eye damage/irritationNo irritant effect.Respiratory or skin sensitisationNo sensitizing effect known.Additional toxicological information:The product is not subject to classification accord		-	<u> </u>		
26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 125 mg/kg (ATE) 279 mg/kg (rat) 279 mg/kg (rat) Dermal LD50 311 mg/kg (ATE) >2000 mg/kg (rat) >2000 mg/kg (rat) Inhalative LC50/4 h 0.27 mg/l (ATE) 0.6 mg/l (rat) 0.6 mg/l (rat) • Primary irritant effect: • Serious eye damage/irritation No irritant effect. • Respiratory or skin sensitisation No sensitizing effect known. • Additional toxicological information: The product is not subject to classification acco	Oral	LD50	>5000 mg/	/kg (rat)	
Oral LD50 125 mg/kg (ATE) 279 mg/kg (rat) 279 mg/kg (rat) Dermal LD50 311 mg/kg (ATE) >2000 mg/kg (rat) >2000 mg/kg (rat) Inhalative LC50/4 h 0.27 mg/l (ATE) 0.6 mg/l (rat) 0.6 mg/l (rat) • Primary irritant effect: • Serious eye damage/irritation No irritant effect. • Respiratory or skin sensitisation No sensitizing effect known. • Additional toxicological information: The product is not subject to classification according	Dermal	LD50	>5000 mg/	>5000 mg/kg (rabbit)	
Dermal LD50 279 mg/kg (rat) Dermal LD50 311 mg/kg (ATE) >2000 mg/kg (rat) >2000 mg/kg (rat) Inhalative LC50/4 h 0.27 mg/l (ATE) 0.6 mg/l (rat) 0.6 mg/l (rat) * Primary irritant effect: * Serious eye damage/irritation No irritant effect. * Respiratory or skin sensitisation No sensitizing effect known. * Additional toxicological information: The product is not subject to classification accordination.	26530-20-	1 2-octyl-	2H-isothiaz	zol-3-one	
Dermal LD50 311 mg/kg (ATE) Inhalative LC50/4 h >2000 mg/kg (rat) Inhalative LC50/4 h 0.27 mg/l (ATE) 0.6 mg/l (rat) 0.6 mg/l (rat) • Primary irritant effect: • Serious eye damage/irritation No irritant effect. • Respiratory or skin sensitisation No sensitizing effect known. • Additional toxicological information: The product is not subject to classification accordination.	Oral	LD50	125 mg/kg	(ATE)	
Inhalative LC50/4 h >2000 mg/kg (rat) Inhalative LC50/4 h 0.27 mg/l (ATE) 0.6 mg/l (rat) 0.6 mg/l (rat) • Primary irritant effect: • Serious eye damage/irritation No irritant effect. • Respiratory or skin sensitisation No sensitizing effect known. • Additional toxicological information: The product is not subject to classification according			279 mg/kg	(rat)	
Inhalative LC50/4 h 0.27 mg/l (ATE) 0.6 mg/l (rat) 0.6 mg/l (rat) • Primary irritant effect: • Serious eye damage/irritation No irritant effect. • Respiratory or skin sensitisation No sensitizing effect known. • Additional toxicological information: The product is not subject to classification accord	Dermal	LD50	311 mg/kg	(ATE)	
0.6 mg/l (rat) • Primary irritant effect: • Serious eye damage/irritation No irritant effect. • Respiratory or skin sensitisation • Additional toxicological information:			>2000 mg/	/kg (rat)	
 Primary irritant effect: Serious eye damage/irritation No irritant effect. Respiratory or skin sensitisation No sensitizing effect known. Additional toxicological information: The product is not subject to classification acco 	Inhalative	LC50/4 h	0.27 mg/l ((ATE)	
• Serious eye damage/irritation No irritant effect. • Respiratory or skin sensitisation sensitisation No sensitizing effect known. • Additional toxicological information: The product is not subject to classification acco			0.6 mg/l (ra	at)	
Preparations as issued in the latest version:	Serious e Respirato sensitisat Additiona	ye damag ry or skin ion I toxicolo	e/irritation	No sensitizing effect known. The product is not subject to classification at calculation method of the General EC Classification	•

- AE



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 10

Revision: 07.03.2022

Trade name MC-TechniFlow 11

(Contd. of page 5) When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Toxicity		
Aquatic to	oxicity:	
126-71-6 t	riisobutyl phospha	te
EC50/24h	10-100 mg/l (Daphi	nia magna)
EC50/72h	10-100 mg/l (Scene	edesmus subspicatus)
LC50/96h	>100 mg/l (Oncorh	ynchus mykiss)
	10-100 mg/l (Leucio	dus idus)
EC50	>100 mg/l (Pseudo	monas putida)
NOEC	37 mg/l (BEL)	
26530-20-	1 2-octyl-2H-isothia	azol-3-one
EC50/48h	0.42 mg/l (Daphnie	n)
		ty No further relevant information available.
Behaviou	r in environmental	systems:
Bioaccum	ulative potential	No further relevant information available.
• Mobility in		No further relevant information available.
	l ecological inform	
General notes:		Do not allow undiluted product or large quantities of it to reac ground water, water bodies or sewage system.
Results of	f PBT and vPvB as	• •
PBT:		Not applicable.
vPvB:		Not applicable.

13 Disposal considerations

 Waste treatment methods Recommendation 	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: Recommended cleaning 	Disposal must be made according to official regulations.
agent:	Water, if necessary with cleaning agent.

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 10

Revision: 07.03.2022

Trade name MC-TechniFlow 11

(Contd. of page 6)

Page 7/8

· UN-Number	
· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· ADR, ADN, IMDG, IATA	Void
[.] Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
[.] Class	Void
· Packing group	
· ADR, IMDG, IATA	Void
· Environmental hazards:	
[.] Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex	ll of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications
· UN "Model Regulation":	Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing data specification sheet: Contact: 	Environment protection department.
 Abbreviations and acronyms: 	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
	(Contd. on page 8)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 10

Revision: 07.03.2022

Page 8/8

Trade name MC-TechniFlow 11

	(Contd. of page 7
	IATA: International Air Transport Association
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (REACH)
	PNEC: Predicted No-Effect Concentration (REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 2: Acute toxicity – Category 2
	Skin Corr. 1A: Skin corrosion/irritation – Category 1A
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Skin Sens. 1: Skin sensitisation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquat
	hazard – Category 1
• * Data compared to the	
previous version altered.	