



BE SURE. BUILD SURE.

Page 1/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2022


Version number 8

Revision: 07.01.2022

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** Muraplast FK 48
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Concrete/Mortar admixtures
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de  
  
MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de
- **Emergency telephone number:** Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +48612864565

### 2 Hazards identification

- **Classification of the substance or mixture**  
Acute Tox. 5 H303 May be harmful if swallowed.  
Skin Sens. 1 H317 May cause an allergic skin reaction.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**  
  
GHS07
- **Signal word** Warning
- **Hazard-determining components of labelling:** 2-octyl-2H-isothiazol-3-one
- **Hazard statements** May be harmful if swallowed.  
May cause an allergic skin reaction.
- **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray.  
Wear protective gloves.  
Call a POISON CENTER/doctor if you feel unwell.

(Contd. on page 2)

AE

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 8

Revision: 07.01.2022

**Trade name Muraplast FK 48**

(Contd. of page 1)

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Identification number(s):** Void

· **Chemical characterisation:** Mixtures

· **Description:** Mixture consisting of the following components.

· **Dangerous components:**

	Naphthalinsulfonsäure-Formaldehyd-Kondensat Na-Ca-Mischsalz, 40% ige wässrige Lösung Acute Tox. 5, H303	70-100%
126-71-6	triisobutyl phosphate Skin Sens. 1, H317	≥0.1-<0.5%
26530-20-1	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	≥0.00025-<0.0016%

### 4 First aid measures

· **Description of first aid measures**

· **General information** No special measures required.

· **After inhalation** Void

· **After skin contact** The product is not skin irritating.

· **After eye contact** Rinse opened eye for several minutes under running water.

· **After swallowing** Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Firefighting measures

· **Extinguishing media**

· **Suitable extinguishing agents** Void

(Contd. on page 3)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 8

Revision: 07.01.2022

**Trade name Muraplast FK 48**

(Contd. of page 2)

- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Dilute with much water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** No dangerous materials are released.

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### · DNELs

#### 126-71-6 triisobutyl phosphate

Oral	DNEL	2.13 mg/kg bw/Tag (ArL)
------	------	-------------------------

(Contd. on page 4)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 8

Revision: 07.01.2022

**Trade name Muraplast FK 48**

(Contd. of page 3)

Dermal	DNEL	4.25 mg/kg bw/day (ArL)
Inhalative	DNEL	50 mg/m <sup>3</sup> (ArL)

**· PNECs**

**126-71-6 triisobutyl phosphate**

PNEC	3.72 mg/l (Kla)
	0.0011 mg/l (Mew)
	0.011 mg/l (Suw)
PNEC	0.308 mg/kg dwt (Bod)
	0.158 mg/kg dwt (Sediment)
	1.58 mg/kg dwt (Fresh water sediment)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

· **Breathing equipment:**

Not required.

· **Protection of hands:**

Protective gloves.

· **Material of gloves**

Natural rubber, NR  
Nitrile rubber, NBR

· **Penetration time of glove material**

-

· **Eye protection:**

Safety glasses

· **Body protection:**

Impervious protective clothing

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Colour:	Light brown
Smell:	Characteristic

· **pH-value at 20 °C:** 5.8-7.8

· **Change in condition**

Melting point/freezing point: Not determined  
Initial boiling point and boiling range: 100 °C

· **Flash point:** Not applicable

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

(Contd. on page 5)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 8

Revision: 07.01.2022

**Trade name Muraplast FK 48**

(Contd. of page 4)

· <b>Density at 20 °C</b>	1.20 g/cm <sup>3</sup>
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible
· <b>Viscosity: kinematic at 20 °C:</b>	17 s (DIN 53211/4)
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

· <b>Reactivity</b>	No further relevant information available.
· <b>Chemical stability</b>	
· <b>Thermal decomposition / conditions to be avoided:</b>	No decomposition if used according to specifications.
· <b>Possibility of hazardous reactions</b>	No dangerous reactions known
· <b>Conditions to avoid</b>	No further relevant information available.
· <b>Incompatible materials:</b>	No further relevant information available.
· <b>Hazardous decomposition products:</b>	No dangerous decomposition products known

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

**Naphthalinsulfonsäure-Formaldehyd-Kondensat  
Na-Ca-Mischsalz, 40% ige wässrige Lösung**

Oral	LD50	>2000 mg/kg (rat)
------	------	-------------------

**126-71-6 triisobutyl phosphate**

Oral	LD50	>5000 mg/kg (rat)
------	------	-------------------

Dermal	LD50	>5000 mg/kg (rabbit)
--------	------	----------------------

**26530-20-1 2-octyl-2H-isothiazol-3-one**

Oral	LD50	125 mg/kg (ATE)
		279 mg/kg (rat)

Dermal	LD50	311 mg/kg (ATE)
		>2000 mg/kg (rat)

Inhalative	LC50/4 h	0.27 mg/l (ATE)
		0.6 mg/l (rat)

- **Primary irritant effect:**
- **Serious eye damage/irritation** No irritant effect.

(Contd. on page 6)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 8

Revision: 07.01.2022

**Trade name Muraplast FK 48**

(Contd. of page 5)

- **Respiratory or skin sensitisation**
- **Additional toxicological information:**

No sensitizing effect known.

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

### 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

**Naphthalinsulfonsäure-Formaldehyd-Kondensat  
Na-Ca-Mischsalz, 40% ige wässrige Lösung**

LC50/96h	>1000 mg/l (Brachydanio rerio)
EC50/48h	>10000 mg/l (Pseudomonas putida)
	>200 mg/l (Daphnien)

**126-71-6 triisobutyl phosphate**

EC50/24h	10-100 mg/l (Daphnia magna)
EC50/72h	10-100 mg/l (Scenedesmus subspicatus)
LC50/96h	>100 mg/l (Oncorhynchus mykiss)
	10-100 mg/l (Leucidus idus)
EC50	>100 mg/l (Pseudomonas putida)
NOEC	37 mg/l (BEL)

**26530-20-1 2-octyl-2H-isothiazol-3-one**

EC50/48h	0.42 mg/l (Daphnien)
----------	----------------------

- **Persistence and degradability** No further relevant information available.

- **Behaviour in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

AE

(Contd. on page 7)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 8

Revision: 07.01.2022

**Trade name Muraplast FK 48**

(Contd. of page 6)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*
- **Recommended cleaning agent:** *Water, if necessary with cleaning agent.*

### 14 Transport information

- |   |  |
|---|--|
| · <b>UN-Number</b>  | Void   |
| · <b>ADR, ADN, IMDG, IATA</b>   | Void   |
| · <b>UN proper shipping name</b>  | Void   |
| · <b>ADR, ADN, IMDG, IATA</b>   | Void   |
| · <b>Transport hazard class(es)</b>   |  |
| · <b>ADR, ADN, IMDG, IATA</b>   |  |
| · <b>Class</b>  | Void   |
| · <b>Packing group</b>  |  |
| · <b>ADR, IMDG, IATA</b>  | Void   |
| · <b>Environmental hazards:</b>   |  |
| · <b>Marine pollutant:</b>  | No   |
| · <b>Special precautions for user</b>                                       | Not applicable.                                      |
| · <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable.                                      |
| · <b>Transport/Additional information:</b>                                  | Not dangerous according to the above specifications. |
| · <b>UN "Model Regulation":</b>   | Void   |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

AE

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 8

Revision: 07.01.2022

**Trade name Muraplast FK 48**

(Contd. of page 7)

### 16 Other information

*These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing data specification sheet:**

*Environment protection department.*

· **Contact:**

· **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*DNEL: Derived No-Effect Level (REACH)*

*PNEC: Predicted No-Effect Concentration (REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Acute Tox. 3: Acute toxicity – Category 3*

*Acute Tox. 5: Acute toxicity – Category 5*

*Acute Tox. 2: Acute toxicity – Category 2*

*Skin Corr. 1A: Skin corrosion/irritation – Category 1A*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Skin Sens. 1: Skin sensitisation – Category 1*

*Skin Sens. 1A: Skin sensitisation – Category 1A*

*Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1*

*Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*

· **\* Data compared to the previous version altered.**

AE