



BE SURE. BUILD SURE.

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022


Version number 9

Revision: 07.03.2022

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** **Murasan Hydrotech 884**
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Concrete/Mortar admixtures
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de
- **Informing department:** MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533
- **Emergency telephone number:** msds@mc-bauchemie.de
Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +48612864565

2 Hazards identification

- **Classification of the substance or mixture**
Skin Corr. 3 H316 Causes mild skin irritation.
Eye Irritation 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**

GHS07
- **Signal word** Warning
- **Hazard-determining components of labelling:** 2-octyl-2H-isothiazol-3-one
- **Hazard statements** Causes mild skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
- **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

AE

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 9

Revision: 07.03.2022

Trade name Murasan Hydrotech 884

(Contd. of page 1)

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Mixture consisting of the following components.

· **Dangerous components:**

577-11-7	Bis(2-ethylhexyl)maleate Eye Dam. 1, H318; Skin Irrit. 2, H315	≥1-<2.5%
26530-20-1	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	≥0.0016-<0.0025%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· **Description of first aid measures**

· **General information** No special measures required.

· **After inhalation** Void

· **After skin contact** The product is not skin irritating.

· **After eye contact** Rinse opened eye for several minutes under running water.

· **After swallowing** Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

AE

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 9

Revision: 07.03.2022

Trade name Murasan Hydrotech 884

(Contd. of page 2)

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
Void
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** No dangerous materials are released.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

AE



BE SURE. BUILD SURE.

Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 9

Revision: 07.03.2022

Trade name Murasan Hydrotech 884

(Contd. of page 3)

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** The usual precautionary measures should be adhered to in handling the chemicals.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves** -
- **Penetration time of glove material** -
- **Eye protection:** Safety glasses

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Fluid
Colour:	Dark brown
Smell:	Odourless

· pH-value at 20 °C: 10

· Change in condition

Melting point/freezing point: Not determined
Initial boiling point and boiling range: 100 °C

· Flash point: >100 °C

· Self-inflammability: Product is not selfigniting.

· Explosive properties: Product is not explosive.

· Steam pressure at 20 °C: 23 hPa

· Density at 20 °C 1.01 g/cm³

· Solubility in / Miscibility with Water: Fully miscible

· Other information No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known

(Contd. on page 5)

AE

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 9

Revision: 07.03.2022

Trade name Murasan Hydrotech 884

(Contd. of page 4)

- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

577-11-7 Bis(2-ethylhexyl)maleate

Oral	LD50	1900 mg/kg (rat)
------	------	------------------

26530-20-1 2-octyl-2H-isothiazol-3-one

Oral	LD50	125 mg/kg (ATE)
------	------	-----------------

		279 mg/kg (rat)
--	--	-----------------

Dermal	LD50	311 mg/kg (ATE)
--------	------	-----------------

		>2000 mg/kg (rat)
--	--	-------------------

Inhalative	LC50/4 h	0.27 mg/l (ATE)
------------	----------	-----------------

		0.6 mg/l (rat)
--	--	----------------

- **Primary irritant effect:**
- **Serious eye damage/irritation** No irritant effect.
- **Respiratory or skin sensitisation** No sensitizing effect known.
- **Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

26530-20-1 2-octyl-2H-isothiazol-3-one

EC50/48h	0.42 mg/l (Daphnien)
----------	----------------------

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 9

Revision: 07.03.2022

Trade name Murasan Hydrotech 884

(Contd. of page 5)

- **Additional ecological information:**
- **General notes:** *Do not allow product to reach ground water, water bodies or sewage system.
Danger to drinking water if even small quantities leak into soil.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*

14 Transport information

· UN-Number	
· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

AE

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 9

Revision: 07.03.2022

Trade name Murasan Hydrotech 884

(Contd. of page 6)

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:** *Environment protection department.*
- **Contact:**
- **Abbreviations and acronyms:**
 - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*
 - ICAO: International Civil Aviation Organisation*
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*
 - IMDG: International Maritime Code for Dangerous Goods*
 - IATA: International Air Transport Association*
 - EINECS: European Inventory of Existing Commercial Chemical Substances*
 - ELINCS: European List of Notified Chemical Substances*
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)*
 - LC50: Lethal concentration, 50 percent*
 - LD50: Lethal dose, 50 percent*
 - PBT: Persistent, Bioaccumulative and Toxic*
 - vPvB: very Persistent and very Bioaccumulative*
 - Acute Tox. 3: Acute toxicity – Category 3*
 - Acute Tox. 2: Acute toxicity – Category 2*
 - Skin Corr. 1A: Skin corrosion/irritation – Category 1A*
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2*
 - Skin Corr. 3: Skin corrosion/irritation – Category 3*
 - Eye Dam. 1: Serious eye damage/eye irritation – Category 1*
 - Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A*
 - Skin Sens. 1: Skin sensitisation – Category 1*
 - Skin Sens. 1A: Skin sensitisation – Category 1A*
 - Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1*
 - Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*

- *** Data compared to the previous version altered.**