

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 14

Revision: 29.04.2022

Trade name Relevant identified uses of	Mycoflex 4000 SP - Komponente A
the substance or mixture and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Polysulfide-Sealent
Details of the supplier of the Manufacturer/Supplier:	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Emergency telephone number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565
Hazards identification	
Classification of the substan	ce or mixture

· Label elements

· GHS label elements

· Hazard pictograms

The product is classified and labelled according to the Globally Harmonised System (GHS).



Warning

· Signal word

- Hazard-determining components of labelling:
- Hazard statements

titanium dioxide May be harmful if inhaled. Suspected of causing cancer. Route of exposure: Inhalation. Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

⁻ AE



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 14

Revision: 29.04.2022

Trade name Mycoflex 4000 SP - Komponente A

	(Contd. of page 1)
• Precautionary statements	Avoid release to the environment.
	Wear protective gloves/protective clothing/eye protection/face protection.
	IF INHALED: Call a POISON CENTER/doctor if you feel unwell. IF exposed or concerned: Get medical advice/attention.
	Store locked up.
	Dispose of contents/container in accordance with local/regional/ national/international regulations.
· Other hazards	·
Results of PBT and vPvB as	sessment
· PBT:	Not applicable.
· vPvB:	Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

Description:

Mixture consisting of the following components.

Description.		
· Dangerous d	components:	
68611-50-7	propane, 1,2,3-trichloro-, polymer with 1,1'-[methylenebis(oxy)]bis[2- chloroethane] and sodium sulfide (Na2(Sx)), reduced Aquatic Chronic 3, H412	25-50%
85535-85-9	alkanes, C14-17, chloro Aquatic Chronic 1, H410	<i>≥</i> 2.5-<25%
471-34-1	calcium carbonate Acute Tox. 5, H303	<25%
13463-67-7	titanium dioxide Carc. 2, H351; Acute Tox. 5, H333	<i>≥</i> 0.1-<10%
1317-65-3	Calciumcarbonat Acute Tox. 5, H303; Acute Tox. 5, H313	<10%
112945-52-5	Siliciumdioxid, Acute Tox. 5, H313	<5%
SVHC		
85535-85-9	alkanes, C14-17, chloro	

4 First aid measures

· General information	No special measures required.
· After inhalation	Void
· After skin contact	The product is not skin irritating.
· After eye contact	Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
· After swallowing	Rinse out mouth and then drink plenty of water.
-	Seek medical treatment.
	(Contd. on page 3)

AE



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

delayed

Version number 14

Revision: 29.04.2022

(Contd. of page 2)

Trade name Mycoflex 4000 SP - Komponente A

- · Information for doctor
- · Most important symptoms
- and effects, both acute and

No further relevant information available.

- Indication of any immediate
- medical attention and special treatment needed No further relevant info
 - No further relevant information available.

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- [.] Special hazards arising from
- the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:
- No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Not required.
 Environmental precautions: No special measures required.
 Methods and material for

- containment and cleaning up: Collect mechanically.
- **Reference to other sections** No dangerous materials are released.

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection
- against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by
- storerooms and containers: No special requirements.
- · Information about storage in
- one common storage facility: Not required. • Further information about
- storage conditions: None. • Specific end use(s) No further rel

None. No further relevant information available.

(Contd. on page 4)



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 14

Revision: 29.04.2022

Trade name Mycoflex 4000 SP - Komponente A

(Contd. of page 3)

· Additional information about	
design of technical systems:	No further data; see item 7.
[·] Control parameters	
· Components with critical	
values that require monitoring at the workplace:	The product does not contain any relevant quantities of materia
	with critical values that have to be monitored at the workplace.
[·] DNELs	
471-34-1 calcium carbonate	
Inhalative DNEL 4.26 mg/m ³ (A	ArL)
1317-65-3 Calciumcarbonat	
Oral DNEL 6.1 mg/kg bw	
Inhalative DNEL 10 mg/m ³ (Ar	L)
112945-52-5 Siliciumdioxid,	
Inhalative DNEL 4 mg/m ³ (ArL))
PNECs	
1317-65-3 Calciumcarbonat	
PNEC 100 mg/l (Sewage Treat	ment Plant)
· Additional information:	The lists that were valid during the compilation were used as bas
	The lists that were valid during the compilation were used as bas
 Additional information: Exposure controls Personal protective equipmer 	
· Exposure controls · Personal protective equipmer · General protective and	nt
· Exposure controls · Personal protective equipmer	nt The usual precautionary measures should be adhered to
· Exposure controls · Personal protective equipmer · General protective and	nt The usual precautionary measures should be adhered to handling the chemicals. In case of hypersensitivity of the respiratory tract and skin (asthm
Exposure controls Personal protective equipmer General protective and hygienic measures	nt The usual precautionary measures should be adhered to handling the chemicals. In case of hypersensitivity of the respiratory tract and skin (asthm chronic bronchitis, chronic skin conditions) handling the product
Exposure controls Personal protective equipmer General protective and hygienic measures	nt The usual precautionary measures should be adhered to handling the chemicals. In case of hypersensitivity of the respiratory tract and skin (asthm chronic bronchitis, chronic skin conditions) handling the product not recommended.
Exposure controls Personal protective equipmer General protective and hygienic measures	nt The usual precautionary measures should be adhered to handling the chemicals. In case of hypersensitivity of the respiratory tract and skin (asthm chronic bronchitis, chronic skin conditions) handling the product not recommended. Respiratory protection is required at inadequately ventilat
Exposure controls Personal protective equipmer General protective and hygienic measures	nt The usual precautionary measures should be adhered to handling the chemicals. In case of hypersensitivity of the respiratory tract and skin (asthm chronic bronchitis, chronic skin conditions) handling the product not recommended. Respiratory protection is required at inadequately ventilat
Exposure controls Personal protective equipmer General protective and hygienic measures	The usual precautionary measures should be adhered to handling the chemicals. In case of hypersensitivity of the respiratory tract and skin (asthm chronic bronchitis, chronic skin conditions) handling the product not recommended. Respiratory protection is required at inadequately ventilat workplaces and during spray processing. Fresh air masks combination filters A2-P2 are recommended for short-term work. Breathing protection recommended.
Exposure controls Personal protective equipmer General protective and hygienic measures	nt The usual precautionary measures should be adhered to handling the chemicals. In case of hypersensitivity of the respiratory tract and skin (asthn chronic bronchitis, chronic skin conditions) handling the product not recommended. Respiratory protection is required at inadequately ventilat workplaces and during spray processing. Fresh air masks combination filters A2-P2 are recommended for short-term work. Breathing protection recommended. Conditionally suitable materials for protective gloves; EN 374-3:
Exposure controls Personal protective equipmer General protective and hygienic measures Breathing equipment:	nt The usual precautionary measures should be adhered to handling the chemicals. In case of hypersensitivity of the respiratory tract and skin (asthm chronic bronchitis, chronic skin conditions) handling the product not recommended. Respiratory protection is required at inadequately ventilat workplaces and during spray processing. Fresh air masks combination filters A2-P2 are recommended for short-term work. Breathing protection recommended. Conditionally suitable materials for protective gloves; EN 374-3: Nitrile rubber - NBR: Thickness ≥ 0.35mm.
Exposure controls Personal protective equipmer General protective and hygienic measures Breathing equipment:	nt The usual precautionary measures should be adhered to handling the chemicals. In case of hypersensitivity of the respiratory tract and skin (asthm chronic bronchitis, chronic skin conditions) handling the product not recommended. Respiratory protection is required at inadequately ventilat workplaces and during spray processing. Fresh air masks combination filters A2-P2 are recommended for short-term work. Breathing protection recommended. Conditionally suitable materials for protective gloves; EN 374-3: Nitrile rubber - NBR: Thickness ≥ 0.35mm. Only suitable for splash protection. Only suitable for short-term
Exposure controls Personal protective equipmer General protective and hygienic measures Breathing equipment:	nt The usual precautionary measures should be adhered to handling the chemicals. In case of hypersensitivity of the respiratory tract and skin (asthm chronic bronchitis, chronic skin conditions) handling the product not recommended. Respiratory protection is required at inadequately ventilat workplaces and during spray processing. Fresh air masks combination filters A2-P2 are recommended for short-term work. Breathing protection recommended. Conditionally suitable materials for protective gloves; EN 374-3: Nitrile rubber - NBR: Thickness ≥ 0.35mm. Only suitable for splash protection. Only suitable for short-term
Exposure controls Personal protective equipmer General protective and hygienic measures Breathing equipment:	nt The usual precautionary measures should be adhered to handling the chemicals. In case of hypersensitivity of the respiratory tract and skin (asthm chronic bronchitis, chronic skin conditions) handling the product not recommended. Respiratory protection is required at inadequately ventilat workplaces and during spray processing. Fresh air masks combination filters A2-P2 are recommended for short-term work. Breathing protection recommended. Conditionally suitable materials for protective gloves; EN 374-3: Nitrile rubber - NBR: Thickness ≥ 0.35mm. Only suitable for splash protection. Only suitable for short-ter exposure. In case of contamination, the protective gloves must
Exposure controls Personal protective equipmer General protective and hygienic measures Breathing equipment: Protection of hands:	nt The usual precautionary measures should be adhered to handling the chemicals. In case of hypersensitivity of the respiratory tract and skin (asthm chronic bronchitis, chronic skin conditions) handling the product not recommended. Respiratory protection is required at inadequately ventilat workplaces and during spray processing. Fresh air masks combination filters A2-P2 are recommended for short-term work. Breathing protection recommended. Conditionally suitable materials for protective gloves; EN 374-3: Nitrile rubber - NBR: Thickness ≥ 0.35mm. Only suitable for splash protection. Only suitable for short-ter exposure. In case of contamination, the protective gloves must changed immediately.
Exposure controls Personal protective equipmer General protective and hygienic measures Breathing equipment:	nt The usual precautionary measures should be adhered to handling the chemicals. In case of hypersensitivity of the respiratory tract and skin (asthm chronic bronchitis, chronic skin conditions) handling the product not recommended. Respiratory protection is required at inadequately ventilat workplaces and during spray processing. Fresh air masks combination filters A2-P2 are recommended for short-term work. Breathing protection recommended. Conditionally suitable materials for protective gloves; EN 374-3: Nitrile rubber - NBR: Thickness ≥ 0.35mm. Only suitable for splash protection. Only suitable for short-ter exposure. In case of contamination, the protective gloves must changed immediately. Protective gloves.

- AE



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 14

Revision: 29.04.2022

Trade name Mycoflex 4000 SP - Komponente A

• Eye protection:

Safety glasses

(Contd. of page 4)

9 Physical and chemical propertie	es
Information on basic physical and che	mical properties
· General Information	
· Appearance:	- /
Form:	Pasty
Colour:	According to product specification
· Smell:	Sulphurous
· Change in condition	
Melting point/freezing point:	Not determined
Initial boiling point and boiling range	e: Not determined
· Flash point:	Not applicable
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Density at 20 °C	1.47 g/cm³
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
· Viscosity:	
dynamic at 20 °C:	1250000 mPas
· Other information	No further relevant information available.

Reactivity	No further relevant information available.	
Chemical stability		
Thermal decomposition /		
conditions to be avoided:	No decomposition if used according to specifications.	
Possibility of hazardous		
reactions	No dangerous reactions known	
Conditions to avoid	No further relevant information available.	
Incompatible materials:	No further relevant information available.	
Hazardous decomposition		
products:	No dangerous decomposition products known	

(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 14

Revision: 29.04.2022

Trade name Mycoflex 4000 SP - Komponente A

(Contd. of page 5)

		formation
Informati Acute to:		icological effects
	•	at are relevant for classification:
68611-50		e, 1,2,3-trichloro-, polymer with 1,1'-[methylenebis(oxy)]bis[2 thane] and sodium sulfide (Na2(Sx)), reduced
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>7800 mg/kg (rat)
471-34-1	calcium c	
Oral	LD50	>2000 mg/kg (rat)
13463-67	-7 titaniun	n dioxide
Oral	LD50	>10000 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.8 mg/l (rat)
1317-65-3	3 Calcium	carbonat
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
112945-5	2-5 Siliciu	mdioxid,
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
· Serious e	ory or skin	e/irritation No irritant effect.
Additional toxicological information:		
 CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) 		

(Contd. on page 7)



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 14

Revision: 29.04.2022

Trade name Mycoflex 4000 SP - Komponente A

(Contd. of page 6)

Aquatic toxi	city:	
68611-50-7 p	oropane,	1,2,3-trichloro-, polymer with 1,1'-[methylenebis(oxy)]bis[2- ne] and sodium sulfide (Na2(Sx)), reduced
	LC50/96h	>1000 mg/l (Leucidus idus)
	EC50/48h	>20 mg/l (Daphnia magna)
471-34-1 cal	cium carbo	nate
	IC50/72h	>1000 mg/l (algae)
	LC50/24h	>10 mg/l (fish)
	LC50/96h	>1000 mg/l (fish)
	EC50/48h	>1000 mg/l (Daphnia magna)
1317-65-3 Ca	alciumcarb	onat
	EC50/72h	>14 mg/l (Desmodesmus subspicatus)
	LC50/96h	>10000 mg/l (Oncorhynchus mykiss)
	LC50/48h	>1000 mg/l (Daphnia magna)
	EC50/48h	>1000 mg/l (Daphnia magna)
112945-52-5	Siliciumdi	oxid,
Sensitisation	EL50	10000 mg/l (Daphnien)
	EC50/24h	>1000 mg/l (Daphnia magna)
	LC50/96h	>10000 mg/l (Danio rerio)
		>10000 mg/l (Brachydanio rerio)
Persistence	and degra	dability No further relevant information available.
		ental systems:
Bioaccumula		
Mobility in se		No further relevant information available.
General note	cological li es:	Do not allow product to reach ground water, water bodies of
		sewage system.
		Danger to drinking water if even small quantities leak into soil.
	BT and vP	vB assessment
PBT: vPvB:		Not applicable.
• VPVB: • Other advers	so offorts	Not applicable. No further relevant information available.

13 Disposal considerations

- ·Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 14

Revision: 29.04.2022

(Contd. of page 7)

Trade name Mycoflex 4000 SP - Komponente A

Uncleaned packagings:

Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

UN-Number ADR, IMDG, IATA	UN3082
UN proper shipping name ADR, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCI LIQUID, N.O.S. (alkanes, C14-17, chloro)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCI LIQUID, N.O.S. (alkanes, C14-17, chloro), MARIN POLLUTANT
Transport hazard class(es)	
ADR Class	9 (M6) Miscellaneous dangerous substances an articles.
Label	9
IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles. 9
Packing group ADR, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
Kemler Number:	90
EMS Number:	F-A,S-F
Stowage Category	A
Transport in bulk according to Annex Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications
ADR	
Limited quantities (LQ)	5L Code: 51
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 14

Revision: 29.04.2022

Trade name Mycoflex 4000 SP - Komponente A

	(Contd. of page 8)
 Transport category Tunnel restriction code 	3 (-)
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-17, CHLORO), 9, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance	or
mixture	

· Directive 2012/18/EU · Named dangerous None of the ingredients is listed. substances - ANNEX I · Seveso category E2 Hazardous to the Aquatic Environment Qualifying quantity (tonnes) for the application of lowertier requirements 200 t Qualifying quantity (tonnes) for the application of uppertier requirements 500 t

· National regulations

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

85535-85-9 alkanes, C14-17, chloro

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing data specification sheet: Contact: 	Environment protection department.
 Abbreviations and acronyms: 	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) (Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 14

Revision: 29.04.2022

Trade name Mycoflex 4000 SP - Komponente A

	(Contd. of page 9
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (REACH)
	PNEC: Predicted No-Effect Concentration (REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	SVHC: Substances of Very High Concern
	vPvB: very Persistent and very Bioaccumulative
	Acute Tox. 5: Acute toxicity – Category 5
	Carc. 2: Carcinogenicity – Category 2
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquat hazard – Category 1
	Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquat
	hazard – Category 2
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquat
	hazard – Category 3
• * Data compared to the	
previous version altered.	