

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2022

Version number 12

Revision: 16.02.2022

Page 1/8

Product identifier	
<i>Trade name</i> <i>Relevant identified uses of</i> <i>the substance or mixture and</i>	Nafufill KM 250 HS
uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete surfacer
Details of the supplier of the s Manufacturer/Supplier:	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department: Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565
Hazards identification	
Classification of the substanc	e or mixture
Acute Tox. 5 H333 May be harr	mful if inhaled.
Skin Irrit. 2 H315 Causes skir	n irritation.
Eye Dam. 1 H318 Causes seri	
STOT SE 3 H335 May cause	respiratory irritation.
Label elements GHS label elements	
Label elements GHS label elements	The product is classified and labelled according to the Global Harmonised System (GHS).
Label elements GHS label elements Hazard pictograms	The product is classified and labelled according to the Global Harmonised System (GHS). GHS05 GHS07
Label elements GHS label elements Hazard pictograms Signal word	The product is classified and labelled according to the Global Harmonised System (GHS).
STOT SE 3 H335 May cause I Label elements GHS label elements Hazard pictograms Signal word Hazard-determining components of labelling:	The product is classified and labelled according to the Globa Harmonised System (GHS). GHS05 GHS07



Page 2/8

AE

according to 1907/2006/EC, Article 31		
Printing date 16.02.2022	Version number 12	Revision: 16.02.2022
Trade name Nafufill KM 250 HS		
		(Contd. of page 1)
 Hazard statements 	May be harmful if inhaled.	
	Causes skin irritation.	
	Causes serious eye damage.	
	May cause respiratory irritation.	
• Precautionary statements	Avoid breathing dust/fume/gas/mist/va	apours/spray.
	IF IN EYES: Rinse cautiously with	
	Remove contact lenses, if presen	t and easy to do. Continue
	rinsing.	
	Immediately call a POISON CENTER	
	Specific treatment (see on this label).	
	Take off contaminated clothing and w	
	Store in a well-ventilated place. Keep	container tightly closed.
 Other hazards 		
• Results of PBT and vPvB as	sessment	
· PBT:	Not applicable.	

Safety data sheet

- · vPvB:
- Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Description: M

Mixture consisting of the following components.

[.] Dangerous	components:	
14808-60-7	Quartz (SiO2)	50-70%
65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	25-50%
93685-99-5	Burnt Oil Shale STOT RE 2, H373; Eye Dam. 1, H318; STOT SE 3, H335; Acute Tox. 5, H303	<u>≥</u> 3-<5%
68475-76-3	Flue dust, portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<1.5%
· Additional i	information For the wording of the listed hazard phrases refer to see	ction 16.

4 First aid measures

· After inhalation	Supply fresh air.
	In case of unconsciousness bring patient into stable side position
	for transport.
· After skin contact	Instantly wash with water and soap and rinse thoroughly.
· After eye contact	Rinse opened eye for several minutes under running water.
	Seek medical treatment.
· After swallowing	Rinse out mouth and then drink plenty of water.
-	Seek medical treatment.
	(Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2022

Version number 12

Revision: 16.02.2022

Trade name Nafufill KM 250 HS

(Contd. of page 2)

 Information for doctor
 Most important symptoms and effects, both acute and delayed
 Indication of any immediate medical attention and special treatment needed
 No further relevant information available.

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- Special hazards arising from the substance or mixture
 Advice for firefighters
- No further relevant information available.
- Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
 Environmental precautions: No special measures required.
 Methods and material for containment and cleaning up: Collect mechanically.
 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on disposal.
- 7 Handling and storage
- · Handling
- · Precautions for safe handling Prevent formation of dust.
- · Information about protection
- against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- [.] Storage
- · Requirements to be met by
- storerooms and containers: No special requirements.
- Information about storage in
- one common storage facility: Not required.
- Further information about storage conditions: None.

(Contd. on page 4)

⁻ AE



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2022

Version number 12

Revision: 16.02.2022

Trade name Nafufill KM 250 HS

Specific end use(s)

No further relevant information available.

(Contd. of page 3)

Additional information al design of technical system	bout ems: No further data; see item 7.
Control parameters	
Components with critical	I values that require monitoring at the workplace:
14808-60-7 Quartz (SiO2)	
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m³ *respirable particulate matter, A2
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction
65997-15-1 Cement, porti Cr(VI)<2ppm	and, chemicals
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction, A4
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust
69012-64-2 amorphous s	ilica (fume)
TLV (USA)	TLV withdrawn
DNELs	
65997-15-1 Cement, porti Cr(VI)<2ppm	land, chemicals
Inhalative DNEL 1 mg/m ³	(ArL)
93685-99-5 Burnt Oil Sha	le
Inhalative DNEL 0.233 m	g/m³ (ArL)
PNECs	
93685-99-5 Burnt Oil Sha	le
PNEC 100 mg/l (BEL) 0.002 mg/l (Mew)	
0.02 mg/l (Suw)	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2022

Version number 12

Revision: 16.02.2022

Page 5/8

Trade name Nafufill KM 250 HS

	(Contd. of page 4)
Exposure controls	
Personal protective equipment	nt
General protective and	
hygienic measures	Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the skin. Avoid contact with the eyes and skin.
Breathing equipment:	In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
Protection of hands:	Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics.
Material of gloves	Strong gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material	The exact break trough time has to be found out by the
Eye protection:	manufacturer of the protective gloves and has to be observed. Safety glasses Tightly sealed safety glasses.
Body protection:	Protective work clothing.

Information on basic physical and General Information	chemical properties	
Appearance: Form:	Powder	
Colour:	Whitish	
Smell:	Odourless	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling ra	nge: Not determined	
	Not applicable	
Flash point:	Not applicable	
Self-inflammability:	Product is not selfigniting.	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2022

Version number 12

Revision: 16.02.2022

Page 6/8

Trade name Nafufill KM 250 HS

	(Contd. of pag	e 5)
• Explosive properties:	Product is not explosive.	
· Density at 20 °C	2.74 g/cm³	
 Solubility in / Miscibility with Water: 	Unsoluble	
· Other information	No further relevant information available.	

10 Stability and reactivity		
	· Reactivity · Chemical stability	No further relevant information available.
	Thermal decomposition / conditions to be avoided:	No decomposition if used according to sp

Possibility of hazardous
 reactions
 Conditions to avoid
 Incompatible materials:

No decomposition if used according to specifications. No dangerous reactions known No further relevant information available. No further relevant information available.

Hazardous decomposition products:

No dangerous decomposition products known

11 Toxicological information

 Information on 	toxicological	effects
------------------------------------	---------------	---------

· Acute toxicity

· LD/LC50	values tha	t are releva	ant for classification:
65997-15-	1 Cement Cr(VI)<2	, portland, 2ppm	chemicals
Dermal	LD50	2000 mg/k	g (rabbit)
Inhalative	LC50/4 h	5 mg/l (rat)	
93685-99-	5 Burnt O	il Shale	
Oral	LD50	>2000 mg/	kg (rat)
Inhalative	LOAEL	0.000699 r	ng/l (ArL)
 Primary in Skin corre Serious e Respirato sensitisat Additiona informatio 	osion/irrita ye damag ory or skin tion al toxicolo	ation e/irritation	Irritant for skin and mucous membranes. Strong irritant with the danger of severe eye injury. No sensitizing effect known. The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: (Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2022

Version number 12

Revision: 16.02.2022

Page 7/8

Trade name Nafufill KM 250 HS

		(Contd. of page 6
2 Ecologica	al information	
· Toxicity		
· Aquatic tox	icity:	
93685-99-5	Burnt Oil Shale	
EC50/72h 8	2.7 mg/l (Selenas	trum capricornutum)
LC50/96h >	100 mg/l (fish)	
	>100 mg/l (Daphnia magna)	
	>100 mg/l (fish)	
	• • • /	ty No further relevant information available.
	n environmental	
· Bioaccumu	lative potential	No further relevant information available.
· Mobility in s	soil	No further relevant information available.
· Additional e	ecological inform	ation:
· General not		Do not allow undiluted product or large quantities of it to reach
		ground water, water bodies or sewage system.
	PBT and vPvB as	
· PBT:		Not applicable.
		Not applicable.
· vPvB:	rse effects	No further relevant information available.

 Waste treatment methods Recommendation 	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Uncleaned packagings: Recommendation:	Non contaminated packagings can be used for recycling.

UN-Number ADR, ADN, IMDG, IATA	Void	
UN proper shipping name ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2022

Version number 12

Revision: 16.02.2022

Trade name Nafufill KM 250 HS

	(Contd. of page 7)
Void	
No	
Not applicable.	
nex II of Not applicable.	
Void	
	No Not applicable. nex II of Not applicable.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data specification sheet: Contact:	Environment protection department.
Abbreviations and acronyms:	 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity – Category 5 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (repeated exposure) – Category 2