

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022 Version number 15 Revision: 20.05.2022

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name Nafufill KMH

· Relevant identified uses of the substance or mixture and

No further relevant information available. uses advised against

· Application of the substance

Mineral coating / the mixture

· Details of the supplier of the safety data sheet

MC-Bauchemie Müller GmbH & Co. KG · Manufacturer/Supplier:

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

msds@mc-bauchemie.de

2 Hazards identification

· Classification of the substance or mixture

Acute Tox. 5 H313 May be harmful in contact with skin.

Acute Tox. 5 H333 May be harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms



GHS05 GHS07

· Signal word Danger

Hazard-determining

components of labelling: Cement, portland, chemicals

Cr(VI)<2ppm

Flue dust, portland cement

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022 Version number 15 Revision: 20.05.2022

Trade name Nafufill KMH

(Contd. of page 1)

· **Hazard statements** May be harmful in contact with skin.

May be harmful if inhaled.
Causes skin irritation.
Causes serious eye damage.
May cause respiratory irritation.

· Precautionary statements If medical advice is needed, have product container or label at

hand.

Keep out of reach of children. Read label before use.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/

national/international regulations.

· Other hazards

· Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous	s components:		
14808-60-7	Quartz (SiO2)	25-50%	
65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm	25-50%	
	Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335		
1317-65-3	Calciumcarbonat Acute Tox. 5, H303; Acute Tox. 5, H313	<10%	
68475-76-3	Flue dust, portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<2.5%	

• Additional information For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

After inhalation Supply fresh air.

After skin contact Instantly wash with water and soap and rinse thoroughly.
 After eye contact Rinse opened eye for several minutes under running water.

Seek medical treatment.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022 Version number 15 Revision: 20.05.2022

Trade name Nafufill KMH

(Contd. of page 2)

· After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· Information for doctor

· Most important symptoms and effects, both acute and

delayed Indication of any immediate

No further relevant information available.

Indication of any immediate medical attention and special

treatment needed No further relevant information available.

5 Firefighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· Special hazards arising from

the substance or mixture No further relevant information available.

· Advice for firefighters

• **Protective equipment:** No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and

emergency procedures Wear protective clothing.

Environmental precautions: Do not allow product to reach sewage system or water bodies.

Methods and material for

containment and cleaning up: Collect mechanically.

Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

Handling

· Precautions for safe handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Store away from water.

· Further information about

storage conditions: Store under dry conditions.

(Contd. on page 4)





Safety data sheet according to 1907/2006/EC, Article 31

Revision: 20.05.2022 Printing date 20.05.2022 Version number 15

Trade name Nafufill KMH

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· Control parameters	
· Components with critical	I values that require monitoring at the workplace:
14808-60-7 Quartz (SiO2)	
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m³ *respirable particulate matter, A2
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction
65997-15-1 Cement, port Cr(VI)<2ppm	land, chemicals
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction

TLV (USA) Long-term value: 1* mg/m3

> E; *as respirable fraction, A4 Long-term value: 10* 4** mg/m3

*inhalable dust **respirable dust

69012-64-2 amorphous silica (fume)

TLV (USA) TLV withdrawn

DNELs

65997-15-1 Cement, portland, chemicals Cr(VI)<2ppm

Inhalative DNEL 1 mg/m³ (ArL)

1317-65-3 Calciumcarbonat

WEL (Great Britain)

DNEL 6.1 mg/kg bw/Tag (ArL)

Inhalative DNEL 10 mg/m³ (ArL)

· PNECs

1317-65-3 Calciumcarbonat

PNEC 100 mg/l (Sewage Treatment Plant)

Additional information: The lists that were valid during the compilation were used as basis. (Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022 Version number 15 Revision: 20.05.2022

Trade name Nafufill KMH

(Contd. of page 4)

· Exposure controls

· Personal protective equipment

· General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

• Breathing equipment: Use breathing protection only when aerosol or mist is formed.

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing

apparatus that is independent of circulating air.

• **Protection of hands:** Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Butyl rubber, BR Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Tightly sealed safety glasses.

Body protection: Protective work clothing.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder
Colour: Grey
Smell: Odourless

· pH-value: 11

· Change in condition

Melting point/freezing point: Not determined **Initial boiling point and boiling range:** Not applicable

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

(Contd. on page 6)





Safety data sheet according to 1907/2006/EC, Article 31

Revision: 20.05.2022 Printing date 20.05.2022 Version number 15

Trade name Nafufill KMH

(Contd. of page 5)

	(Conta. or page o
Explosive properties:	Product is not explosive.
· Density at 20 °C	2.8 g/cm³
· Solubility in / Miscibility with	
Water:	Partly miscible
· Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition /

conditions to be avoided:

· Possibility of hazardous

reactions

· Conditions to avoid

· Incompatible materials: · Hazardous decomposition

products:

No decomposition if used according to specifications.

No dangerous reactions known

No further relevant information available. No further relevant information available.

No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50	values tha	t are relevant for classification:
65997-15-	1 Cement Cr(VI)<2	, portland, chemicals Pppm
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/4 h	5 mg/l (rat)
1317-65-3	Calciumo	carbonat
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

Primary irritant effect:

· Skin corrosion/irritation Irritant for skin and mucous membranes.

· Serious eye damage/irritation Strong irritant with the danger of severe eye injury.

· Respiratory or skin sensitisation

· Additional toxicological

No sensitizing effect known.

information: The product shows the following dangers according to the

calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022 Version number 15 Revision: 20.05.2022

Trade name Nafufill KMH

(Contd. of page 6)

Irritant

12 Ecological information

· Toxicity

· Aquatic toxicity:

1317-65-3 Calciumcarbonat

EC50/72h >14 mg/l (Desmodesmus subspicatus) LC50/96h >10000 mg/l (Oncorhynchus mykiss)

LC50/48h >1000 mg/l (Daphnia magna) EC50/48h >1000 mg/l (Daphnia magna)

- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Additional ecological information:

General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

14 Transport information

· UN-Number

· ADR, ADN, IMDG, IATA Void

· UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 20.05.2022 Printing date 20.05.2022 Version number 15

Trade name Nafufill KMH

(Contd. of page 7)

· Packing group · ADR, IMDG, IATA	Void	
ADIN, IIIIDO, IATA	v Olu	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity – Category 5 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022 Version number 15 Revision: 20.05.2022

Trade name Nafufill KMH

(Contd. of page 8) STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· * Data compared to the previous version altered.