

Γ

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2022

Version number 16

Revision: 07.02.2022

Page 1/9

٦

| • Trade name • Relevant identified uses of the substance or mixture and uses advised against | No further relevant information available. |
|---|---|
| Application of the substance / the mixture | dry mortar |
| · Details of the supplier of the · Manufacturer/Supplier: | safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de |
| | MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 |
| · Informing department: · Emergency telephone | msds@mc-bauchemie.de |
| number: | Tel.: +49 / (0)700 24112112 (MCR) |
| P. Hazards identification | Tel.: +48612864565 |
| Classification of the substan Acute Tox. 5 H333 May be har Skin Irrit. 2 H315 Causes ski | Tel.: +48612864565 ce or mixture rmful if inhaled. in irritation. |
| Classification of the substan Acute Tox. 5 H333 May be har | Tel.: +48612864565 ce or mixture rmful if inhaled. in irritation. rious eye damage. |
| Classification of the substan Acute Tox. 5 H333 May be har Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes sei | Tel.: +48612864565 ce or mixture rmful if inhaled. in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global |
| Classification of the substan Acute Tox. 5 H333 May be har Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes sel STOT SE 3 H335 May cause Label elements | Tel.: +48612864565 ce or mixture rmful if inhaled. in irritation. rious eye damage. respiratory irritation. |
| Classification of the substant Acute Tox. 5 H333 May be har Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes set STOT SE 3 H335 May cause Cabel elements GHS label elements | Tel.: +48612864565 ce or mixture rmful if inhaled. in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS). |



Page 2/9

| Safety data sheet according to 1907/2006/EC, Article 31 | | | | |
|--|--|-------------------------------|--|--|
| Printing date 07.02.2022 | Version number 16 | Revision: 07.02.2022 | | |
| Trade name Nafufill LM | | | | |
| | | (Contd. of page 1) | | |
| Hazard statements | May be harmful if inhaled. | | | |
| | Causes skin irritation. | | | |
| | Causes serious eye damage. | | | |
| | May cause respiratory irritation. | | | |
| Precautionary statements | Avoid breathing dust/fume/gas/mist/ | vapours/spray. | | |
| - | IF IN EYES: Rinse cautiously wit | th water for several minutes. | | |
| | Remove contact lenses, if prese | nt and easy to do. Continue | | |
| | rinsing. | - | | |
| | Immediately call a POISON CENTE | R/doctor. | | |
| | Specific treatment (see on this label) | | | |
| | Take off contaminated clothing and | | | |
| | Store in a well-ventilated place. Keel | | | |
| · Other hazards | | | | |
| [•] Results of PBT and vPvB as | sessment | | | |
| · PBT: | Not applicable. | | | |
| | Not applicable. | | | |

· vPvB:

Not applicable.

3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- **Description:** Mixture consisting of the following components.

| [.] Dangerous | components: | |
|------------------------|---|------------------|
| 14808-60-7 | Quartz (SiO2) | 25-50% |
| 65997-15-1 | Cement, portland, chemicals Cr(VI)<2ppm Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335 | <i>≥</i> 20-<25% |
| 65997-16-2 | Tonerdezement (chromatfrei) Acute Tox. 5, H303 | <10% |
| 7778-18-9 | calcium sulphate, natural Acute Tox. 4, H302; Acute Tox. 4, H332 | <2.5% |
| 1305-62-0 | calcium dihydroxide Eye Dam. 1, H318; Skin Irrit. 2, H315 | ≥1-<2.5% |
| 68475-76-3 | Flue dust, portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335 | ≥1-<1.5% |
| · Additional i | information For the wording of the listed hazard phrases refer to se | ction 16. |

4 First aid measures

| Description of first aid i | neasures |
|--|-------------------|
| · After inhalation | Supply fresh air. |

| After skin contact | Instantly wash with water and soap and rinse thoroughly. |
|--|---|
| After eye contact | Rinse opened eye for several minutes under running water. |
| - | Seek medical treatment. |
| After swallowing | Rinse out mouth and then drink plenty of water. |
| 5 | (Contd on page 3) |

(Contd. on page 3)

AE



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2022

Version number 16

Revision: 07.02.2022

Trade name Nafufill LM

Seek medical treatment.

(Contd. of page 2)

 Information for doctor
 Most important symptoms and effects, both acute and delayed
 Indication of any immediate

No further relevant information available.

 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from
- the substance or mixture No further relevant information available.
- Advice for firefighters • Protective equipment:
- No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Not required.
 Environmental precautions: No special measures required.
 Methods and material for containment and cleaning up: Collect mechanically.
 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 3 for information on disposal.

7 Handling and storage

- · Handling
- Precautions for safe handling Prevent formation of dust.
- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by
- storerooms and containers: No special requirements.
- Information about storage in
- one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 4)

⁻ AE



REL (USA)

(Contd. on page 5)

AE

| | Safety data sheet | Page 4 |
|---|---|---------------------|
| | according to 1907/2006/EC, Article 31 | |
| Printing date 07.02.2022 | Version number 16 | Revision: 07.02.202 |
| Trade name Nafufill LM | | |
| · Specific end use(s) | No further relevant information available. | (Contd. of page |
| 8 Exposure controls | /personal protection | |
| Additional information design of technical system Control parameters | about stems: No further data; see item 7. | |
| = | cal values that require monitoring at the workpla | ice: |
| , 14808-60-7 Quartz (SiC | | |
| PEL (USA) | Long-term value: 0.05* mg/m ³ *resp. dust; 30mg/m3/%SiO2+2 | |
| REL (USA) | Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A | |
| TLV (USA) | Long-term value: 0.025* mg/m ³ *respirable particulate matter, A2 | |
| BOELV (European Unio | *respirable fraction | |
| 65997-15-1 Cement, pc Cr(VI)<2pp | m | |
| PEL (USA) | Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction | |
| REL (USA) | Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction | |
| TLV (USA) | Long-term value: 1* mg/m³ E; *as respirable fraction, A4 | |
| WEL (Great Britain) | Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust | |
| 69012-64-2 amorphous TLV (USA) | TLV withdrawn | |
| 7778-18-9 calcium sul | | |
| PEL (USA) | Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction | |
| REL (USA) | Long-term value: 10* 5** mg/m³ *total dust **respirable fraction | |
| TLV (USA) | Long-term value: 10* mg/m³ *as inhalable fraction | |
| 1305-62-0 calcium dihy | /droxide | |
| PEL (USA) | Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction | |
| | | |

Long-term value: 5 mg/m³



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2022

Version number 16

Revision: 07.02.2022

Trade name Nafufill LM

| | (Contd. of page 4) |
|---|---|
| TLV (USA) | Long-term value: 5 mg/m ³ |
| IOELV (European Union) | Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction |
| WEL (Great Britain) | Short-term value: 4* mg/m³ Long-term value: 5 1* mg/m³ *resprable fraction |
| · DNELs | |
| 65997-15-1 Cement, port Cr(VI)<2ppm | land, chemicals |
| Inhalative DNEL 1 mg/m ³ | ³ (ArL) |
| 7778-18-9 calcium sulph | ate, natural |
| Oral DNEL 1.52 mg | /kg bw/Tag (ArL) |
| Inhalative DNEL 21.17 m | g/m³ (ArL) |
| 1305-62-0 calcium dihyd | roxide |
| Inhalative DNEL 1 mg/m ³ | ³ (ArL) |
| PNECs | |
| 7778-18-9 calcium sulph | ate, natural |
| PNEC 100 mg/l (Kla) | |
| 1305-62-0 calcium dihyd | roxide |
| PNEC 3 mg/l (BEL) | |
| 0.32 mg/l (Mew) | |
| 0.49 mg/l (Suw) | |
| PNEC 1080 mg/kg dwt (B | , |
| · Additional information: | The lists that were valid during the compilation were used as basis. |
| Exposure controls Personal protective equi General protective and | pment |
| hygienic measures | Keep away from foodstuffs, beverages and food. |
| | Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. |
| Breathing equipment: | Avoid contact with the eyes and skin. In case of brief exposure or low pollution use breathing filter |
| breatining equipment. | apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air. |
| · Protection of hands: | Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation |
| • Material of gloves | After use of gloves apply skin-cleaning agents and skin cosmetics. Strong gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from |
| | manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the (Contd. on page 6) |



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2022

Version number 16

Revision: 07.02.2022

Trade name Nafufill LM

| | (Contd. of page 5) |
|--------------------------------------|---|
| | application. |
| · Penetration time of glove | |
| material | The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. |
| • Eye protection: | Safety glasses Tightly sealed safety glasses. |
| Body protection: | Protective work clothing. |

9 Physical and chemical properties

| Annoaranco: | |
|--|--|
| Appearance: Form: Colour: Smell: | Powder Grey Characteristic |
| pH-value: | 11 |
| Change in condition Melting point/freezing point: Initial boiling point and boiling range: | Not determined Not applicable Not determined |
| Flash point: | Not applicable |
| Self-inflammability: | Product is not selfigniting. |
| Explosive properties: | Product is not explosive. |
| Density at 20 °C | 2.44 g/cm³ |
| Solubility in / Miscibility with Water: | Partly miscible |
| Other information | No further relevant information available. |

10 Stability and reactivity

| · Reactivity · Chemical stability | No further relevant information available. |
|--|---|
| Thermal decomposition / conditions to be avoided: Possibility of hazardous | No decomposition if used according to specifications. |
| reactions | No dangerous reactions known |
| Conditions to avoid | No further relevant information available. |
| Incompatible materials: | No further relevant information available. |
| | (Contd. on page 7) |

— AE



Page 7/9

(Contd. of page 6)

AE

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2022

Version number 16

Revision: 07.02.2022

Trade name Nafufill LM

 Hazardous decomposition products:

No dangerous decomposition products known

| 11 | | | · · · · · · | |
|----|---------|--------|-------------|--------|
| 11 | Toxicol | | | marinn |
| | IUAICUI | Ugiuai | | Παισπ |
| | | | | |

| Information on t | toxicological | effects |
|--------------------------------------|---------------|---------|
|--------------------------------------|---------------|---------|

· Acute toxicity

| · LD/LC50 values that are relevant for classification: | | |
|--|----------|---------------------|
| 65997-15-1 Cement, portland, chemicals Cr(VI)<2ppm | | |
| | | 2000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 5 mg/l (rat) |

| | | - | | |
|-----------|-----------|--------|---------|-----------|
| 65997-16- | 2 Tonerde | ezemen | t (chro | omatfrei) |

- Oral LD50 >2000 mg/kg (rat)
- 7778-18-9 calcium sulphate, natural Oral LD50 >1581 mg/kg (rat)
- Dermal NOAEL 790 mg/kg (rat)
- Inhalative LC50/4 h >2.61 mg/l (rat)
- 1305-62-0 calcium dihydroxide
- Oral LD50 7340 mg/kg (rat)
- Primary irritant effect:
- Skin corrosion/irritation Irritant for skin and mucous membranes.
- Serious eye damage/irritation Strong irritant with the danger of severe eye injury.
- · Respiratory or skin sensitisation
- No sensitizing effect known.
- Additional toxicological
information:The product shows the following dangers according to the
calculation method of the General EC Classification Guidelines for
Preparations as issued in the latest version:

Irritant

12 Ecological information

| Aquatic toxicity: 65997-16-2 Tonerdezement (chromatfrei) | | |
|---|--|-----------------|
| | | |
| EC50/48h | 6.6 mg/l (Daphnia magna) | |
| NOEC | >100 mg/l (Oncorhynchus mykiss) | |
| | 3.2 mg/l (Pseudokirchneriella subcapitata) | |
| | 1.8 mg/l (Daphnia magna) | |
| | | (Contd. on page |



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2022

Version number 16

Revision: 07.02.2022

Trade name Nafufill LM

| | | | ontd. of page 7) |
|---------------------------------|---|---|------------------|
| ErC50/72h | 5.6 mg/l (Pseudokir | rchneriella subcapitata) | |
| 7778-18-9 | calcium sulphate, r | natural | |
| EC50/72h | >79 mg/l (Selenastr | rum capricornutum) | |
| LC50/96h | >79 mg/l (fish) | | |
| EC50 | >790 mg/l (BEL) | | |
| EC50/48h | >79 mg/l (Daphnia l | magna) | |
| | e and degradability in environmental s | y No further relevant information available. systems: | |
| [.] Bioaccum | ulative potential | No further relevant information available. | |
| Mobility in | | No further relevant information available. | |
| Additional | l ecological informa | ation: | |
| · General no | otes: | Do not allow undiluted product or large quantities o ground water, water bodies or sewage system. | f it to reach |
| · Results of | [•] PBT and vPvB ass | essment | |
| · PBT: | | Not applicable. | |
| · vPvB: | | Not applicable. | |
| · Other adv | erse effects | No further relevant information available. | |

13 Disposal considerations

| Waste treatment methods Recommendation | Must not be disposed of together with household garbage. Do not allow product to reach sewage system. |
|---|---|
| Uncleaned packagings: Recommendation: | Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. |

| UN-Number | | |
|----------------------------|------|--|
| ADR, ADN, IMDG, IATA | Void | |
| UN proper shipping name | | |
| ADR, ADN, IMDG, IATA | Void | |
| Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA | | |
| Class | Void | |
| Packing group | | |
| ADR, IMDG, IATA | Void | |
| Environmental hazards: | | |
| Marine pollutant: | No | |



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2022

Version number 16

Revision: 07.02.2022

(Contd. of page 8)

Page 9/9

Trade name Nafufill LM

Special precautions for user

· Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. **UN "Model Regulation":**

Void

Not applicable.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- Named dangerous
- substances ANNEX I
- None of the ingredients is listed. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing data specification sheet: Environment protection department. · Contact: · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity – Category 5 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3