

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 7 Revision: 18.10.2021

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name Nafufill SF

· Relevant identified uses of the substance or mixture and

No further relevant information available. uses advised against

· Application of the substance

Ready-mixed mortar / the mixture

· Details of the supplier of the safety data sheet

MC-Bauchemie Müller GmbH & Co. KG · Manufacturer/Supplier:

> Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

msds@mc-bauchemie.de

Tel.: +48612864565

2 Hazards identification

· Classification of the substance or mixture

Acute Tox. 5 H313 May be harmful in contact with skin.

Acute Tox. 5 H333 May be harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms



GHS05 GHS07

· Signal word Danger

Hazard-determining

components of labelling: Cement, portland, chemicals

Cr(VI)<2ppm calcium dihydroxide

Flue dust, portland cement

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 7 Revision: 18.10.2021

Trade name Nafufill SF

(Contd. of page 1)

· **Hazard statements** May be harmful in contact with skin.

May be harmful if inhaled.
Causes skin irritation.
Causes serious eye damage.
May cause respiratory irritation.

· **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed.

· Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous	Dangerous components:				
65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm	25-50%			
	Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	_			
14808-60-7	Quartz (SiO2)	25-50%			
1305-62-0	calcium dihydroxide	≥3-<10%			
	Eye Dam. 1, H318; Skin Irrit. 2, H315				
65997-16-2	Tonerdezement (chromatfrei)	<5%			
	Acute Tox. 5, H303				
93763-70-3	Perlite, expanded	<5%			
68475-76-3	Flue dust, portland cement	≥1-<3%			
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335				

• Additional information For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

· **After inhalation** Supply fresh air.

• After skin contact Instantly wash with water and soap and rinse thoroughly.
• After eye contact Rinse opened eye for several minutes under running water.

Seek medical treatment.

· After swallowing Rinse out mouth and then drink plenty of water.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 7 Revision: 18.10.2021

Trade name Nafufill SF

(Contd. of page 2)

Seek medical treatment.

Information for doctor

 Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special

treatment needed No further relevant information available.

5 Firefighting measures

Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· Special hazards arising from

the substance or mixture

No further relevant information available.

No further relevant information available.

· Advice for firefighters

• **Protective equipment:** No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and

emergency procedures Not required.

· Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Collect mechanically.

• Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

· Handling

· Precautions for safe handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

(Contd. on page 4)





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 7 Revision: 18.10.2021

Trade name Nafufill SF

(Contd. of page 3)

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

Components with critical values that require monitoring at the workplace: 65997-15-1 Cement, portland, chemicals Cr(VI)<2ppm			
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction		
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction		
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction, A4		
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust		
14808-60-7 Quartz (SiO2)			
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2		
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A		
TLV (USA)	Long-term value: 0.025* mg/m³ *respirable particulate matter, A2		
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction		
1305-62-0 calcium dihyd	roxide		
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction		
REL (USA)	Long-term value: 5 mg/m³		
TLV (USA)	Long-term value: 5 mg/m³		
IOELV (European Union)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction		
WEL (Great Britain)	Short-term value: 4* mg/m³ Long-term value: 5 1* mg/m³ *resprable fraction		
93763-70-3 Perlite, expai	nded		
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction		



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 7 Revision: 18.10.2021

Trade name Nafufill SF

(Contd. of page 4) REL (USA) Long-term value: 10* 5** mg/m3 *total dust **respirable fraction TLV withdrawn TLV (USA) · DNELs 65997-15-1 Cement, portland, chemicals Cr(VI)<2ppm Inhalative DNEL 1 mg/m³ (ArL) 1305-62-0 calcium dihydroxide Inhalative DNEL 1 mg/m³ (ArL) PNECs 1305-62-0 calcium dihydroxide PNEC 3 mg/l (BEL) 0.32 mg/l (Mew) 0.49 mg/l (Suw) PNEC 1080 mg/kg dwt (Bod)

Additional information:

The lists that were valid during the compilation were used as basis.

· Exposure controls

· Material of gloves

- · Personal protective equipment
- · General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment: In case of brief exposure or low pollution use breathing filter

apparatus. In case of intensive or longer exposure use breathing

apparatus that is independent of circulating air.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

Strong gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Tightly sealed safety glasses.

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 18.10.2021 Printing date 24.10.2021 Version number 7

Trade name Nafufill SF

(Contd. of page 5)

· Body protection: Protective work clothing.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder Colour: Grey · Smell: Odourless

· Change in condition

Melting point/freezing point: Not determined Initial boiling point and boiling range: Not determined Not applicable

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

· Explosive properties: Product is not explosive.

Not applicable · Steam pressure:

· Density Not determined

· Solubility in / Miscibility with

Water: Unsoluble

· Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

· Chemical stability

· Thermal decomposition /

conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous

reactions

No dangerous reactions known

· Conditions to avoid · Incompatible materials: No further relevant information available. No further relevant information available.

· Hazardous decomposition products:

No dangerous decomposition products known

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 7 Revision: 18.10.2021

Trade name Nafufill SF

(Contd. of page 6)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

	noute textory						
	· LD/LC50 values that are relevant for classification:						
	65997-15-1 Cement, portland, chemicals Cr(VI)<2ppm						
	Dermal	LD50	2000 mg/kg (rabbit)				
	Inhalative	LC50/4 h	5 mg/l (rat)				
	1305-62-0 calcium dihydroxide						
	Oral	LD50	7340 mg/kg (rat)				
65997-16-2 Tonerdezement (chromatfrei)			ezement (chromatfrei)				
	Oral	LD50	>2000 mg/kg (rat)				

Primary irritant effect:

· Skin corrosion/irritation Irritant for skin and mucous membranes.

· Serious eye damage/irritation Strong irritant with the danger of severe eye injury.

· Respiratory or skin

sensitisation

No sensitizing effect known.

· Additional toxicological

information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

Irritant

12 Ecological information

·Toxicity

Aquatic to	toxicity:	
65997-16-2	? Tonerdezement (chromatfrei)	
LC50/96h	>100 mg/l (Oncorhynchus mykiss)	
EC50/48h	6.6 mg/l (Daphnia magna)	
NOEC	>100 mg/l (Oncorhynchus mykiss)	
	3.2 mg/l (Pseudokirchneriella subcapitata)	
	1.8 mg/l (Daphnia magna)	
ErC50/72h	5.6 mg/l (Pseudokirchneriella subcapitata)	

- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

Results of PBT and vPvB assessment

· **PBT:** Not applicable.

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 7 Revision: 18.10.2021

Trade name Nafufill SF

(Contd. of page 7)

· **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

14 Transport information

· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Anne Marpol and the IBC Code	x II of Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

AE -



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 7 Revision: 18.10.2021

Trade name Nafufill SF

(Contd. of page 8)

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity – Category 5 Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

AE -