



BE SURE. BUILD SURE.

Page 1/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024



Version number 6

Revision: 25.02.2024

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** **Nafufill KMH**
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Application of the substance / the mixture** Mineral coating
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de  
  
MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de

### 2 Hazards identification

- **Classification of the substance or mixture**  
Acute Tox. 5 H313 May be harmful in contact with skin.  
Acute Tox. 5 H333 May be harmful if inhaled.  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Dam. 1 H318 Causes serious eye damage.  
STOT SE 3 H335 May cause respiratory irritation.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**  
  
GHS05 GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:** Cement, portland, chemicals  
Cr(VI)<2ppm
- **Hazard statements** May be harmful in contact with skin.  
May be harmful if inhaled.  
Causes skin irritation.  
Causes serious eye damage.  
May cause respiratory irritation.

(Contd. on page 2)

AE



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024

Version number 6

Revision: 25.02.2024

**Trade name Nafufill KMH**

(Contd. of page 1)

- **Precautionary statements** *Avoid breathing dust/fume/gas/mist/vapours/spray.  
IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
Specific treatment (see on this label).  
Take off contaminated clothing and wash it before reuse.  
Store in a well-ventilated place. Keep container tightly closed.*
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

### 3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** *Mixture consisting of the following components.*

· **Dangerous components:**

CAS: 14808-60-7	Quartz (SiO <sub>2</sub> )	30-60%
CAS: 65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	30-60%
CAS: 7727-43-7	barium sulphate, natural	<5%
CAS: 532-32-1	sodium benzoate Serious eye damage/irritation – Category 2A, H319	<1.5%

- **Additional information** *For the wording of the listed hazard phrases refer to section 16.*

### 4 First aid measures

- **Description of first aid measures**
- **After inhalation** *Supply fresh air.*
- **After skin contact** *Instantly wash with water and soap and rinse thoroughly.*
- **After eye contact** *Rinse opened eye for several minutes under running water.  
Seek medical treatment.*
- **After swallowing** *Rinse out mouth and then drink plenty of water.  
Seek medical treatment.*

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** *Use fire fighting measures that suit the environment.*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*

(Contd. on page 3)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024

Version number 6

Revision: 25.02.2024

Trade name Nafufill KMH

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

#### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections** See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

#### 7 Handling and storage

- **Handling**
- **Precautions for safe handling** Prevent formation of dust.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Store away from water.
- **Further information about storage conditions:** Store under dry conditions.
- **Storage class** 13

#### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

CAS: 14808-60-7 Quartz (SiO<sub>2</sub>)

PEL (USA)

Long-term value: 0.05\* mg/m<sup>3</sup>  
\*resp. dust; 30mg/m<sup>3</sup>/%SiO<sub>2</sub>+2

REL (USA)

Long-term value: 0.05\* mg/m<sup>3</sup>  
\*respirable dust; See Pocket Guide App. A

(Contd. on page 4)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 25.02.2024

Version number 6

Revision: 25.02.2024

**Trade name Nafufill KMH**

(Contd. of page 3)

TLV (USA)	Long-term value: 0.025* mg/m <sup>3</sup> *respirable particulate matter, A2
BOELV (European Union)	Long-term value: 0.1* mg/m <sup>3</sup> *respirable fraction
<b>CAS: 65997-15-1 Cement, portland, chemicals Cr(VI)&lt;2ppm</b>	
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV (USA)	Long-term value: 1* mg/m <sup>3</sup> E; *as respirable fraction, A4
WEL (Great Britain)	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust
<b>CAS: 7727-43-7 barium sulphate, natural</b>	
PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV (USA)	Long-term value: 5* mg/m <sup>3</sup> *inhalable fraction; E
WEL (Great Britain)	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust
<b>CAS: 69012-64-2 amorphous silica (fume)</b>	
TLV (USA)	TLV withdrawn
<b>CAS: 532-32-1 sodium benzoate</b>	
TLV (USA)	Long-term value: 2.5 mg/m <sup>3</sup> inh. fraction, Skin, A5

**· DNELs**

**CAS: 65997-15-1 Cement, portland, chemicals  
Cr(VI)<2ppm**

Inhalative DNEL 1 mg/m<sup>3</sup> (ArL)

**CAS: 7727-43-7 barium sulphate, natural**

Inhalative DNEL 10 mg/m<sup>3</sup> (ArL)

**CAS: 532-32-1 sodium benzoate**

Oral DNEL 25 mg/kg bw/Tag (ArL)

Dermal DNEL 34.7 mg/kg bw/day (ArL)

Inhalative DNEL 10.4 mg/m<sup>3</sup> (ArL)

**· PNECs**

**CAS: 7727-43-7 barium sulphate, natural**

PNEC aqua 115 µg/l (Freshwater)

PNEC 62.2 mg/l (Kla)

(Contd. on page 5)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024

Version number 6

Revision: 25.02.2024

**Trade name Nafufill KMH**

(Contd. of page 4)

PNEC	207.7 mg/kg dwt (Bod)
	600.4 mg/kg dwt (Fresh water sediment)

- **Additional information:** *The lists that were valid during the compilation were used as basis.*
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** *Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.*
- **Breathing equipment:** *Use breathing protection only when aerosol or mist is formed.  
In case of brief exposure or low pollution or when application is performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.*
- **Protection of hands:** *Protective gloves.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
After use of gloves apply skin-cleaning agents and skin cosmetics.*
- **Material of gloves** *Butyl rubber, BR  
Nitrile rubber, NBR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*
- **Penetration time of glove material** *The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.*
- **Eye protection:** *Not required.*
- **Body protection:** *Protective work clothing.*

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
  - **Form:** *Powder*
  - **Colour:** *Grey*
  - **Smell:** *Odourless*
- **pH-value:** *Not applicable.*

(Contd. on page 6)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024

Version number 6

Revision: 25.02.2024

**Trade name Nafufill KMH**

(Contd. of page 5)

· <b>Change in condition</b>	
<b>Melting point/freezing point:</b>	Not determined
<b>Initial boiling point and boiling range:</b>	Not applicable
	Not determined

· <b>Flash point:</b>	Not applicable
-----------------------	----------------

· <b>Self-inflammability:</b>	Product is not selfigniting.
-------------------------------	------------------------------

· <b>Explosive properties:</b>	Product is not explosive.
--------------------------------	---------------------------

· <b>Steam pressure:</b>	Not applicable.
--------------------------	-----------------

· <b>Density</b>	Not determined
------------------	----------------

· <b>Solubility in / Miscibility with Water:</b>	Insoluble
--	-----------

· <b>Viscosity:</b>	
<b>dynamic:</b>	Not applicable.
<b>kinematic:</b>	Not applicable.

· <b>Other information</b>	
----------------------------	--

No further relevant information available.

#### 10 Stability and reactivity

· <b>Reactivity</b>	No further relevant information available.
---------------------	--

· <b>Chemical stability</b>	
-----------------------------	--

· <b>Thermal decomposition / conditions to be avoided:</b>	No decomposition if used according to specifications.
--	---

· <b>Possibility of hazardous reactions</b>	No dangerous reactions known
---	------------------------------

· <b>Conditions to avoid</b>	No further relevant information available.
------------------------------	--

· <b>Incompatible materials:</b>	No further relevant information available.
----------------------------------	--

· <b>Hazardous decomposition products:</b>	No dangerous decomposition products known
--	---

#### 11 Toxicological information

· <b>Information on toxicological effects</b>	
---	--

· <b>Acute toxicity</b>	
-------------------------	--

· <b>LD/LC50 values that are relevant for classification:</b>	
---	--

CAS: 65997-15-1 Cement, portland, chemicals		
Cr(VI)<2ppm		

Dermal	LD50	2000 mg/kg (rabbit)
--------	------	---------------------

(Contd. on page 7)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024

Version number 6

Revision: 25.02.2024

**Trade name Nafufill KMH**

(Contd. of page 6)

Inhalative	LC50/4 h	5 mg/l (rat)
<b>CAS: 7727-43-7 barium sulphate, natural</b>		
Oral	LD50	>5000 mg/kg (rat)
<b>CAS: 532-32-1 sodium benzoate</b>		
Oral	LD50	3450 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant for skin and mucous membranes.
- **Serious eye damage/irritation** Strong irritant with the danger of severe eye injury.
- **Respiratory or skin sensitisation** No sensitizing effect known.
- **Additional toxicological information:** The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:  
Irritant

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

**CAS: 532-32-1 sodium benzoate**

EC50/72h >30.5 mg/l (Pseudokirchneriella subcapitata)

LC50/96h >100 mg/l (Pimephales promelas)

>100 mg/l (Daphnia magna)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

AE





BE SURE. BUILD SURE.

Page 8/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024

Version number 6

Revision: 25.02.2024

**Trade name Nafufill KMH**

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:** Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

### 14 Transport information

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b><br>· <b>ADR, ADN, IMDG, IATA</b>                                    | Void            |
| · <b>UN proper shipping name</b><br>· <b>ADR, ADN, IMDG, IATA</b>                      | Void            |
| · <b>Transport hazard class(es)</b><br>· <b>ADR, ADN, IMDG, IATA</b><br>· <b>Class</b> | Void            |
| · <b>Packing group</b><br>· <b>ADR, IMDG, IATA</b>                                     | Void            |
| · <b>Environmental hazards:</b><br>· <b>Marine pollutant:</b>                          | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>            | Not applicable. |
| · <b>UN "Model Regulation":</b>  | Void            |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:** Environment protection department.
- **Contact:**
- **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 9)

AE





BE SURE. BUILD SURE.

Page 9/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024

Version number 6

Revision: 25.02.2024

**Trade name Nafufill KMH**

(Contd. of page 8)

*ICAO: International Civil Aviation Organisation*

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*DNEL: Derived No-Effect Level (REACH)*

*PNEC: Predicted No-Effect Concentration (REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Acute Tox. 4: Acute toxicity – Category 4*

*Acute Tox. 5: Acute toxicity – Category 5*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

**\* Data compared to the previous version altered.**

AE