

Page 1/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 34 Revision: 12.08.2023

### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name Nafufill LM

· Relevant identified uses of the substance or mixture and

No further relevant information available. uses advised against

· Application of the substance

dry mortar / the mixture

· Details of the supplier of the safety data sheet

MC-Bauchemie Müller GmbH & Co. KG · Manufacturer/Supplier:

> Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

### 2 Hazards identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

Hazard pictograms

GHS05 GHS07

· Signal word Danger

Hazard-determining

components of labelling: Portland cement

calcium dihydroxide

Flue dust, portland cement

· Hazard statements Causes skin irritation.

Causes serious eye damage. May cause respiratory irritation.

(Contd. on page 2)



Page 2/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 34 Revision: 12.08.2023

#### Trade name Nafufill LM

(Contd. of page 1)

· **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed.

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

# 3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture consisting of the following components.

· Dangerous	components:	
14808-60-7	Quartz (SiO2)	30-60%
65997-15-1	Portland cement	≥20-≤30%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
65997-16-2	Cement, alumina, chemicals	<10%
	Acute Tox. 5, H303	
	calcium sulphate, natural	<2.5%
1305-62-0	calcium dihydroxide	≥1-<2.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
68475-76-3	Flue dust, portland cement	≥1-<1.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	

• Additional information For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

· Description of first aid measures

• After inhalation Supply fresh air.

After skin contact Instantly wash with water and soap and rinse thoroughly.
 After eye contact Rinse opened eye for several minutes under running water.

Seek medical treatment.

· After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· Information for doctor

· Most important symptoms and effects, both acute and

delayed No further relevant information available.

(Contd. on page 3)



Page 3/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 34 Revision: 12.08.2023

Trade name Nafufill LM

(Contd. of page 2)

Indication of any immediate medical attention and special

treatment needed No further relevant information available.

## 5 Firefighting measures

Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· Special hazards arising from

the substance or mixture No further relevant information available.

· Advice for firefighters

• Protective equipment: No special measures required.

### 6 Accidental release measures

Personal precautions, protective equipment and

**emergency procedures** Not required.

Environmental precautions: No special measures required.

Methods and material for

containment and cleaning up: Collect mechanically.

· Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### 7 Handling and storage

· Handling

· Precautions for safe handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

**storage conditions:** Keep container tightly sealed.

Storage class 13

· **Specific end use(s)** No further relevant information available.

AE -



Page 4/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 34 Revision: 12.08.2023

Trade name Nafufill LM

(Contd. of page 3)

# 8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see section 7.

Components with critical	I values that require monitoring at the workplace:	
14808-60-7 Quartz (SiO2		
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2	
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.025* mg/m³ *respirable particulate matter, A2	
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction	
65997-15-1 Portland cem	ent	
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction, A4	
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust	
69012-64-2 amorphous s	ilica (fume)	
TLV (USA)	TLV withdrawn	
7778-18-9 calcium sulph	ate, natural	
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 10* mg/m³ *as inhalable fraction	
1305-62-0 calcium dihyd	roxide	
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 5 mg/m³	
TLV (USA)	Long-term value: 5 mg/m³	
IOELV (European Union)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction	

\_\_\_ AI



Page 5/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 34 Revision: 12.08.2023

#### Trade name Nafufill LM

		(Contd. of pa
WEL (Great Britain)	Short-term value: 4* mg/m³ Long-term value: 5 1* mg/m³ *resprable fraction	
DNELs		
65997-15-1 Portland ce	ment	
Inhalative DNEL 1 mg/r	n³ (ArL)	
7778-18-9 calcium sulp	hate, natural	
Oral DNEL 1.52 n	ng/kg bw/Tag (ArL)	
Inhalative DNEL 21.17	mg/m³ (ArL)	
1305-62-0 calcium dihy	droxide	
Inhalative DNEL 1 mg/r	n³ (ArL)	
PNECs		
7778-18-9 calcium sulp	hate, natural	
PNEC 100 mg/l (Kla)		
1305-62-0 calcium dihy	droxide	
PNEC 3 mg/l (BEL)		
0.32 mg/l (Mew)		
0.49 mg/l (Suw)		
PNEC 1080 mg/kg dwt	(Bod)	

· Additional information:

The lists that were valid during the compilation were used as basis.

- Exposure controls
- Personal protective equipment
- · General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

• Breathing equipment: Wear respiratory protection in case of insufficient ventilation.

The selection of respirators (EN 14387) must be based on the known or anticipated exposure concentrations, the hazards of the product and the occupational exposure limits (section 8.1) of the

respirator in question.

Particle filter PP1: Inert substance; P2, P3: Hazardous substances Provide adequate ventilation. This can be achieved by local

exhaust ventilation or general exhaust ventilation. (EN 689 - Methods for determining inhalation exposure) This applies especially at the mixing or stirring place.

If this is not sufficient to keep the concentration below the

occupational exposure limit, provide respiratory protection.

Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

(Contd. on page 6)

....



Page 6/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 34 Revision: 12.08.2023

#### Trade name Nafufill LM

· Material of gloves Strong gloves

(Contd. of page 5)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Tightly sealed safety glasses.

Body protection: Protective work clothing.

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder Colour: Grey

· Smell: Characteristic

· pH-value at 20 °C:

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 2230 °C

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Steam pressure at 1732 °C: 13.5 hPa

· Density at 20 °C 2.44 g/cm³

· Solubility in / Miscibility with

Water: Partly miscible

· Viscosity:

dynamic: Not applicable. kinematic: Not applicable.

· Other information

No further relevant information available.



Page 7/10

# Safety data sheet according to 1907/2006/EC, Article 31

Revision: 12.08.2023 Printing date 12.08.2023 Version number 34

Trade name Nafufill LM

(Contd. of page 6)

### 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

· Thermal decomposition / conditions to be avoided:

· Possibility of hazardous

reactions

· Conditions to avoid · Incompatible materials:

· Hazardous decomposition

products:

No decomposition if used according to specifications.

No dangerous reactions known

No further relevant information available.

No further relevant information available.

No dangerous decomposition products known

# 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity

· LD/LC50	values tha	t are relevant for classification:
65997-15-	1 Portland	d cement
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/4 h	5 mg/l (rat)

# 65997-16-2 Cement, alumina, chemicals

Oral	LD50	>1581 mg/kg (rat)
Dermal	NOAEL	790 mg/kg (rat)
Inhalative	LC50/4 h	>2.61 mg/l (rat)

# 1305-62-0 calcium dihydroxide

LD50 7340 mg/kg (rat) Oral

· Primary irritant effect:

· Skin corrosion/irritation Irritant for skin and mucous membranes.

· Serious eye damage/irritation Strong irritant with the danger of severe eye injury.

· Respiratory or skin

sensitisation No sensitizing effect known.

· Additional toxicological

information: The product shows the following dangers according to the

calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

Irritant



Page 8/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 34 Revision: 12.08.2023

Trade name Nafufill LM

(Contd. of page 7)

### 12 Ecological information

· Toxicity

· Aquatic toxicity:

65997-16-2 Cement, alumina, chemicals

LC50/96h >100 mg/l (Oncorhynchus mykiss)

EC50/48h | 6.6 mg/l (Daphnia magna)

NOEC >100 mg/l (Oncorhynchus mykiss)

3.2 mg/l (Pseudokirchneriella subcapitata)

1.8 mg/l (Daphnia magna)

ErC50/72h 5.6 mg/l (Pseudokirchneriella subcapitata)

7778-18-9 calcium sulphate, natural

EC50/72h >79 mg/l (Selenastrum capricornutum)

LC50/96h | >79 mg/l (fish) EC50 | >790 mg/l (BEL)

EC50/48h >79 mg/l (Daphnia magna)

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

• Other adverse effects No further relevant information available.

## 13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

### 14 Transport information

· UN-Number

· ADR, ADN, IMDG, IATA Void

(Contd. on page 9)



Page 9/10

# Safety data sheet according to 1907/2006/EC, Article 31

Revision: 12.08.2023 Printing date 12.08.2023 Version number 34

#### Trade name Nafufill LM

		(Contd. of page
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Ann Marpol and the IBC Code	e <b>x II of</b> Not applicable.	
· UN "Model Regulation":	Void	

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

(Contd. on page 10)



Page 10/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 34 Revision: 12.08.2023

#### Trade name Nafufill LM

(Contd. of page 9)

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 5: Acute toxicity – Category 5
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

AE