

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 16

Revision: 06.05.2022

Page 1/9

Product identifier	
Trade name Relevant identified uses of	Nafuflex Profi Tech 1
the substance or mixture and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Bitumen high build coating
Details of the supplier of the s Manufacturer/Supplier:	afety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department: Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565
Hazards identification	
Classification of the substanc	e or mixture
-	nuse an allergic skin reaction.
Aquatic Acute 2 H401 Toxic t	
	Il to aquatic life with long lasting effects.
Label elements GHS label elements	The product is classified and labelled according to the Global Harmonised System (GHS).
Hazard pictograms	GHS07
Signal word	Warning
Hazard-determining	-
components of labelling:	2-methyl-2H-isothiazol-3-one 2-octyl-2H-isothiazol-3-one
Hazard statements	May cause an allergic skin reaction. Toxic to aquatic life.



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Version number 16 Revision: 06.05.2022 Printing date 06.05.2022 Trade name Nafuflex Profi Tech 1 (Contd. of page 1) · Precautionary statements Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid release to the environment. Wear protective gloves. If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label). Dispose of contents/container in accordance with local/regional/ national/international regulations.

· Other hazards · Results of PBT and vPvB assessment

· PBT:	Not applicable.
· vPvB:	Not applicable.

Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Description: Mixture consisting of the following components.

8052-42-4	Asphalt	25-50%
	Acute Tox. 5, H313	
8050-09-7	Rosin	<i>≥</i> 0.1-<0.5%
	Acute Tox. 4, H312; Skin Sens. 1, H317; Acute Tox. 5, H303	
1314-13-2	zinc oxide	<i>≥</i> 0.025-<0.25%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
2682-20-4	2-methyl-2H-isothiazol-3-one	<i>≥</i> 0.0015-<0.025%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	
13463-41-7	pyrithione zinc Acute Tox. 3, H301; Acute Tox. 2, H330; Repr. 1B, H360; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	<i>≥</i> 0.0025-<0.025%
26530-20-1	2-octyl-2H-isothiazol-3-one	<i>≥</i> 0.0016-<0.00259
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	

4 First aid measures

· Description of first aid measures

General information	No special measures required.
· After inhalation	Supply fresh air.
• After skin contact	Instantly wash with water and soap and rinse thoroughly.
· After eye contact	Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
· After swallowing	Rinse out mouth and then drink plenty of water.
0	(Contd. on page 3)

(Contd. on page a

AE



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.05.2022

delayed

Version number 16

Revision: 06.05.2022

(Contd. of page 2)

Trade name Nafuflex Profi Tech 1

Seek medical treatment.

 Information for doctor
 Most important symptoms and effects, both acute and

No further relevant information available.

 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from
- the substance or mixture No further relevant information available.
- Advice for firefighters • Protective equipment:
- No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Not required.
 Environmental precautions: Dilute with much water.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Reference to other sections No dangerous materials are released.

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- [.] Storage
- · Requirements to be met by
- storerooms and containers: No special requirements. Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

(Contd. on page 4)

AE



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 16

Revision: 06.05.2022

Trade name Nafuflex Profi Tech 1

Specific end use(s)

No further relevant information available.

(Contd. of page 3)

8 Exposure contr	rols/personal protection
· Additional informa	
	<i>I systems:</i> No further data; see item 7.
· Control parameters	s
•	critical values that require monitoring at the workplace:
8052-42-4 Asphalt	
REL (USA)	Ceiling limit: 5* mg/m³ *15-min; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.5* mg/m³ *inh. fraction; as benzene-soluble aerosol; BEIp,
WEL (Great Britain)	Short-term value: 10 mg/m³ Long-term value: 5 mg/m³
8050-09-7 Rosin	
TLV (USA)	Long-term value: 0.001* mg/m³ *inhalable fraction, DSEN, RSEN
WEL (Great Britain)	Short-term value: 0.15 mg/m³ Long-term value: 0.05 mg/m³ Sen
[.] Ingredients with bi	iological limit values:
8052-42-4 Asphalt	
	: urine nd of shift at end of workweek ter: 1-Hydroxypyrene with hydrolysis (nonquantitative)
· Additional informa	tion: The lists that were valid during the compilation were used as basis.
• Exposure controls • Personal protectiv • General protective	e equipment
hygienic measures	handling the chemicals.
· Breathing equipme	Short term filter device: Filter A/P2.
Protection of hand	improve the wearability.
• Material of gloves	Nitrile rubber, NBR Butyl rubber, BR
· Penetration time o material	f glove The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 16

Revision: 06.05.2022

(Contd. of page 4)

Trade name Nafuflex Profi Tech 1

· Eye protection:

Safety glasses

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Viscous Colour: Dark brown · Smell: neutral 9 · pH-value at 20 °C: · Change in condition *Melting point/freezing point:* Not determined Initial boiling point and boiling range: 100 °C · Flash point: Not applicable · Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive. 23 hPa • Steam pressure at 20 °C: · Density at 20 °C 1.03 g/cm³ · Solubility in / Miscibility with Water: Fully miscible · Viscosity: dynamic: Not determined. · Other information No further relevant information available.

Reactivity	No further relevant information available.	
Chemical stability		
Thermal decomposition /		
conditions to be avoided:	No decomposition if used according to specifications.	
Possibility of hazardous		
reactions	No dangerous reactions known	
Conditions to avoid	No further relevant information available.	
Incompatible materials:	No further relevant information available.	
Hazardous decomposition		
products:	No dangerous decomposition products known	

(Contd. on page 6)

Page 5/9



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 16

Revision: 06.05.2022

Trade name Nafuflex Profi Tech 1

(Contd. of page 5)

Page 6/9

		cological effects	
· Acute tox	•	at are relevant for classification:	
8052-42-4			
Dermal	LD50	>2000 mg/kg (rabbit)	
Dennai	NOAEL		
labolativa	-	2000 mg/kg (rabbit)	
Inhalative		103.9 mg/l (rat)	
8050-09-7			
Oral	LD50	>2500 mg/kg (Meerschweinchen)	
		>3000 mg/kg (mouse)	
		>2000 mg/kg (rat)	
Dermal	LD50	2000 mg/kg (rabbit)	
		-2H-isothiazol-3-one	
Oral	LD50	50-300 mg/kg (rat)	
	7 pyrithio		
Oral	LD50	221 mg/kg (ATE)	
Inhalative	LC50/4 h	0.14 mg/l (ATE)	
26530-20-	1 2-octyl-	2H-isothiazol-3-one	
Oral	LD50	125 mg/kg (ATE)	
		279 mg/kg (rat)	
Dermal	LD50	311 mg/kg (ATE)	
		>2000 mg/kg (rat)	
Inhalative	LC50/4 h	0.27 mg/l (ATE)	
		0.6 mg/l (rat)	
	ye damag	e/irritation No irritant effect.	
Respirato			
sensitisat Additiona	-	No sensitizing effect known.	
informatio		When used and handled according to specifications, the produce does not have any harmful effects according to our experience and the information provided to us.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity:
- 8052-42-4 Asphalt

EC50/72h >1000 mg/l (algae)

(Contd. on page 7)

AE



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 16

Revision: 06.05.2022

Trade name Nafuflex Profi Tech 1

		(Contd. of page 6)
LC50/96h	0.002 mg/l (Coregon	us clupeaformis)
	>1000 mg/l (fish)	
EC50	0.062 mg/l (Gammai	us pseudolimnaeus)
LC50/48h	>1000 mg/l (Daphnie	n)
NOEC	>1000 mg/l (Daphnie	n)
8050-09-7	Rosin	
EC50/48h	>1000 mg/l (Daphnia	magna)
2682-20-4	2-methyl-2H-isothia	zol-3-one
EC50/72h	0.157 mg/l (Pseudok	irchneriella subcapitata)
LC50/96h	6 mg/l (Oncorhynchi	is mykiss)
EC50/48h	1.68 mg/l (Daphnies	
13463-41-	7 pyrithione zinc	
IC50/72h	0.067 mg/l (Selenas	rum capricornutum)
LC50/96h	0.15 mg/l (Oncorhyn	chus mykiss)
EC50/48h	0.05 mg/l (Daphnies	
26530-20- ⁻	1 2-octyl-2H-isothia	ol-3-one
EC50/48h	0.42 mg/l (Daphnien	
		No further relevant information available.
	r in environmental s	
		No further relevant information available.
· Mobility in		No further relevant information available.
	l ecological informa	
· General n	otes:	Danger to drinking water if even extremely small quantities leak into soil.
· Results of	FPBT and vPvB ass	essment
· PBT:		Not applicable.
· vPvB:		Not applicable.
· Other adv	erse effects	No further relevant information available.

13 Disposal considerations • Waste treatment methods • Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:
 Recommendation:
 Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
 Recommended cleaning agent:
 Water, if necessary with cleaning agent.

(Contd. on page 8)

AE



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 16

Revision: 06.05.2022

Trade name Nafuflex Profi Tech 1

(Contd. of page 7)

Page 8/9

· UN-Number	
· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· ADR, IMĎG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex	ll of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications
· UN "Model Regulation":	Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing data specification sheet: Contact: 	Environment protection department.
 Abbreviations and acronyms: 	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
	(Contd. on page 9)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 16

Revision: 06.05.2022

Page 9/9

Trade name Nafuflex Profi Tech 1

	(Contd. of page
	IATA: International Air Transport Association
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 4: Acute toxicity – Category 4
	Acute Tox. 5: Acute toxicity – Category 5
	Acute Tox. 2: Acute toxicity – Category 2
	Skin Corr. 1A: Skin corrosion/irritation – Category 1A
	Skin Corr. 1B: Skin corrosion/irritation – Category 1B
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Skin Sens. 1: Skin sensitisation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	Repr. 1B: Reproductive toxicity – Category 1B
	STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard Category 1
	Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard Category 2
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquat hazard – Category 3
• * Data compared to the	
previous version altered.	