



BE SURE. BUILD SURE.

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 37

Revision: 24.02.2024

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** Nafuflex Basic 1
- **Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.*
- **Application of the substance / the mixture** *Bitumen high build coating*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** *MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de*

*MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533*
- **Informing department:** *msds@mc-bauchemie.de*

2 Hazards identification

- **Classification of the substance or mixture**
*Skin Sens. 1 H317 May cause an allergic skin reaction.
Aquatic Acute 2 H401 Toxic to aquatic life.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.*
- **Label elements**
- **GHS label elements** *The product is classified and labelled according to the Globally Harmonised System (GHS).*
- **Hazard pictograms**

GHS07
- **Signal word** *Warning*
- **Hazard-determining components of labelling:** *2-methyl-2H-isothiazol-3-one
2-octyl-2H-isothiazol-3-one*
- **Hazard statements** *May cause an allergic skin reaction.
Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.*
- **Precautionary statements** *Avoid breathing dust/fume/gas/mist/vapours/spray.
Avoid release to the environment.
Wear protective gloves.*

(Contd. on page 2)

AE



BE SURE. BUILD SURE.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 37

Revision: 24.02.2024

Trade name Nafuflex Basic 1

(Contd. of page 1)

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Mixture consisting of the following components.

· **Dangerous components:**

CAS: 8052-42-4	Asphalt Acute Tox. 5, H313	30-60%
CAS: 8050-09-7	Rosin Skin Sens. 1, H317; Acute Tox. 5, H303	≥0.1-<0.5%
CAS: 1314-13-2	Zinc oxide Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.025-<0.25%
CAS: 1219010-04-4	N-C16-18 (even numbered) and C18 (unsaturated) alkyl propane-1,3-diamine STOT RE 1, H372; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	<0.025%
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	≥0.0015-<0.025%
CAS: 13463-41-7	pyrithione zinc Acute Tox. 3, H301; Acute Tox. 2, H330; Repr. 1B, H360; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.0025-<0.025%
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	≥0.0015-<0.0025%

4 First aid measures

· **Description of first aid measures**

· **General information** No special measures required.

· **After inhalation** Supply fresh air.

· **After skin contact** Instantly wash with water and soap and rinse thoroughly.

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 37

Revision: 24.02.2024

Trade name Nafuflex Basic 1

· **After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water. Seek medical treatment.

(Contd. of page 2)

5 Firefighting measures

· **Extinguishing media**

· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

· **Special hazards arising from the substance or mixture**

No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:**

No special measures required.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Not required.

· **Environmental precautions:**

Dilute with much water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· **Reference to other sections**

No dangerous materials are released.

7 Handling and storage

· **Handling**

· **Precautions for safe handling** No special measures required.

· **Information about protection against explosions and fires:**

No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:**

No special requirements.

· **Information about storage in one common storage facility:**

Not required.

· **Further information about storage conditions:**

None.

· **Storage class**

12

AE

(Contd. on page 4)



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 37

Revision: 24.02.2024

Trade name Nafuflex Basic 1

(Contd. of page 3)

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

CAS: 8052-42-4 Asphalt

REL (USA)	Ceiling limit: 5* mg/m ³ *15-min; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.5* mg/m ³ *inh. ;as benzene-soluble aerosol;A4, BEI-P
WEL (Great Britain)	Short-term value: 10 mg/m ³ Long-term value: 5 mg/m ³

CAS: 8050-09-7 Rosin

TLV (USA)	Long-term value: 0.001* mg/m ³ *inhalable fraction, DSEN, RSEN
WEL (Great Britain)	Short-term value: 0.15 mg/m ³ Long-term value: 0.05 mg/m ³ Sen

· **Ingredients with biological limit values:**

CAS: 8052-42-4 Asphalt

BEI (USA)	- Medium: urine Time: end of shift at end of workweek Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)
-----------	-----------------------------------------------------------------------------------------------------------------------------

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

· **Breathing equipment:**

Only during spraying without adequate removal by suction.
Short term filter device:
Filter A/P2.

· **Protection of hands:**

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.
Nitrile rubber, NBR

· **Material of gloves**

· **Penetration time of glove material**

-

· **Eye protection:**

Not required.

· **Body protection:**

Impervious protective clothing

AE

(Contd. on page 5)



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 37

Revision: 24.02.2024

Trade name Nafuflex Basic 1

(Contd. of page 4)

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Viscous
· Colour:	Dark brown
· Smell:	Fish-like

· **pH-value at 20 °C:** 8.5-9

· **Change in condition**

· Melting point/freezing point:	Not determined
· Initial boiling point and boiling range:	100 °C

· **Flash point:** Not applicable

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Steam pressure at 20 °C:** 23 hPa

· **Density at 20 °C** 0.7 g/cm³

· **Solubility in / Miscibility with**

· **Water:** Fully miscible

· **Viscosity:**

· dynamic:	Not determined.
· kinematic:	Not determined.

· **Other information**

No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

· **Hazardous decomposition products:** No dangerous decomposition products known

AE

(Contd. on page 6)



BE SURE. BUILD SURE.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 37

Revision: 24.02.2024

Trade name Nafuflex Basic 1

(Contd. of page 5)

11 Toxicological information

- Information on toxicological effects
- Acute toxicity

· LD/LC50 values that are relevant for classification:

CAS: 8052-42-4 Asphalt

Dermal	LD50	>2000 mg/kg (rabbit)
	NOAEL	2000 mg/kg (rabbit)
Inhalative	NOAEL	103.9 mg/l (rat)

CAS: 8050-09-7 Rosin

Oral	LD50	>2500 mg/kg (Meerschweinchen)
		>3000 mg/kg (mouse)
		>2000 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)

CAS: 1219010-04-4 N-C16-18 (even numbered) and C18 (unsaturated) alkyl propane-1,3-diamine

Oral	LD50	500 mg/kg (rat)
	NOAEL	0.4 mg/kg (rat)

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

Oral	LD50	50-300 mg/kg (rat)
Inhalative	LC50/4 h	0.11 mg/l (rat)

CAS: 13463-41-7 pyrithione zinc

Oral	LD50	221 mg/kg (ATE)
Inhalative	LC50/4 h	0.14 mg/l (ATE)

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

Oral	LD50	125 mg/kg (ATE)
		500 mg/kg (rat)
Dermal	LD50	311 mg/kg (ATE)
		>2000 mg/kg (rat)
Inhalative	LC50/4 h	0.27 mg/l (ATE)
		0.6 mg/l (rat)

- **Primary irritant effect:**
- **Serious eye damage/irritation** No irritant effect.
- **Respiratory or skin sensitisation** No sensitizing effect known.

· **Additional toxicological information:**

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

AE

(Contd. on page 7)



BE SURE. BUILD SURE.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 37

Revision: 24.02.2024

Trade name Nafuflex Basic 1

(Contd. of page 6)

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

CAS: 8052-42-4 Asphalt

EC50/72h	>1000 mg/l (algae)
LC50/96h	0.002 mg/l (Coregonus clupeaformis) >1000 mg/l (fish)
EC50	0.062 mg/l (Gammarus pseudolimnaeus)
LC50/48h	>1000 mg/l (Daphnien)
NOEC	>1000 mg/l (Daphnien)

CAS: 8050-09-7 Rosin

EC50/48h	>1000 mg/l (Daphnia magna)
----------	----------------------------

CAS: 1219010-04-4 N-C16-18 (even numbered) and C18 (unsaturated) alkyl propane-1,3-diamine

LC50/24h	0.148 mg/l (fish)
EC50	0.29 mg/l (Daphnia magna)
NOEC	>0.01 mg/l (algae)

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

EC50/72h	0.157 mg/l (Pseudokirchneriella subcapitata)
LC50/96h	6 mg/l (Oncorhynchus mykiss)
EC50/48h	1.68 mg/l (Daphnies)

CAS: 13463-41-7 pyrithione zinc

LC50/72h	0.067 mg/l (Selenastrum capricornutum)
LC50/96h	0.15 mg/l (Oncorhynchus mykiss)
EC50/48h	0.05 mg/l (Daphnies)

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

EC50/48h	0.42 mg/l (Daphnien)
----------	----------------------

· **Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Danger to drinking water if even extremely small quantities leak into soil.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

AE

(Contd. on page 8)



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 37

Revision: 24.02.2024

Trade name Nafuflex Basic 1

(Contd. of page 7)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.*
- **Recommended cleaning agent:** *Water, if necessary with cleaning agent.*

14 Transport information

· UN-Number	
· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

AE

(Contd. on page 9)



BE SURE. BUILD SURE.

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 37

Revision: 24.02.2024

Trade name Nafuflex Basic 1

(Contd. of page 8)

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing data specification sheet:**

Environment protection department.

· **Contact:**

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 5: Acute toxicity – Category 5

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Repr. 1B: Reproductive toxicity – Category 1B

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

AE