



BE SURE. BUILD SURE.

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 3

Revision: 17.10.2021

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** Oxal TKM-HS
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Ready-mixed mortar
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de
- **Emergency telephone number:** Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +48612864565

2 Hazards identification

- **Classification of the substance or mixture**
Acute Tox. 5 H333 May be harmful if inhaled.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Dam. 1 H318 Causes serious eye damage.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**

GHS05
- **Signal word** Danger
- **Hazard-determining components of labelling:** Cement, portland, chemicals
Cr(VI)<2ppm
calcium dihydroxide
- **Hazard statements** May be harmful if inhaled.
Causes skin irritation.
Causes serious eye damage.

(Contd. on page 2)

AE

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 3

Revision: 17.10.2021

Trade name Oxal TKM-HS

· **Precautionary statements**

(Contd. of page 1)

Wear protective gloves / eye protection / face protection.
 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.
 IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses, if present and easy to do. Continue rinsing.
 Immediately call a POISON CENTER/doctor.
 Specific treatment (see on this label).
 Take off contaminated clothing and wash it before reuse.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.
 · **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Mixture consisting of the following components.

· **Dangerous components:**

1305-62-0	calcium dihydroxide Eye Dam. 1, H318; Skin Irrit. 2, H315	≥10-<25%
65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	≥10-<20%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· **Description of first aid measures**

· **After inhalation** Supply fresh air.
 · **After skin contact** Instantly wash with water and soap and rinse thoroughly.
 · **After eye contact** Rinse opened eye for several minutes under running water.
 Seek medical treatment.
 · **After swallowing** Rinse out mouth and then drink plenty of water.
 Seek medical treatment.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

AE

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/8

Safety data sheet **according to 1907/2006/EC, Article 31**

Printing date 23.10.2021

Version number 3

Revision: 17.10.2021

Trade name Oxal TKM-HS

(Contd. of page 2)

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections** See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Prevent formation of dust.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

— AE —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 3

Revision: 17.10.2021

Trade name Oxal TKM-HS

(Contd. of page 3)

· **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

1305-62-0 calcium dihydroxide

PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 5 mg/m ³
TLV (USA)	Long-term value: 5 mg/m ³
IOELV (European Union)	Short-term value: 4 mg/m ³ Long-term value: 1 mg/m ³ Respirable fraction
WEL (Great Britain)	Short-term value: 4* mg/m ³ Long-term value: 5 1* mg/m ³ *resprable fraction

**65997-15-1 Cement, portland, chemicals
Cr(VI)<2ppm**

PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	Long-term value: 1* mg/m ³ E; *as respirable fraction, A4
WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust

· **DNELs**

1305-62-0 calcium dihydroxide

Inhalative	DNEL	1 mg/m ³ (ArL)
------------	------	---------------------------

**65997-15-1 Cement, portland, chemicals
Cr(VI)<2ppm**

Inhalative	DNEL	1 mg/m ³ (ArL)
------------	------	---------------------------

· **PNECs**

1305-62-0 calcium dihydroxide

PNEC	3 mg/l (BEL) 0.32 mg/l (Mew) 0.49 mg/l (Suw)
PNEC	1080 mg/kg dwt (Bod)

· **Additional information:**

The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and
hygienic measures**

Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.

(Contd. on page 5)



BE SURE. BUILD SURE.

Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 3

Revision: 17.10.2021

Trade name Oxal TKM-HS

- | | |
|---|---|
| <ul style="list-style-type: none"> · Breathing equipment: · Protection of hands: · Material of gloves · Penetration time of glove material · Eye protection: · Body protection: | <p style="text-align: right;">(Contd. of page 4)</p> <p><i>In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.</i></p> <p><i>Protective gloves.</i>
<i>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</i>
<i>After use of gloves apply skin-cleaning agents and skin cosmetics.</i></p> <p><i>Strong gloves</i>
<i>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</i></p> <p><i>The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.</i></p> <p><i>Safety glasses</i>
<i>Tightly sealed safety glasses.</i></p> <p><i>Protective work clothing.</i></p> |
|---|---|

9 Physical and chemical properties

- | | |
|--|--|
| · Information on basic physical and chemical properties | |
| · General Information | |
| · Appearance: | |
| Form: | Powder |
| Colour: | Grey |
| · Smell: | Characteristic |
| · Change in condition | |
| Melting point/freezing point: | Not determined |
| Initial boiling point and boiling range: | Not applicable |
| | Not determined |
| · Flash point: | Not applicable |
| · Self-inflammability: | Product is not selfigniting. |
| · Explosive properties: | Product is not explosive. |
| · Density | Not determined |
| · Solubility in / Miscibility with Water: | Unsoluble |
| · Other information | No further relevant information available. |

AE

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 3

Revision: 17.10.2021

Trade name Oxal TKM-HS

(Contd. of page 5)

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

1305-62-0 calcium dihydroxide

Oral	LD50	7340 mg/kg (rat)
------	------	------------------

**65997-15-1 Cement, portland, chemicals
Cr(VI)<2ppm**

Dermal	LD50	2000 mg/kg (rabbit)
--------	------	---------------------

Inhalative	LC50/4 h	5 mg/l (rat)
------------	----------	--------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant for skin and mucous membranes.
- **Serious eye damage/irritation** Strong irritant with the danger of severe eye injury.
- **Respiratory or skin sensitisation** No sensitizing effect known.
- **Additional toxicological information:** The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
Irritant

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 3

Revision: 17.10.2021

Trade name Oxal TKM-HS

(Contd. of page 6)

- **Additional ecological information:**
- **General notes:** *Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.*

14 Transport information

- | | |
|---|-----------------|
| · UN-Number | |
| · ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

AE

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 3

Revision: 17.10.2021

Trade name Oxal TKM-HS

(Contd. of page 7)

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:** *Environment protection department.*
- **Contact:**
- **Abbreviations and acronyms:**
 - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*
 - ICAO: International Civil Aviation Organisation*
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*
 - IMDG: International Maritime Code for Dangerous Goods*
 - IATA: International Air Transport Association*
 - EINECS: European Inventory of Existing Commercial Chemical Substances*
 - ELINCS: European List of Notified Chemical Substances*
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)*
 - DNEL: Derived No-Effect Level (REACH)*
 - PNEC: Predicted No-Effect Concentration (REACH)*
 - LC50: Lethal concentration, 50 percent*
 - LD50: Lethal dose, 50 percent*
 - PBT: Persistent, Bioaccumulative and Toxic*
 - vPvB: very Persistent and very Bioaccumulative*
 - Acute Tox. 4: Acute toxicity – Category 4*
 - Acute Tox. 5: Acute toxicity – Category 5*
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2*
 - Eye Dam. 1: Serious eye damage/eye irritation – Category 1*
 - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

— AE —