

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024

Version number 18

Revision: 18.02.2024

Page 1/8

Product identifier	
Trade name Relevant identified uses of the substance or mixture and	Oxal VP I T
uses advised against Application of the substance	No further relevant information available.
/ the mixture	Ready-mixed mortar
Details of the supplier of the s Manufacturer/Supplier:	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Hazards identification	
Hazards identification Classification of the substanc	e or mixture
Classification of the substanc Acute Tox. 5 H303 May be harr	mful if swallowed.
Classification of the substanc Acute Tox. 5 H303 May be harr Acute Tox. 5 H313 May be harr	mful if swallowed. mful in contact with skin.
Classification of the substance Acute Tox. 5 H303 May be harr Acute Tox. 5 H313 May be harr Skin Irrit. 2 H315 Causes skir	mful if swallowed. mful in contact with skin. n irritation.
Classification of the substanc Acute Tox. 5 H303 May be harr Acute Tox. 5 H313 May be harr	mful if swallowed. mful in contact with skin. n irritation. ious eye damage.
Classification of the substance Acute Tox. 5 H303 May be harr Acute Tox. 5 H313 May be harr Skin Irrit. 2 H315 Causes skir Eye Dam. 1 H318 Causes seri	mful if swallowed. mful in contact with skin. n irritation. ious eye damage. respiratory irritation.
Classification of the substance Acute Tox. 5 H303 May be harr Acute Tox. 5 H313 May be harr Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seri STOT SE 3 H335 May cause of Label elements	mful if swallowed. mful in contact with skin. n irritation. ious eye damage. respiratory irritation. The product is classified and labelled according to the Globa
Classification of the substance Acute Tox. 5 H303 May be harr Acute Tox. 5 H313 May be harr Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seri STOT SE 3 H335 May cause of Label elements GHS label elements	mful if swallowed. mful in contact with skin. n irritation. ious eye damage. respiratory irritation. The product is classified and labelled according to the Globa Harmonised System (GHS).
Classification of the substance Acute Tox. 5 H303 May be harr Acute Tox. 5 H313 May be harr Skin Irrit. 2 H315 Causes skir Eye Dam. 1 H318 Causes seri STOT SE 3 H335 May cause i Label elements GHS label elements Hazard pictograms	mful if swallowed. mful in contact with skin. in irritation. ious eye damage. respiratory irritation. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS05 GHS07 Danger Portland cement
Classification of the substance Acute Tox. 5 H303 May be harr Acute Tox. 5 H313 May be harr Skin Irrit. 2 H315 Causes skir Eye Dam. 1 H318 Causes seri STOT SE 3 H335 May cause i Label elements GHS label elements Hazard pictograms	mful if swallowed. mful in contact with skin. n irritation. ious eye damage. respiratory irritation. The product is classified and labelled according to the of Harmonised System (GHS). GHS05 GHS07 Danger

AE



Page 2/8

according to 1907/2006/EC, Article 31		
Printing date 18.02.2024	Version number 18	Revision: 18.02.2024
Trade name Oxal VP I T		
		(Contd. of page 1)
• Precautionary statements	Avoid breathing dust/fume/gas/mist	
	IF IN EYES: Rinse cautiously wi	
	Remove contact lenses, if prese	ent and easy to do. Continue
	rinsing.	
	Immediately call a POISON CENTE	
	Specific treatment (see on this labe	
	Take off contaminated clothing and	
	Store in a well-ventilated place. Kee	ep container tightly closed.
Other hazards		
Results of PBT and vPvB as	sessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

Safetv data sheet

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

[.] Dangerous comp	oonents:	
CAS: 1317-65-3	Calcium carbonate	30-60%
	Acute Tox. 5, H303; Acute Tox. 5, H313	
CAS: 65997-15-1	Portland cement	<i>≥</i> 20- <i>≤</i> 30%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 68475-76-3	Fly ash Portland cement	<i>≥</i> 3-<10%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	-
· Additional inforn	nation For the wording of the listed hazard phrases refer to se	ction 16.

4 First aid measures

 Description of first aid n 	neasures
After inhalation	Supply fresh air.
 After skin contact 	Instantly wash with water and soap and rinse thoroughly.
· After eye contact	Rinse opened eye for several minutes under running water. Seek medical treatment.
· After swallowing	Rinse out mouth and then drink plenty of water. Seek medical treatment.

5 Firefighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

- · Special hazards arising from
- the substance or mixture No further relevant information available.

(Contd. on page 3)

AE



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024

Version number 18

Revision: 18.02.2024

(Contd. of page 2)

Trade name Oxal VP I T

 Advice for firefighters · Protective equipment:

No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Not required. • Environmental precautions: No special measures required.

· Methods and material for

• Reference to other sections

containment and cleaning up: Collect mechanically. See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

7 Handling and storage

·Handling

- · Precautions for safe handling Prevent formation of dust.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in
- one common storage facility: Not required.
- · Further information about
- storage conditions:
- Keep container tightly sealed. 11
- Storage class

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 1317-65-3 Calcium carbonate

WEL (Great Britain) Long-term value: 10* 4** mg/m³ *inhalable dust; **respirable

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024

Version number 18

Revision: 18.02.2024

Trade name Oxal VP I T

CAS: 65997-15-1 Portlar	(Contd. of page 3	
	g-term value: 50 mppcf or 15* 5** mg/m³	
	I dust **respirable fraction	
	Long-term value: 10* 5** mg/m ³	
	I dust **respirable fraction	
	g-term value: 1* mg/m³ as respirable fraction, A4	
	g-term value: 10* 4** mg/m³	
	alable dust **respirable dust	
DNELs		
CAS: 1317-65-3 Calcium		
Oral DNEL 6.1 mg	/kg bw/Tag (ArL)	
Inhalative DNEL 10 mg/	n³ (ArL)	
CAS: 65997-15-1 Portlai		
Inhalative DNEL 1 mg/m	³ (ArL)	
PNECs		
CAS: 1317-65-3 Calcium	ı carbonate	
PNEC 100 mg/l (Sewage	Treatment Plant)	
· Additional information:	The lists that were valid during the compilation were used as basis	
hygienic measures	Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.	
· Breathing equipment:	Avoid contact with the eyes and skin. Wear respiratory protection in case of insufficient ventilation. The selection of respirators (EN 14387) must be based on th known or anticipated exposure concentrations, the hazards of th product and the occupational exposure limits (section 8.1) of th respirator in question. Particle filter PP1: Inert substance; P2, P3: Hazardous substances Provide adequate ventilation. This can be achieved by loca exhaust ventilation or general exhaust ventilation. (EN 689 - Methods for determining inhalation exposure) This applies especially at the mixing or stirring place. If this is not sufficient to keep the concentration below th occupational exposure limit, provide respiratory protection.	
· Protection of hands:	Protective gloves. Selection of the glove material on consideration of the penetratio times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics.	
• Material of gloves	Strong gloves The selection of the suitable gloves does not only depend on th material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of (Contd. on page st	



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Version number 18	Revision: 18.02.2024
calculated in advance and has there	
Tightly sealed safety glasses.	
Protective work clothing.	
	several substances, the resistance of calculated in advance and has there application. The exact breakthrough time must b glove manufacturer and must be obs Tightly sealed safety glasses.

9 Physical and chemical properties

Appearance: Form:	Powder
Colour:	Grey
Smell:	Characteristic
pH-value:	Not applicable.
Change in condition	
	Not determined
Initial boiling point and boiling range:	
	Not determined
Flash point:	Not applicable
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Steam pressure:	Not applicable.
Density	Not determined
Solubility in / Miscibility with	
Water:	Slightly soluble
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	

10 Stability and reactivity	
Reactivity	No further relevant information available.

(Contd. on page 6) AE



Page 6/8


Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024

Version number 18

Revision: 18.02.2024

Trade name Oxal VP I T



 Respiratory or skin sensitisation

information:

No sensitizing effect known.

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: *Irritant*

12 Ecological information

· Additional toxicological

CAS: 1317-65-3 Calcium carbonate	
EC50/72h >14 mg/l (Desmodesmus subspicatus)	
LC50/96h >10000 mg/l (Oncorhynchus mykiss)	
LC50/48h >1000 mg/l (Daphnia magna)	
EC50/48h >1000 mg/l (Daphnia magna)	
Persistence and degradabilityNo further relevant information available.Behaviour in environmental systems:Bioaccumulative potentialNo further relevant information available.	

(Contd. on page 7)

AE



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024

Version number 18

Revision: 18.02.2024

Trade name Oxal VP I T

• Mobility in soil • Additional ecological info	(Contd. of page 6) No further relevant information available. rmation:
· General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
· Results of PBT and vPvB a	
· PBT:	Not applicable.
· vPvB:	Not applicable.
 Other adverse effects 	No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	

(Contd. on page 8)

۵F



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024

Version number 18

Revision: 18.02.2024

Trade name Oxal VP I T

(Contd. of page 7)

Page 8/8

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data specification sheet:	Environment protection department.
Contact:	
* Data compared to the	 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity – Category 5 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3