

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023 Version number 18 Revision: 07.07.2023

### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

Trade name Oxal VSM WTA

Relevant identified uses of the substance or mixture and

**uses advised against** No further relevant information available.

· Application of the substance

/ the mixture Mineral coating

Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

### 2 Hazards identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms

GHS05

· Signal word Danger

· Hazard-determining

components of labelling: Portland cement
Causes skin irritation.
Causes serious eye damage.

• Precautionary statements Wear eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

(Contd. on page 2)



Page 2/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023 Version number 18 Revision: 07.07.2023

#### Trade name Oxal VSM WTA

(Contd. of page 1)

Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:

65997-15-1 Portland cement

≥10-<20%

Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335

• Additional information For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

· Description of first aid measures

• After inhalation Supply fresh air.

After skin contact Instantly wash with water and soap and rinse thoroughly.
 After eye contact Rinse opened eye for several minutes under running water.

Seek medical treatment.

· After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· Information for doctor

· Most important symptoms and effects, both acute and

delayed No further relevant information available.

· Indication of any immediate medical attention and special

**treatment needed**No further relevant information available.

### 5 Firefighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· Special hazards arising from

the substance or mixture No further relevant information available.

· Advice for firefighters

· Protective equipment: No special measures required.

AE



Page 3/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023 Version number 18 Revision: 07.07.2023

Trade name Oxal VSM WTA

(Contd. of page 2)

### 6 Accidental release measures

Personal precautions, protective equipment and

**emergency procedures** Not required.

· Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Collect mechanically.

Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## 7 Handling and storage

· Handling

· Precautions for safe handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· Storage class 11

· **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see section 7.

· Control parameters

| ٠ ( | Components with | critical values | s that require | monitoring a | t the workplace: |
|-----|-----------------|-----------------|----------------|--------------|------------------|
|     |                 |                 |                |              |                  |

#### 65997-15-1 Portland cement

PEL (USA) Long-term value: 50 mppcf or 15\* 5\*\* mg/m<sup>3</sup>

\*total dust \*\*respirable fraction

REL (USA) Long-term value: 10\* 5\*\* mg/m³

\*total dust \*\*respirable fraction

TLV (USA) Long-term value: 1\* mg/m³

E; \*as respirable fraction, A4

WEL (Great Britain) Long-term value: 10\* 4\*\* mg/m3

\*inhalable dust \*\*respirable dust

(Contd. on page 4)



Page 4/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023 Version number 18 Revision: 07.07.2023

#### Trade name Oxal VSM WTA

(Contd. of page 3)

· DNELs

65997-15-1 Portland cement

Inhalative DNEL 1 mg/m³ (ArL)

• Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

· Personal protective equipment

General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

• Breathing equipment: Wear respiratory protection in case of insufficient ventilation.

The selection of respirators (EN 14387) must be based on the known or anticipated exposure concentrations, the hazards of the product and the occupational exposure limits (section 8.1) of the

respirator in question.

Particle filter PP1: Inert substance; P2, P3: Hazardous substances Provide adequate ventilation. This can be achieved by local

exhaust ventilation or general exhaust ventilation. (EN 689 - Methods for determining inhalation exposure) This applies especially at the mixing or stirring place.

If this is not sufficient to keep the concentration below the

occupational exposure limit, provide respiratory protection.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves Strong gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

Penetration time of glove

material The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Tightly sealed safety glasses.

· **Body protection:** Protective work clothing.

AE



Page 5/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023 Version number 18 Revision: 07.07.2023

Trade name Oxal VSM WTA

(Contd. of page 4)

### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder Grey
Smell: Odourless

· **pH-value:** Not applicable.

· Change in condition

Melting point/freezing point: Not determined Initial boiling point and boiling range: Not determined

Not applicable

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Steam pressure: Not applicable.

· **Density** Not determined

· Solubility in / Miscibility with

Water: Unsoluble

· Viscosity:

dynamic:Not applicable.kinematic:Not applicable.

Other information

No further relevant information available.

## 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

· Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous

reactions No dangerous reactions known

• Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available.

· Hazardous decomposition

products: No dangerous decomposition products known

ΑE



Page 6/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023 Version number 18 Revision: 07.07.2023

Trade name Oxal VSM WTA

(Contd. of page 5)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values that are relevant for classification:

65997-15-1 Portland cement

Dermal LD50 2000 mg/kg (rabbit)

Inhalative LC50/4 h 5 mg/l (rat)

· Primary irritant effect:

· Skin corrosion/irritation No irritant effect.

· Serious eye damage/irritation Strong irritant with the danger of severe eye injury.

· Respiratory or skin

**sensitisation** No sensitizing effect known.

· Additional toxicological

information: The product shows the following dangers according to the

calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

Irritant

### 12 Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available. • Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

• Other adverse effects No further relevant information available.

## 13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

(Contd. on page 7)



Page 7/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023 Version number 18 Revision: 07.07.2023

#### Trade name Oxal VSM WTA

(Contd. of page 6)

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

| Transport information                           |                 |  |  |
|---|-----------------|--|--|
| UN-Number                                       | Vaid            |  |  |
| ADR, ADN, IMDG, IATA                            | Void            |  |  |
| UN proper shipping name<br>ADR, ADN, IMDG, IATA | Void            |  |  |
| Transport hazard class(es)                      |                 |  |  |
| ADR, ADN, IMDG, IATA                            |                 |  |  |
| Class   | Void            |  |  |
| Packing group                                   |                 |  |  |
| ADR, IMDG, IATA                                 | Void            |  |  |
| Environmental hazards:                          |                 |  |  |
| Marine pollutant:                               | No              |  |  |
| Special precautions for user                    | Not applicable. |  |  |
| ransport in bulk according to Annex II of       |                 |  |  |
| Marpol and the IBC Code                         | Not applicable. |  |  |
| UN "Model Regulation":                          | Void            |  |  |

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

**substances - ANNEX I** None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

**specification sheet:** Environment protection department.

Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

(Contd. on page 8)



Page 8/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023 Version number 18 Revision: 07.07.2023

#### Trade name Oxal VSM WTA

(Contd. of page 7)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

ΑE