



BE SURE. BUILD SURE.

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 4


Revision: 17.10.2021

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** **Powerscreed 953**
- **Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.*
- **Application of the substance / the mixture** *Concrete/Mortar admixtures*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** *MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de*

*MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533*
- **Informing department:** *msds@mc-bauchemie.de*
- **Emergency telephone number:** *Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +48612864565*

2 Hazards identification

- **Classification of the substance or mixture**
*Acute Tox. 5 H303 May be harmful if swallowed.
Skin Corr. 3 H316 Causes mild skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
Aquatic Acute 3 H402 Harmful to aquatic life.*
- **Label elements**
- **GHS label elements** *The product is classified and labelled according to the Globally Harmonised System (GHS).*
- **Hazard pictograms**

GHS07
- **Signal word** *Warning*
- **Hazard-determining components of labelling:**
- **Hazard statements** *Alkyldimethylaminoxid
May be harmful if swallowed.
Causes mild skin irritation.
Causes serious eye irritation.
Harmful to aquatic life.*

(Contd. on page 2)

AE

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 4

Revision: 17.10.2021

Trade name Powerscreed 953

(Contd. of page 1)

- **Precautionary statements**
 - Avoid release to the environment.
 - Wear eye protection / face protection.
 - IF IN EYES: Rinse cautiously with water for several minutes.
 - Remove contact lenses, if present and easy to do. Continue rinsing.
 - Call a POISON CENTER/doctor if you feel unwell.
 - If skin irritation occurs: Get medical advice/attention.
 - If eye irritation persists: Get medical advice/attention.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

	Naphthalinsulfonsäure-Formaldehyd-Kondensat Na-Ca-Mischsalz, 40% ige wässrige Lösung Acute Tox. 5, H303	25-50%
10043-52-4	calcium chloride Eye Irrit. 2, H319; Acute Tox. 5, H303	≥10-<25%
308062-28-4	Alkyldimethylaminoxid Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315	≥1-<2.5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **After inhalation** Supply fresh air.
- **After skin contact** Instantly rinse with water.
- **After eye contact** Rinse opened eye for several minutes under running water.
Seek medical treatment.
- **After swallowing** Rinse out mouth and then drink plenty of water.
Seek medical treatment.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 4

Revision: 17.10.2021

Trade name Powerscreed 953

(Contd. of page 2)

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Prevent material from reaching sewage system, holes and cellars. Dilute with much water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

AE

(Contd. on page 4)



BE SURE. BUILD SURE.

Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 4

Revision: 17.10.2021

Trade name Powerscreed 953

(Contd. of page 3)

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

308062-28-4 Alkyldimethylaminoxid

Oral	DNEL	0.44 mg/kg bw/Tag (ArL)
Dermal	DNEL	11 mg/kg bw/day (ArL)
Inhalative	DNEL	6.2 mg/m ³ (ArL)

- **Additional information:** The lists that were valid during the compilation were used as basis.

· Exposure controls

· Personal protective equipment

· General protective and hygienic measures

Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· Protection of hands:

Protective gloves.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
After use of gloves apply skin-cleaning agents and skin cosmetics.
Nitrile rubber, NBR

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses
Tightly sealed safety glasses.

· Body protection:

Protective work clothing.

AE

(Contd. on page 5)



BE SURE. BUILD SURE.

Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 4

Revision: 17.10.2021

Trade name Powerscreed 953

(Contd. of page 4)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Fluid
Colour:	Light brown
Smell:	Weak, characteristic

· Change in condition

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	100 °C

· Flash point:	Not applicable
----------------	----------------

· Self-inflammability:	Product is not selfigniting.
------------------------	------------------------------

· Explosive properties:	Product is not explosive.
-------------------------	---------------------------

· Steam pressure at 20 °C:	23 hPa
----------------------------	--------

· Density at 20 °C	1.18 g/cm ³
--------------------	------------------------

· Solubility in / Miscibility with Water:	Fully miscible
---	----------------

· Other information	No further relevant information available.
---------------------	--

10 Stability and reactivity

· Reactivity	No further relevant information available.
· Chemical stability	
· Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
· Possibility of hazardous reactions	No dangerous reactions known
· Conditions to avoid	No further relevant information available.
· Incompatible materials:	No further relevant information available.
· Hazardous decomposition products:	No dangerous decomposition products known

11 Toxicological information

· Information on toxicological effects

· Acute toxicity

· LD/LC50 values that are relevant for classification:

Naphthalinsulfonsäure-Formaldehyd-Kondensat
Na-Ca-Mischsalz, 40% ige wässrige Lösung

Oral	LD50	>2000 mg/kg (rat)
------	------	-------------------

(Contd. on page 6)

AE

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 4

Revision: 17.10.2021

Trade name Powerscreed 953

(Contd. of page 5)

10043-52-4 calcium chloride

Oral LD50 1000 mg/kg (rat)

Dermal LD50 2630 mg/kg (rat)

308062-28-4 Alkyldimethylaminoxid

Oral LD50 1064 mg/kg (rat)

Dermal LD0 >2000 mg/kg (rat)

· **Primary irritant effect:**

· **Serious eye damage/irritation** Irritant effect.

· **Respiratory or skin**

sensitisation

No sensitizing effect known.

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
Irritant

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

Naphthalinsulfonsäure-Formaldehyd-Kondensat Na-Ca-Mischsalz, 40% ige wässrige Lösung

LC50/96h >1000 mg/l (Brachydanio rerio)

EC50/48h >10000 mg/l (Pseudomonas putida)

>200 mg/l (Daphnien)

10043-52-4 calcium chloride

LC50/96h 3130 mg/l (Scenedesmus subspicatus)

10650 mg/l (Lepomis macrochirus)

LC50/48h 3005 mg/l (Daphnia magna)

308062-28-4 Alkyldimethylaminoxid

LC50/96h 2.67-3.46 mg/l (fish)

EC50/3d 0.1428 mg/l (algae)

· **Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Do not allow product to reach ground water, water bodies or sewage system.
Danger to drinking water if even small quantities leak into soil.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 4

Revision: 17.10.2021

Trade name Powerscreed 953

· **Other adverse effects**

No further relevant information available.

(Contd. of page 6)

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:**

Disposal must be made according to official regulations.

· **Recommended cleaning agent:**

Water, if necessary with cleaning agent.

14 Transport information

· **UN-Number**

· **ADR, ADN, IMDG, IATA**

Void

· **UN proper shipping name**

· **ADR, ADN, IMDG, IATA**

Void

· **Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class**

Void

· **Packing group**

· **ADR, IMDG, IATA**

Void

· **Environmental hazards:**

· **Marine pollutant:**

No

· **Special precautions for user**

Not applicable.

· **Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **UN "Model Regulation":**

Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous**

substances - ANNEX I

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

AE

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2021

Version number 4

Revision: 17.10.2021

Trade name Powerscreed 953

(Contd. of page 7)

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing data
specification sheet:**

Environment protection department.

· **Contact:**

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 5: Acute toxicity – Category 5

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Corr. 3: Skin corrosion/irritation – Category 3

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

— AE —