

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.01.2022

Version number 7

Revision: 12.01.2022

Page 1/9

Product identifier	
Trade name Relevant identified uses of	ombran FG rapid
the substance or mixture and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Filling mortar
Details of the supplier of the s Manufacturer/Supplier:	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Emergency telephone number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565
Hazards identification	
Hazards identification Classification of the substand	ce or mixture
Classification of the substand	mful in contact with skin.
Classification of the substand Acute Tox. 5 H313 May be harr	mful in contact with skin. mful if inhaled.
Classification of the substand Acute Tox. 5 H313 May be harr Acute Tox. 5 H333 May be harr	mful in contact with skin. mful if inhaled. n irritation.
Classification of the substand Acute Tox. 5 H313 May be harr Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skir	mful in contact with skin. mful if inhaled. n irritation. ious eye damage.
Classification of the substand Acute Tox. 5 H313 May be harn Acute Tox. 5 H333 May be harn Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes ser	mful in contact with skin. mful if inhaled. n irritation. ious eye damage. respiratory irritation.
Classification of the substand Acute Tox. 5 H313 May be harn Acute Tox. 5 H333 May be harn Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes sen STOT SE 3 H335 May cause Label elements	mful in contact with skin. mful if inhaled. n irritation. ious eye damage. respiratory irritation. The product is classified and labelled according to the Global
Classification of the substance Acute Tox. 5 H313 May be harn Acute Tox. 5 H333 May be harn Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes sern STOT SE 3 H335 May cause of Label elements GHS label elements	mful in contact with skin. mful if inhaled. n irritation. ious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS).
Classification of the substand Acute Tox. 5 H313 May be harr Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skir Eye Dam. 1 H318 Causes ser STOT SE 3 H335 May cause I Label elements GHS label elements Hazard pictograms	mful in contact with skin. mful if inhaled. n irritation. ious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS). GHS05 GHS07
Classification of the substand Acute Tox. 5 H313 May be harr Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skir Eye Dam. 1 H318 Causes serr STOT SE 3 H335 May cause of Label elements GHS label elements Hazard pictograms	mful in contact with skin. mful if inhaled. n irritation. ious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS). GHS05 GHS07

— AE



Page 2/9

according to 1907/2006/EC, Article 31		
Printing date 12.01.2022	Version number 7	Revision: 12.01.2022
Trade name ombran FG rapid		
· Hazard statements	May be harmful in contact with skin. May be harmful if inhaled. Causes skin irritation. Causes serious eye damage.	(Contd. of page 1)
· Precautionary statements	May cause respiratory irritation. Avoid breathing dust/fume/gas/mist/ IF IN EYES: Rinse cautiously with Remove contact lenses, if prese rinsing. Immediately call a POISON CENTE Specific treatment (see on this label) Take off contaminated clothing and Store in a well-ventilated place. Kee	th water for several minutes. Int and easy to do. Continue R/doctor.). wash it before reuse.
 Other hazards Results of PBT and vPvB as PBT: 	sessment Not applicable.	

Safety data sheet

vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture consisting of the following components.

65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm	25-50%
	Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	
14808-60-7	Quartz (SiO2)	25-50%
1317-65-3	Calciumcarbonat Acute Tox. 5, H303; Acute Tox. 5, H313	<10%
68475-76-3	Flue dust, portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<3%
1305-78-8	calcium oxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335; Acute Tox. 5, H303; Acute Tox. 5, H313	≥1-<2.5%
21645-51-2	aluminium hydroxide Acute Tox. 5, H303	<2.5%

4 First aid measures

· Description of first aid measures

- After inhalation
- · After skin contact Ir
- · After eye contact

Supply fresh air.

- Instantly wash with water and soap and rinse thoroughly.
- Rinse opened eye for several minutes under running water. Seek medical treatment.

⁽Contd. on page 3)

AE



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.01.2022

Version number 7

Revision: 12.01.2022

Trade name ombran FG rapid

· After swallowing	Rinse out mouth and then drink plenty of water. Seek medical treatment.	(Contd. of page 2)
 Information for doctor Most important symptoms and effects, both acute and 		
delayed · Indication of any immediate medical attention and special	No further relevant information available.	
treatment needed	No further relevant information available.	

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- Special hazards arising from
- the substance or mixture No further relevant information available.
- Advice for firefighters • Protective equipment:
- No special measures required.

See Section 13 for information on disposal.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Not required.
 Environmental precautions: No special measures required.
 Methods and material for containment and cleaning up: Collect mechanically.
 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

7 Handling and storage

- · Handling
- Precautions for safe handling Prevent formation of dust.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage

- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

(Contd. on page 4)

AE



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 12.01.2022 Printing date 12.01.2022 Version number 7 Trade name ombran FG rapid (Contd. of page 3) Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection · Additional information about design of technical systems: No further data; see item 7. · Control parameters · Components with critical values that require monitoring at the workplace: 65997-15-1 Cement, portland, chemicals Cr(VI)<2ppm PEL (USA) Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction Long-term value: 10* 5** mg/m³ REL (USA) *total dust **respirable fraction TLV (USA) Long-term value: 1* mg/m³ E; *as respirable fraction, A4 Long-term value: 10* 4** mg/m³ WEL (Great Britain) *inhalable dust **respirable dust 14808-60-7 Quartz (SiO2) PEL (USA) Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2 REL (USA) Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A TLV (USA) Long-term value: 0.025* mg/m³ *respirable particulate matter, A2 BOELV (European Union) Long-term value: 0.1* mg/m³ *respirable fraction 69012-64-2 amorphous silica (fume) TLV withdrawn TLV (USA) 1305-78-8 calcium oxide PEL (USA) Long-term value: 5 mg/m³ REL (USA) Long-term value: 2 mg/m³ TLV (USA) Long-term value: 2 mg/m³ IOELV (European Union) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction WEL (Great Britain) Short-term value: 4* mg/m³ Long-term value: 2 1* mg/m³ *respirable fraction

(Contd. on page 5)

- AE



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.01.2022

Version number 7

Revision: 12.01.2022

Trade name ombran FG rapid

21645	-51-2 aluminiu	(Contd. of page m hvdroxide
REL (L		Long-term value: 2 mg/m ³
· (•		as Al
TLV (L	ISA)	Long-term value: 1* mg/m ³ as Al;*as respirable fraction
WEL (Great Britain) Long-term value: 2 mg/m ³		Long-term value: 2 mg/m³
DNEL	S	
65997-	.15-1 Cement, Cr(VI)<2	portland, chemicals
Inhalat	ive DNEL 1 n	
	5-3 Calciumc	
Oral		mg/kg bw/Tag (ArL)
	ive DNEL 10	
	8-8 calcium d	,
	ive DNEL 1 n	
	-51-2 aluminiu	
Oral		9 mg/kg bw/Tag (ArL)
Inhalat	ive DNEL 3.5	
PNEC	<u> </u>	
1317-6	5-3 Calciumc	arbonat
PNEC	100 mg/l (Sev	rage Treatment Plant)
1305-7	8-8 calcium o	xide
PNEC	2.27 mg/l (BE	L)
	0.24 mg/l (Me	
	0.37 mg/l (Su	
	817.4 mg/kg (
	-51-2 aluminiu	m hydroxide
	20 mg/l (Kla)	
Additi	onal informat	on: The lists that were valid during the compilation were used as basi
	ure controls	
	nal protective	
	al protective a nic measures	nd Keep away from foodstuffs, beverages and food.
inygiel		Instantly remove any soiled and impregnated garments.
		Wash hands during breaks and at the end of the work.
		Avoid contact with the eyes and skin.
Breath	ning equipme	In case of brief exposure or low pollution use breathing fill apparatus. In case of intensive or longer exposure use breathing
		apparatus that is independent of circulating air.
Protec	tion of hands	
		Selection of the glove material on consideration of the penetration
		times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics
		Contd. on page



Page 6/9

acc	Safety data sheet according to 1907/2006/EC, Article 31			
Printing date 12.01.2022	Version number 7	Revision: 12.01.2022		
Trade name ombran FG rapid	Trade name ombran FG rapid			
· Material of gloves	Strong gloves The selection of the suitable glove material, but also on further man manufacturer to manufacturer. As several substances, the resistance calculated in advance and has ther application.	rks of quality and varies from the product is a preparation of of the glove material can not be		
 Penetration time of glove material Eye protection: Body protection: 	The exact break trough time of manufacturer of the protective glove Safety glasses Tightly sealed safety glasses. Protective work clothing.			

Information on basic physical and chen General Information	nical properties
Appearance:	
Form:	Powder
Colour:	Grey
Smell:	Odourless
Change in condition	
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
	Not applicable
Flash point:	Not applicable
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Density	Not determined
Solubility in / Miscibility with	
Water:	Unsoluble
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity

No further relevant information available.

- Chemical stability
 Thermal decomposition /
- conditions to be avoided:
- Possibility of hazardous reactions
- · Conditions to avoid

No decomposition if used according to specifications.

No dangerous reactions known No further relevant information available.

(Contd. on page 7)

AE



Page 7/9

Safety data sheet

Printing date 12	2.01.2022		Version number 7	Revision: 12.01.202
Frade name or	nbran FG	a rapid		
Incompatible materials:			No further relevant information available	(Contd. of page 6
 Hazardous products: 	Hazardous decomposition products:		No dangerous decomposition products	s known
		C onstantin		
11 Toxicolo	gical in	formatio	n	
· Informatio · Acute toxi		cological o	effects	
	•	t aro rolov	ant for classification:	
			chemicals	
	Cr(VI)<2		enemieuro	
Dermal	LD50	2000 mg/k	g (rabbit)	
Inhalative	LC50/4 h	5 mg/l (rat)	
1317-65-3	Calciumo	arbonat		
Oral	LD50	>2000 mg	/kg (rat)	
Dermal	LD50	>2000 mg	/kg (rat)	
1305-78-8	calcium d	oxide		
	LD50	>2000 mg	/kg (rat)	
Oral	Dermal LD50 >2500 mg/		/kg (rabbit)	
		•		
Dermal 21645-51-2		u m hydrox >2000 mg		
Dermal 21645-51-2 Oral Primary irr Skin corro	2 aluminio LD50 ritant effe sion/irrita re damag ry or skin	>2000 mg. ect: ation e/irritation		-

12 Ecological information

· Toxicity	
· Aquatic to	oxicity:
1317-65-3	3 Calciumcarbonat
EC50/72h	>14 mg/l (Desmodesmus subspicatus)
LC50/96h	>10000 mg/l (Oncorhynchus mykiss)
LC50/48h	>1000 mg/l (Daphnia magna)
EC50/48h	>1000 mg/l (Daphnia magna)
	(Contd. on page



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.01.2022

Version number 7

Revision: 12.01.2022

Trade name ombran FG rapid

		(Contd. of page 7)
1305-78-8	calcium oxide	
EC50/72h	184.57 mg/l (algae)	
LC50/96h	50.6 mg/l (Fis)	
	158 mg/l (Mew)	
EC50/48h	49.1 mg/l (Suw)	
NOEC	32 mg/l (Mew)	
	48 mg/l (algae)	
21645-51-	2 aluminium hydrox	<i>kide</i>
NOEC	0.004 mg/l (Suw)	
	>0.005 mg/l (Daphn	ia magna)
	>0.07 mg/l (fish)	
		y No further relevant information available.
	r in environmental s	
· Bioaccum	ulative potential	No further relevant information available.
· Mobility ir	n soil	No further relevant information available.
· Additiona	l ecological informa	ation:
[.] General n	otes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
· Results or	f PBT and vPvB ass	essment
· PBT:		Not applicable.
· vPvB:		Not applicable.
· Other adv	erse effects	No further relevant information available.

13 Disposal considerations

 Waste treatment methods Recommendation 	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Disposal must be made according to official regulations.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.01.2022

Version number 7

Revision: 12.01.2022

Trade name ombran FG rapid

		(Contd. of page 8)
· Packing group · ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
· UN "Model Regulation":	Void	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous
 substances ANNEX I
 - None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Department issuing data specification sheet: Contact:	Environment protection department.	
Contact: Abbreviations and acronyms:	 <i>RID:</i> Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) <i>ICAO:</i> International Civil Aviation Organisation <i>ADR:</i> Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) <i>IMDG:</i> International Maritime Code for Dangerous Goods <i>IATA:</i> International Air Transport Association <i>EINECS:</i> European Inventory of Existing Commercial Chemical Substances <i>CAS:</i> Chemical Abstracts Service (division of the American Chemical Society) <i>DNEL:</i> Derived No-Effect Level (REACH) <i>PNEC:</i> Predicted No-Effect Concentration (REACH) <i>LC50:</i> Lethal concentration, 50 percent <i>LD50:</i> Lethal dose, 50 percent <i>PBT:</i> Persistent, Bioaccumulative and Toxic <i>vPvB:</i> very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity – Category 5 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 <i>Eye Dam.</i> 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 	