

Page 1/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 4 Revision: 17.10.2021

### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name ombran IW

· Relevant identified uses of the substance or mixture and

No further relevant information available. uses advised against

· Application of the substance

Regulated set cement / the mixture

· Details of the supplier of the safety data sheet

MC-Bauchemie Müller GmbH & Co. KG · Manufacturer/Supplier:

> Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

msds@mc-bauchemie.de

Tel.: +48612864565

#### 2 Hazards identification

· Classification of the substance or mixture

Acute Tox. 5 H303 May be harmful if swallowed. Acute Tox. 5 H333 May be harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms

GHS05

· Signal word Danger

· Hazard-determining

Cement, portland, chemicals components of labelling:

> Cr(VI)<2ppm calcium oxide

May be harmful if swallowed. · Hazard statements

(Contd. on page 2)



Page 2/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 4 Revision: 17.10.2021

#### Trade name ombran IW

(Contd. of page 1)

May be harmful if inhaled. Causes skin irritation. Causes serious eye damage.

• Precautionary statements Wear protective gloves / eye protection / face protection.

IF INHALED: Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

· Other hazards

Results of PBT and vPvB assessment
PBT:
Not applicable.
vPvB:
Not applicable.

### 3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous	components:	
65997-16-2	Tonerdezement (chromatfrei)	70-100%
	Acute Tox. 5, H303	
65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm	≥10-<20%
	Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	
1305-78-8	calcium oxide	≥3-<10%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335; Acute Tox. 5, H303; Acute Tox. 5, H313	

• Additional information For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

· Description of first aid measures

General information No special measures required.

· After inhalation Supply fresh air.

· After skin contact The product is not skin irritating.

· After eye contact Rinse opened eye for several minutes under running water. If

symptoms persist, consult doctor.

· After swallowing Induce vomiting.

· Information for doctor

· Most important symptoms and effects, both acute and

delayed No further relevant information available.

(Contd. on page 3)



Page 3/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 4 Revision: 17.10.2021

Trade name ombran IW

(Contd. of page 2)

Indication of any immediate medical attention and special

treatment needed No further relevant information available.

### 5 Firefighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· Special hazards arising from

the substance or mixture No further relevant information available.

· Advice for firefighters

· Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and

**emergency procedures** Not required.

• Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Collect mechanically.

Reference to other sections No dangerous materials are released.

### 7 Handling and storage

· Handling

· Precautions for safe handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: None.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

(Contd. on page 4)



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 4 Revision: 17.10.2021

#### Trade name ombran IW

(Contd. of page 3)

Components with critical	al values that require monitoring at the workplace:
65997-15-1 Cement, por Cr(VI)<2ppm	
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction, A4
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust
1305-78-8 calcium oxide	
PEL (USA)	Long-term value: 5 mg/m³
REL (USA)	Long-term value: 2 mg/m³
TLV (USA)	Long-term value: 2 mg/m³
IOELV (European Union)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction
WEL (Great Britain)	Short-term value: 4* mg/m³ Long-term value: 2 1* mg/m³ *respirable fraction
69012-64-2 amorphous	silica (fume)
TLV (USA)	TLV withdrawn
DNELs	
65997-15-1 Cement, por Cr(VI)<2ppm	
Inhalative DNEL 1 mg/m	³ (ArL)
1305-78-8 calcium oxide	,
Inhalative DNEL 1 mg/m	³ (ArL)
PNECs	
1305-78-8 calcium oxide	
PNEC 2.27 mg/l (BEL)	
0.24 mg/l (Mew)	
0.37 mg/l (Suw)	

· Additional information:

The lists that were valid during the compilation were used as basis.

- · Exposure controls
- · Personal protective equipment
- · General protective and

hygienic measures The usual precautionary measures should be adhered to in handling the chemicals.

(Contd. on page 5)



Page 5/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 4 Revision: 17.10.2021

#### Trade name ombran IW

(Contd. of page 4)

· Breathing equipment: In case of brief exposure or low pollution use breathing filter

apparatus. In case of intensive or longer exposure use breathing

apparatus that is independent of circulating air.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Tightly sealed safety glasses.

· **Body protection:** Protective work clothing.

### 9 Physical and chemical properties

Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder
Colour: Grey
Smell: Odourless

· Change in condition

**Melting point/freezing point:** Not determined **Initial boiling point and boiling range:** Not applicable

Not determined

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

• Explosive properties: Product is not explosive.

· **Density** Not determined

· Solubility in / Miscibility with

Water: Unsoluble

• **Other information** No further relevant information available.

– AE



Page 6/9

## Safety data sheet according to 1907/2006/EC, Article 31

Revision: 17.10.2021 Printing date 24.10.2021 Version number 4

No dangerous reactions known

Trade name ombran IW

(Contd. of page 5)

## 10 Stability and reactivity

No further relevant information available. · Reactivity

· Chemical stability

· Thermal decomposition / conditions to be avoided:

· Possibility of hazardous reactions

· Conditions to avoid · Incompatible materials:

· Hazardous decomposition products:

No further relevant information available. No further relevant information available.

No dangerous decomposition products known

No decomposition if used according to specifications.

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity

	,	
· LD/LC50	values tha	t are relevant for classification:
65997-16-	2 Tonerde	ezement (chromatfrei)
Oral	LD50	>2000 mg/kg (rat)
65997-15-		, portland, chemicals
	<i>Cr(VI)&lt;2</i>	?ppm
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/4 h	5 mg/l (rat)
1305-78-8	calcium o	oxide

Dermal	LD50	>2500 mg/kg (rabbit)
Orai	LD50	>2000 mg/kg (rat)

- Primary irritant effect:
- · Serious eye damage/irritation Strong irritant with the danger of severe eye injury.
- · Respiratory or skin sensitisation

· Additional toxicological

No sensitizing effect known.

information:

The product is not subject to classification according to the

calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and

the information provided to us.



Page 7/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 4 Revision: 17.10.2021

Trade name ombran IW

(Contd. of page 6)

### 12 Ecological information

· Toxicity

· Aquatic toxicity:

65997-16-2 Tonerdezement (chromatfrei)

LC50/96h >100 mg/l (Oncorhynchus mykiss)

EC50/48h 6.6 mg/l (Daphnia magna)

**NOEC** >100 mg/l (Oncorhynchus mykiss)

3.2 mg/l (Pseudokirchneriella subcapitata)

1.8 mg/l (Daphnia magna)

ErC50/72h 5.6 mg/l (Pseudokirchneriella subcapitata)

1305-78-8 calcium oxide

EC50/72h | 184.57 mg/l (algae)

LC50/96h 50.6 mg/l (Fis)

158 mg/l (Mew)

EC50/48h 49.1 mg/l (Suw)

NOEC 32 mg/l (Mew)

48 mg/l (algae)

Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available. · Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

### 13 Disposal considerations

· Waste treatment methods

Must not be disposed of together with household garbage. Do not · Recommendation

allow product to reach sewage system.

· Uncleaned packagings:

Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

(Contd. on page 8)



Page 8/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 4 Revision: 17.10.2021

Trade name ombran IW

(Contd. of page 7)

LINI Alexandres		_
· UN-Number · ADR, ADN, IMDG, IATA	Void	
· · ·	Void	
· UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
·Class	Void	
Packing group		
· ADR, IMĎG, ľATA	Void	
Environmental hazards:		
· Marine pollutant:	No	
Special precautions for user	Not applicable.	
· Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

**substances - ANNEX I** None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

**specification sheet:** Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)



Page 9/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.10.2021 Version number 4 Revision: 17.10.2021

#### Trade name ombran IW

(Contd. of page 8)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity – Category 5 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

٩E