

Printing date 29.04.2022

Version number 10

Revision: 29.04.2022

Page 1/9

Product identifier	
Trade name Relevant identified uses of	ombran MHP-SP 3000
the substance or mixture and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Coating material
Details of the supplier of the s Manufacturer/Supplier:	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510
	Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Emergency telephone number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565
Hazards identification	
Classification of the substanc Acute Tox. 5 H333 May be harr	nful if inhaled.
Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skin	nful if inhaled. n irritation.
Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seri	mful if inhaled. n irritation. ious eye damage.
Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skin	nful if inhaled. n irritation. ious eye damage. an allergic skin reaction.
Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seri Skin Sens. 1 H317 May causes	nful if inhaled. n irritation. ious eye damage. an allergic skin reaction.
Acute Tox. 5H333 May be harrSkin Irrit. 2H315 Causes skinEye Dam. 1H318 Causes seriSkin Sens. 1H317 May cause aSTOT SE 3H335 May cause a	nful if inhaled. n irritation. ous eye damage. an allergic skin reaction. respiratory irritation.
Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seri Skin Sens. 1 H317 May cause a STOT SE 3 H335 May cause a Label elements	nful if inhaled. n irritation. ous eye damage. an allergic skin reaction. respiratory irritation. The product is classified and labelled according to the Globall.
Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seri Skin Sens. 1 H317 May cause a STOT SE 3 H335 May cause a Label elements GHS label elements	nful if inhaled. n irritation. ious eye damage. an allergic skin reaction. respiratory irritation. The product is classified and labelled according to the Globall. Harmonised System (GHS).
Acute Tox. 5 H333 May be harr Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seri Skin Sens. 1 H317 May cause a STOT SE 3 H335 May cause n Label elements GHS label elements Hazard pictograms	nful if inhaled. n irritation. ious eye damage. an allergic skin reaction. respiratory irritation. The product is classified and labelled according to the Globall Harmonised System (GHS). GHS05 GHS07



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31 Revision: 29.04.2022 Printing date 29.04.2022 Version number 10 Trade name ombran MHP-SP 3000 (Contd. of page 1) · Hazard statements May be harmful if inhaled. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause respiratory irritation. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapours/spray. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed. · Other hazards · Results of PBT and vPvB assessment

- · PBT: · vPvB:
- Not applicable. Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture consisting of the following components.

[.] Dangerous	components:	
14808-60-7	Quartz (SiO2)	50-70%
65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm	25-50%
	Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	
65997-16-2	Tonerdezement (chromatfrei)	<10%
	Acute Tox. 5, H303	
7778-18-9	calcium sulphate, natural	<2.5%
	Acute Tox. 4, H302; Acute Tox. 4, H332	
	calcium suifoaluminate clinker	≥1-<1.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
· Additional i	information For the wording of the listed hazard phrases refer to se	ction 16.

4 First aid measures

· Description of first aid measures

After inhalation
 After skin contact
 After eye contact
 After eye contact
 Instantly wash with water and soap and rinse thoroughly.
 Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

AE



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 10

Revision: 29.04.2022

(Contd. of page 2)

Trade name ombran MHP-SP 3000

- · After swallowing
- · Information for doctor
- Most important symptoms and effects, both acute and delayed
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

No further relevant information available.

In case of persistent symptoms consult doctor.

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters • Protective equipment:
- No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Not required.
 Environmental precautions: No special measures required.
 Methods and material for containment and cleaning up: Ensure adequate ventilation.
 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

7 Handling and storage

- · Handling
- Precautions for safe handling Prevent formation of dust.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storage conditions:

- storerooms and containers: No special requirements. Information about storage in one common storage facility: Not required.
- · Further information about

Keep container tightly sealed.

(Contd. on page 4)

AE



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 10

Revision: 29.04.2022

Trade name ombran MHP-SP 3000

Specific end use(s)

No further relevant information available.

(Contd. of page 3)

AE

-	ems: No further data; see item 7.
Control parameters	
Components with critica 14808-60-7 Quartz (SiO2)	I values that require monitoring at the workplace:
PEL (USA)	Long-term value: 0.05* mg/m³
r LL (USA)	*resp. dust; 30mg/m3/%SiO2+2
REL (USA)	Long-term value: 0.05* mg/m³
	*respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m ³
POEL///European Union)	*respirable particulate matter, A2
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction
65997-15-1 Cement, port Cr(VI)<2ppm	land, chemicals
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³
	*total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV (USA)	Long-term value: 1* mg/m³
	E; *as respirable fraction, A4
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust
7778-18-9 calcium sulph	ate, natural
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV (USA)	Long-term value: 10* mg/m³ *as inhalable fraction
DNELs	1
65997-15-1 Cement, port Cr(VI)<2ppm	land, chemicals
Inhalative DNEL 1 mg/m ³	^a (ArL)
7778-18-9 calcium sulpha	
Oral DNEL 1.52 mg	/kg bw/Tag (ArL)
Inhalative DNEL 21.17 m	g/m³ (ArL)
I	(Contd. on



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 10

Revision: 29.04.2022

Trade name ombran MHP-SP 3000

	(Contd. of page
PNECs	
7778-18-9 calcium sulphate	e, natural
PNEC 100 mg/l (Kla)	
Additional information:	The lists that were valid during the compilation were used as basis
Exposure controls	
Personal protective equipr	nent
General protective and	
hygienic measures	Keep away from foodstuffs, beverages and food.
	Instantly remove any soiled and impregnated garments.
	Wash hands during breaks and at the end of the work.
	Avoid contact with the skin.
	Avoid contact with the eyes and skin.
Breathing equipment:	In case of brief exposure or low pollution use breathing filte
	apparatus. In case of intensive or longer exposure use breathin
	apparatus that is independent of circulating air.
Protection of hands:	Protective gloves.
	Selection of the glove material on consideration of the penetration
	times, rates of diffusion and the degradation
	After use of gloves apply skin-cleaning agents and skin cosmetics
Material of gloves	The selection of the suitable gloves does not only depend on the
	material, but also on further marks of quality and varies from
	manufacturer to manufacturer. As the product is a preparation of
	several substances, the resistance of the glove material can not b
	calculated in advance and has therefore to be checked prior to the
Penetration time of glove	application.
material	The exact break trough time has to be found out by th
	manufacturer of the protective gloves and has to be observed.
Eye protection:	Safety glasses
	Tightly sealed safety glasses.
Body protection:	Protective work clothing.

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Powder Colour: Light grey · Smell: Odourless · Change in condition *Melting point/freezing point:* Not determined Initial boiling point and boiling range: 2230 °C · Flash point: Not applicable (Contd. on page 6) AE



Printing date 29.04.2022

Version number 10

Revision: 29.04.2022

Trade name ombran MHP-SP 3000

	(Contd. of page 5)
· Self-inflammability:	Product is not selfigniting.
• Explosive properties:	Product is not explosive.
· Density	Not determined
 Solubility in / Miscibility with Water: 	Partly miscible
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity · Chemical stability · Thermal decomposition /	No further relevant information available.
conditions to be avoided: Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
Conditions to avoid	No further relevant information available.
 Incompatible materials: Hazardous decomposition 	No further relevant information available.
products:	No dangerous decomposition products known

11 Toxicological information

LD/LC50 \	alues tha	t are relevant for classification:	
65997-15-	1 Cement Cr(VI)<2	, portland, chemicals ppm	
Dermal	LD50	2000 mg/kg (rabbit)	
Inhalative	LC50/4 h	5 mg/l (rat)	
65997-16-	2 Tonerde	ezement (chromatfrei)	
Oral	LD50	>2000 mg/kg (rat)	
7778-18-9	calcium s	sulphate, natural	
Oral	LD50	>1581 mg/kg (rat)	
Dermal	NOAEL	790 mg/kg (rat)	
Inhalative	LC50/4 h	>2.61 mg/l (rat)	
Primary in Skin corro Serious e Respirato sensitisat	osion/irrita ye damag ry or skin	ationIrritant for skin and mucous membranes.e/irritationStrong irritant with the danger of severe eye injury.	(Contd. on page 7)

Page 6/9



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 10

Revision: 29.04.2022

(Contd. of page 6)

Trade name ombran MHP-SP 3000

 Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: *Irritant*

· Toxicity		
· Aquatic to	xicity:	
65997-16-2	? Tonerdezement	(chromatfrei)
LC50/96h	>100 mg/l (Oncorl	hynchus mykiss)
EC50/48h	6.6 mg/l (Daphnia	magna)
NOEC	>100 mg/l (Oncori	hynchus mykiss)
	3.2 mg/l (Pseudok	rirchneriella subcapitata)
	1.8 mg/l (Daphnia	magna)
ErC50/72h	5.6 mg/l (Pseudok	(irchneriella subcapitata)
7778-18-9	calcium sulphate,	natural
EC50/72h	>79 mg/l (Selenastrum capricornutum)	
LC50/96h	>79 mg/l (fish)	
EC50	>790 mg/l (BEL)	
	>79 mg/l (Daphnia magna)	
		ty No further relevant information available.
· Behaviour	in environmental	systems:
		No further relevant information available.
• Mobility in		No further relevant information available.
	ecological inform	nation:
[.] General no	otes:	Do not allow undiluted product or large quantities of it to read ground water, water bodies or sewage system.
· Results of	PBT and vPvB as	• • • •
· PBT:		Not applicable.
· vPvB:		Not applicable.
· Other adve	adverse effects No further relevant information available.	

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



Printing date 29.04.2022

Version number 10

Revision: 29.04.2022

(Contd. of page 7)

Page 8/9

Trade name ombran MHP-SP 3000

Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	Νο
· Special precautions for user	Not applicable.
 Transport in bulk according to Anne Marpol and the IBC Code 	ex II of Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing data specification sheet:
- Environment protection department.

· Contact:

• Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 9)

AE



Printing date 29.04.2022

Version number 10

Revision: 29.04.2022

Page 9/9

Trade name ombran MHP-SP 3000

(Contd. of page 8
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses pa
route (European Agreement Concerning the International Carriage of Dangerous
Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 5: Acute toxicity – Category 5
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT SE 5. Specific larger organ toxicity (single exposure) - Calegory 5

AE -